

ORAFOL AMERICAS (OCS) ORALIFE™ COMPONENT SYSTEM WARRANTY



The OCS™ warranty from **ORAFOL Americas** includes specially matched media and laminates to fit almost any graphic application where a pressure sensitive adhesive is needed. Combined with your approved wide-format inkjet printer and corresponding OEM ink sets, the **OCS warranty** can help you achieve an unrivaled level of performance and guaranteed reliability for your outdoor digital prints. To **enroll**, [click here](#) or visit our **website** at www.orafol.com.

Give clients *peace of mind* that your business produces quality graphics designed to last by proudly displaying your **OCS™ Warranty Certificate!**

Eligible OCS™ Approved Materials

OCS Warranty

/// Durability in years
(based on vertical exposure)

Climate Zone 1

		OCS 8		OCS 7		OCS 6						OCS 5													
		8 years		7 years		6 years						5 years													
Climate Zone 2	Climate Zone 3	OCS 6	OCS 4	OCS 5	OCS 3	OCS 4			OCS 2			OCS 3			OCS 1.5										
Qualified ORAJET® Media		3971RA+ ProSlide®	3981RA+ ProSlide®	3951	3951RA	3951RA+ ProSlide®	3952F	3850	3551RA+ ProSlide®	3551	3551RA	3551DT	5600RA	5650RA	5600	3954	3850	3651/3691	3651RA	3551	3551RA	3551DT	3169RA	3165RA	3165

Recommended Applications

Application	3971RA+ ProSlide®	3981RA+ ProSlide®	3951	3951RA	3951RA+ ProSlide®	3952F	3850	3551RA+ ProSlide®	3551	3551RA	3551DT	5600RA	5650RA	5600	3954	3850	3651/3691	3651RA	3551	3551RA	3551DT	3169RA	3165RA	3165	
Fleet/ Vehicle Graphics	•	•	•	•	•			•	•	•	•	•	•	•											
Complex & Moderate Curves	•	•	•	•	•																				
Simple Curves	•	•	•	•	•			•	•	•	•	•	•	•											
Short-term promotional																									
Indoor Signage, P.O.P., and Exhibit															•		•	•	•	•	•	•	•	•	•
Outdoor Signage	•	•	•	•	•			•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•
Backlit Signage			•				•		•							•	•		•						
Window Graphics						•										•	•	•	•	•	•	•	•	•	•
Boat/Water Craft																									

Required ORAGUARD® Laminate

Media	3971RA+ ProSlide®	3981RA+ ProSlide®	3951	3951RA	3951RA+ ProSlide®	3952F	3850	3551RA+ ProSlide®	3551	3551RA	3551DT	5600RA	5650RA	5600	3954	3850	3651/3691	3651RA	3551	3551RA	3551DT	3169RA	3165RA	3165	
210																									
215/215DU																•	•	•	•	•	•	•	•	•	•
252F						•																			
279	•		•	•	•			•																	
289F	•	•	•	•	•		•	•				•	•	•											
290/290F			•	•	•		•	•	•	•	•	•	•	•	•										
293			•	•	•		•	•	•	•	•	•	•	•	•										
297GF																									

ORAFOL AMERICAS (OCS) ORALIFE™ COMPONENT SYSTEM WARRANTY

Eligible OCS™ Approved Materials

OCS Warranty

/// Durability in years
(based on vertical exposure)

Climate Zone 1

Climate Zone 2	Climate Zone 3	OCS 4											OCS 3									
		OCS 2 ^{min}					OCS 1 ^{min}						OCS 1 ^{min}		OCS 1/2 ^{min}							
Qualified ORAJET® Media		3641	3640	3621	3620	3169RA	3165	3165RA	3164	3164RA	3164XRA	3164HT	3161DT	5400	3951RA	3951	3751RA	3676	3675	3621	3620	3551RA

Recommended Applications

Application	3641	3640	3621	3620	3169RA	3165	3165RA	3164	3164RA	3164XRA	3164HT	3161DT	5400	3951RA	3951	3751RA	3676	3675	3621	3620	3551RA	
Fleet/Vehicle Graphics																						
Complex & Moderate Curves																						
Simple Curves																						
Short-term promotional	•	•	•	•	•	•	•	•	•	•	•	•	•									
Indoor Signage, P.O.P., and Exhibit	•	•	•	•	•	•	•	•	•	•	•	•	•									
Outdoor Signage	•	•	•	•	•	•	•	•	•	•	•	•	•									
Backlit Signage																						
Window Graphics					•	•	•										•	•	•	•		
Boat/Water Craft														•	•	•						•


Required ORAGUARD® Laminate

Laminate	3641	3640	3621	3620	3169RA	3165	3165RA	3164	3164RA	3164XRA	3164HT	3161DT	5400	3951RA	3951	3751RA	3676	3675	3621	3620	3551RA	
210	•	•	•	•	•	•	•	•	•	•	•	•	•							•	•	•
215/215DU													•									
289F														•	•	•						•
290/290F														•	•	•						•
293														•	•	•						•
297GF																	•	•				

*Mercedes-Benz Sprinter®, Volkswagen Beetle®, Chevy Equinox®, or similar // **Chevy Tahoe®, Chevy Silverado®, Ford F-150, Ford Flex®, or similar
***Box Truck, Trailer, Partial Wraps on vehicles not requiring conformability into channels or recesses

Outdoor Durability Warranty Specifications

Published outdoor durability specifications for ORAFOL films represent the expected performance of our films in vehicle exposure applications (+/- 10° from vertical orientation) located in Climate Zone 1. For a complete list and more information about climate zones refer to the General Warranty at www.orafol.com.



Climate Zones Defined

The Americas and Caribbean

Climate Zone 1 <i>Mild Climate</i>			Climate Zone 2 <i>Humid/Warm Climate</i>		Climate Zone 3 <i>Dry/Hot Climate</i>	
Canada						
United States						
Alaska Washington Oregon <i>Northern</i> California Idaho Montana Wyoming <i>Northern</i> Utah Colorado North Dakota South Dakota Nebraska	Kansas Minnesota Iowa <i>Northern</i> Missouri Wisconsin Illinois Michigan Indiana Ohio <i>Northern</i> Kentucky Pennsylvania	<i>Northern</i> West Virginia Maryland Delaware New Jersey New York Vermont Massachusetts Connecticut New Hampshire Rhode Island Maine	<i>Central & Southern</i> California Nevada <i>Central & Southern</i> Utah Arizona New Mexico Oklahoma Texas <i>Central & Southern</i> Missouri Arkansas Louisiana	<i>Central & Southern</i> Kentucky Tennessee Mississippi Alabama Georgia <i>Southern</i> West Virginia Virginia North Carolina South Carolina <i>Northern & Central</i> Florida	Hawaii	<i>Southern</i> Florida
Mexico						
All Central American countries						
All Caribbean countries & territories						
South America						
<i>Southern</i> Chile	<i>Southern</i> Argentina	<i>Central & Northern</i> Chile <i>Southern</i> Peru <i>Southern</i> Bolivia	Uruguay Argentina	Colombia Ecuador <i>Northern</i> Peru <i>Northern</i> Bolivia Paraguay	Venezuela Guyana Suriname French Guiana Brazil	

ORAFOL AMERICAS (OCS) ORALIFE™ COMPONENT SYSTEM WARRANTY

The OCS™ warranty from **ORAFOL Americas** applies to specified combinations of ORAJET® digital media and ORAGUARD® laminating films when used in combination with approved wide-format inkjet printers and OEM ink sets. **ORAFOL Americas** has worked closely with many of today's top wide-format inkjet printer and leading RIP software manufacturers to create high quality media color profiles that allow you to achieve premium print quality when utilizing ORAJET® media.

Make sure the correct media profile is loaded for your job, based on your specific combination of ORAJET® media, ink, printer and RIP software. Each series of ORAJET® digital media requires different print and RIP software parameters because of the individual qualities of each material. Check the Support section of the **ORAFOL Americas** website for a wide selection of *FREE* color profiles.

Printing with Solvent or Eco-Solvent ink?

For required ink outgassing procedures to help achieve maximum performance and durability from ORAJET® and ORAGUARD® combinations [click here](#). Learn more by reading our [Practical Information Guide for Solvent and Eco-Solvent printing](#).

Eligible OCS™ Approved Printer /// Rip Software /// Ink Manufacturers

Manufacturer	Model	Model Number	OEM Inkset	RIP Software																		
				Caldera	ColorBurst	ColorGATE	Ergosoft	ONXY	HP Onboard	Mimaki RasterLink	Roland VersaWorks	SAI Flexi	Wasatch									
Canon	Colorado	1630	Uvgel 460	•				•														
		1650		•				•														
		M-Series		•				•														
Epson	StylusPro	S9800	UltraChrome			•																
		GS6000			•	•		•					•	•								
	SureColor	S30600		•																		
		30670						•								•	•					
		40600		•												•	•					
		S30675		•												•	•					
S60600	•												•	•								
HP	HP Latex	110	HP Latex	•				•	•					•	•							
		310		•				•	•				•	•								
		315		•				•	•					•	•							
		330		•				•	•						•	•						
		335		•				•	•						•	•						
		360		•				•	•						•	•						
		365		•				•	•						•	•						
		370		•				•	•						•	•						
		375		•				•	•						•	•						
		560		•				•	•						•	•						
570	•				•	•						•	•									
Mimaki	CJV30	100	SS21					•			•		•	•								
		130	SS21					•			•		•	•								
		160	ES3					•			•		•	•								
		160	SS21					•			•		•	•								
	JV150	130	SS21					•			•		•	•								
		160	SS21					•			•		•	•								
		260s	SS21					•			•		•	•								
	JV33	130	ES3					•			•		•	•								
		130	SS21					•			•		•	•								
		160	ES3					•			•		•	•								
160	SS21					•			•		•	•										

ORAFOL AMERICAS (OCS) ORALIFE™ COMPONENT SYSTEM WARRANTY

Eligible OCS™ Approved Printer /// Rip Software /// Ink Manufacturers

RIP Software

Manufacturer	Model	Model Number	OEM Inkset	RIP Software												
				Caldera	ColorBurst	ColorGATE	Ergosoft	ONXY	HP Onboard	Mimaki RasterLink	Roland VersaWorks	SAI Flexi	Wasatch			
Mutoh	Value Jet	1324	Eco-Sol Ultra					•						•	•	
		1204						•						•	•	
		1304						•							•	•
		1604						•							•	•
		1614						•							•	•
		1618A						•							•	•
		1624						•							•	•
		1638					•				•				•	•
		2606									•				•	•
OKI	Color Painter	E-64S	Oki-SX	•				•					•			
		M-64S		•				•				•				
Roland	TrueVIS SG	300	Roland TrueVis										•			
		540		•							•					
	TrueVIS VG	640	Roland TR2										•			
		540		•							•					
	TrueVIS VG 2	640	EcoSol Max 2	•									•			
		540		•							•	•				
	VersaExpress	RF-640	EcoSol Max					•					•	•		
		VP300i											•			
	Versa CAMM	VP540i	EcoSol Max										•			
		VP300						•				•	•	•		
	Versa CAMM	VP540	EcoSol Max 2					•					•	•		
		VS-420						•				•	•	•		
	Versa CAMM	VS-540	EcoSol Max 2					•					•	•		
		VS-540i						•				•	•	•		
	Versa CAMM	VS-640	EcoSol Max					•					•	•		
		VS-640i						•				•	•	•		
	SolJet	645	EcoSol Max					•					•	•		
		745						•				•	•	•		
	SolJet	EJ-640	EcoSol Max 2	•									•			
		XC540						•				•	•	•		
	SolJet Pro III	XC540(RIPC)	EcoSol Max 2					•					•	•		
		XJ540						•				•	•	•		
	SolJet Pro III	XJ640	EcoSol Max					•					•	•		
XJ740							•				•	•	•			
SolJet Pro 4	XF640	EcoSol Max 2					•					•	•			
	XR640						•				•	•				
VersaArt	RE640	EcoSol Max					•					•	•			
	RS540						•				•	•	•			
		RS640					•					•	•			

ORAFOL AMERICAS
(OCS) ORALIFE™ COMPONENT SYSTEM WARRANTY

08/23
Page 6 of 6



ORAFOL Americas

1100 Oracal Parkway
Black Creek, GA 31308

912-851-5000 • Fax | 912-851-5110
Toll Free | 888-672-2251

ORAFOL Canada

2831 Bristol Circle
Oakville, Ontario L6H 6X5

905-829-2828 • Fax | 905-829-9941
Toll Free | 888-727-3374

techsupport-americas@orafol.com • www.orafol.com