Australian Wool Testing Authority Ltd - trading as AWTA Product Testing

A.B.N 43 006 014 106

AWTA PRODUCT TESTING

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031

P.O Box 240, North Melbourne, Victoria 3051

Phone (03) 9371 2400

TEST REPORT

Client :	t : Orafol Australia 8 Blanck Street Ormeau QLD 4208		Test Number Issue Date Print Date	::	23-002455 29/06/2023 13/07/2023
Sample I	Description	Clients Ref : "Oracal 8300" Self adhesive flexible film Colour : Translucent Yellow End Use : Illuminated Signage Nominal Composition : PVC with acrylic adhesive			

80 micron

Nominal Thickness :



190956 65210 Page 1 of 9 Australian Wool Testing Authority Ltd Copyright - All Rights Reserved Accredited for compliance with ISO/IEC 17025 - Testing Accreditation Numbers: 983, 985, and 1356 Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approv Ļþу the Managing Director of AWTA Ltd.

Chris Campbell

(C)

0204/11/06

APPROVED SIGNATORY



IAEL A. JACKSON B.Sc.(Hons) MANAGING DIRECTOR

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing

A.B.N 43 006 014 106

AWTA PRODUCT TESTING

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031

P.O Box 240, North Melbourne, Victoria 3051

Phone (03) 9371 2400

TEST REPORT

Client :	Orafol Australia	Test Number	:	23-002455
	8 Blanck Street	Issue Date	:	29/06/2023
	Ormeau QLD 4208	Print Date	:	13/07/2023

AS/NZS 3837-1998	Method of Test for Heat a Consumption Calorimeter		se Rates for Ma	aterials and Pr	oducts u	sing an Oxygen
Date Tested	28-06-2023					
Operator	AWTA Test Operator 9					
Face Tested	FACE					
		Spec	imen			
		1	2	3	Mean	
Average Heat Release Rat	e 2	2.9 2	4.2	25.4	24.1	kW/m²
Average Specific extinction	area 25	5.3 4	7.4	50.0	40.9	m²/kg
	(according to S	pecification C1.1	0 of the Buildin	g Code of Aus	tralia)	
Test orientation : Horizo	ntal					
	Specimen					
		1	2	3	Mean	
Irradiance	:	50	50	50	50	kW/m²
Exhaust flow rate	0.0	24 0.0	024 0	.024	0.024	m³/s
Time to sustained flaming	:	39	27	32	33	sec
Test duration	2	20 2	208	213	214	sec
Peak heat release after igr	iition 82	2.3 8	6.0	84.8	84.4	kW/m²
Average heat at 60 s	44	1.1 4	5.4	47.0	45.5	kW/m²
Average heat at 180 s	23	3.1 2	4.4	25.4	24.3	kW/m²
Average heat at 300 s	r	n/a	n/a	n/a	n/a	kW/m²

190956 65210

© Australian Wool Testing Authority Ltd Copyright - All Rights Reserved

Mass percentage pyrolysed

Total heat released

Initial thickness

Mass remaining

Initial mass

Average effective heat of combustion



Accredited for compliance with ISO/IEC 17025 - Testing Accreditation Numbers: 983, 985, and 1356

4.2

4.1

10.1

64.5

56.4

12.6

4.4

4.5

10.1

64.1

56.3

12.1

4.6

4.6

10.1

64.2

56.1

12.6

Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd.

4.4

4.4

10.1

64.3

56.3

12.5

MJ/m²

MJ/kg

mm

g

g

%

Chris Campbell

Page 2 of 9



AFL A. JACKSON B.Sc.(Hons)

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing

A.B.N 43 006 014 106

AWTA Product Testing

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031

P.O Box 240, North Melbourne, Victoria 3051

Phone (03) 9371 2400

TEST REPORT

Client :	Orafol Australia 8 Blanck Street Ormeau QLD 4208			Test Numbe Issue Date Print Date	er: : :	23-002455 29/06/2023 13/07/2023
Mass loss		1.0	1.0	1.0	1.0	kg/m²
Average rate of mass loss		5.6	5.4	5.5	5.5	g/m².s
Additional Observations		NONE				
Difficulties Encountered during Testing		NONE				

Each specimen was self adhered to 10mm thick plasterboard prior to testing

Tests were conducted with a wire grid placed over the sample during testing. This was done to contain intumescing sample within the sample holder.

These test results relate only to the behaviour of the product under the conditions of the test, they are not intended to be the sole criterion for assessment of performance under real fire conditions.

The results of these fire tests may be used to directly assess fire hazard, but it should be recognised that a single test method will not provide a full assessment of the fire hazard under all fire conditions.

190956

Australian Wool Testing Authority Ltd Copyright - All Rights Reserved

65210



the Managing Director of AWTA Ltd.

Accredited for compliance with ISO/IEC 17025 - Testing Accreditation Numbers: 983, 985, and 1356

Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approv

Page 3 of 9





Chris Campbel APPROVED SIGNATORY

Lb۱

C

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing

A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031

P.O Box 240, North Melbourne, Victoria 3051


Phone (03) 9371 2400

TEST REPORT

Client : Orafol Australia 8 Blanck Street Ormeau QLD 4208
 Test Number
 :
 23-002455

 Issue Date
 :
 29/06/2023

 Print Date
 :
 13/07/2023



Australian Wool Testing Authority Ltd - trading as AWTA Product Testing

A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031


P.O Box 240, North Melbourne, Victoria 3051

Phone (03) 9371 2400

TEST REPORT

Orafol Australia Client : 8 Blanck Street Ormeau QLD 4208

23-002455 Test Number : Issue Date 29/06/2023 • 13/07/2023 **Print Date** :



Australian Wool Testing Authority Ltd - trading as AWTA Product Testing

A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031


P.O Box 240, North Melbourne, Victoria 3051

Phone (03) 9371 2400

TEST REPORT

Orafol Australia Client : 8 Blanck Street Ormeau QLD 4208

23-002455 Test Number : Issue Date 29/06/2023 • 13/07/2023 **Print Date** •



Australian Wool Testing Authority Ltd - trading as AWTA Product Testing

A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031


P.O Box 240, North Melbourne, Victoria 3051

Phone (03) 9371 2400

TEST REPORT



23-002455 Test Number : Issue Date 29/06/2023 • 13/07/2023 **Print Date** :



0204/11/06

Chris Campbel APPROVED SIGNATORY

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing

A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031

P.O Box 240, North Melbourne, Victoria 3051


Phone (03) 9371 2400

TEST REPORT

Client : Orafol Australia 8 Blanck Street Ormeau QLD 4208
 Test Number
 :
 23-002455

 Issue Date
 :
 29/06/2023

 Print Date
 :
 13/07/2023



Australian Wool Testing Authority Ltd - trading as AWTA Product Testing

A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031

P.O Box 240, North Melbourne, Victoria 3051

Phone (03) 9371 2400

TEST REPORT



23-002455 Test Number : Issue Date 29/06/2023 • 13/07/2023 **Print Date** :

