





About us

ORAFOL® is one of the worlds leading manufacturers of innovative self adhesive graphics films, reflective films and adhesive tape systems. Established in 1808, originally manufacturing postage stamp inks for the Kingdom of Prussia, certainly a far cry from supplying world-leading vehicle wrapping films today.

The company serves and manages the increasing and demanding challenges of a dynamic international market. ORAFOL operates across Europe, USA, Asia and the Middle East and has more than 1800 employees worldwide. The expanding 250,000m² manufacturing facility in Oranienburg Germany is ORAFOL headquarters.

Welcome to ORAFOL Australia

ORAFOL has been involved in the Australian market for many years through a series of distribution channels in all states of Australia. ORAFOL Australia was established following the acquisition of these distribution channels in 2017. Our brand is now well established through the quality and consistency of the product portfolio.

Today, the team at ORAFOL Australia are focused on driving the brand and the product portfolio by developing strong relationships with customers within the relevant signage and graphics market segments. The Australian market is very dynamic and delivers continual growth in traditional arenas and adjacent markets, which is where our sales and marketing teams are very active.

Our vision is clearly focused on being the industry leading manufacturer direct sales organisation providing innovative products and best practice customer service. We look forward to the challenges and playing a leading role in your journey ahead.

Alex McClelland Managing Director ORAFOL Australia Pty Ltd



We make doing business easy!



Ordering from ORAFOL Australia is so easy.

Whether you know exactly what you want, or need specialist advice, we make it easy. Our National team are always here to assist.

Customer Service:

1300 672 365

४ sales.au@orafol.com

Or find us online:

www.orafol.com.au

orafol_australia

📜 store.orafol.com.au


in ORAFOL Australia Pty Ltd

ORAFOL Group



ORAFOL is one of the world's leading manufacturers of innovative self-adhesive graphic films, reflective materials and adhesive tape systems. The international ORAFOL GROUP is headquartered just outside the city gates of Berlin, in Oranienburg.

ORAFOL Group Worldwide Presence



ORAFOL Australia Pty Ltd

ORAFOL New South Wales / ACTAUSTRALIAN HEAD OFFICE

Unit A3, 57 Templar Road, Erskine Park, New South Wales 2759 Tel: +61 2 9621 2844

ORAFOL QueenslandREGISTERED OFFICE

8 Blanck Street, Ormeau Queensland 4208 Tel: +61 7 3823 6000

ORAFOL South Australia

2 - 4 Main Street, Richmond South Australia 5033 Tel: +61 8 8346 7100

ORAFOL Victoria / TAS

58 Brindley Street, Dandenong South Victoria 3175 Tel: +61 3 9236 1111

ORAFOL Western Australia

20 Radius Loop, Bayswater Western Australia 6053 Tel: +61 8 9240 4320

Green Initiatives & Social Responsibility

At the ORAFOL Europe GmbH, we acknowledge our responsibility to help our communities and to protect the environment we live in.

Environmental sustainability and corporate social responsibility are principles that guide our actions and decision-making, from management to individual employees. All our employees know that they are empowered to make a difference.

Our efforts in this field are continuously ongoing – not just a sporadic activity. We are committed throughout our organisation to continuously improve our environmental sustainability efforts and to reach out to people around the world.

Green Initiatives

When it comes to environmental responsibility, ORAFOL go beyond just complying with regulations. Protecting the environment for everyone is an integral part of our business.


At the ORAFOL GmbH headquarters, our specially-designed environmental management system is certified according to ISO 14001. It features regenerative incinerators which not only reduce emissions from our manufacturing processes; they improve the air quality. That's because its emissions are even cleaner than that of our existing surrounding air quality. Energy efficiency is maximized by returning the recovered heat to the production process and the heating system, creating a closed raw material, energy and resource cycle. Our in-house environmental lakes at headquarters are designed to minimise the impacts of production on the environment and protect the health of our employees and local community. Specially-protected animals and plants live and thrive in them.

In addition, an integrated management system combining both the ISO 9001 and ISO 14001 standards is being completed at one of the production sites in the United States.

Corporate Social Responsibility (CSR)

Long before "Corporate Social Responsibility" (CSR) became a popular term, ORAFOL facilities around the world have actively engaged in giving back to their communities.

A sampling of these initiatives includes large donations of reflective products for child safety initiatives throughout the world, volunteering in local schools to teach business basics, and volunteer work with organisations such as Rebuilding Together, a leading nonprofit organisation which helps low-income Americans to repair and refurbish their homes and to rebuild communities. Financially, the company has provided scholarship support to inner city students as well.




Applications

Table of Contents

	Signage Films	8-29	T	Digital Overlaminate Films of	ont.
	Good, Better, Best	9		Anti-Graffiti Overlaminate	114
	Cast Films	12		Optically Clear Overlaminate	116
	Polymeric Films	14		Non-Slip Overlaminate	117
	Monomeric Films	16	_	·	
	Frosted and Etched Films	18		Car Wrapping	120-137
	Light Control Films	20		Cast Films	121
	Fluroescent Films	23		Cleaning & Care Products	126
	Metalised Films	24		Cast Films	127
	Screen Print Films	25		Polymeric Films	129
	Spray and Mask Films	26		Polyurethane Films	130
				Cast Films	131
+	Bundles	30-65		Premium Polymeric Films	133
				Window Films	135
	Good, Better, Best	31		WIIIdow FIIIIIS	133
	Polyurethane Films	34		Screen Printing Films	138-141
	Cast Films	36		<u> </u>	150 111
	Premium Polymeric Films	38		Screen Printing Films	139
	Intermediate Polymeric Films	44	M		
	Perforated Films	60	6	Application Tape and Papers	142-145
	Floor Graphics Films	62		Application Tape and Papers	143
	Digital Print Films	66-101	_		
			Н	Decorative Window Films	146-153
	Adhesive & Film Performance Character	istics 67		Decorative Window Films	147
	Good, Better, Best	68	_	Decorative willdow Fillis	147
	Polyurethane	72		Sign Making Accessories	154-157
	Cast	73		<u> </u>	10 1 107
	Premium Polymeric	74		Sign Making Accessories	155
	Intermediate Polymeric	75			
	Promotional Monomeric	78		Reflective Solutions	158-167
	Polypropylene Non-PVC Green	83		Permanent Traffic Signs - Prismatic Fil	lms 159
	Wall Films	84		Traffic Control	160
	Window Films	86		Permanent Traffic Signs - Glass Bead	
	Floor Graphic Films	94		Vehicle Conspicuity	163
	Specialty Films	96		Hazard Warning Tapes	164
	Process & Handling	99		Non-Reflective Hazard Warning Tapes	
+	Digital Overlaminate Films	102-119	\bigcirc	Adhesive Tape Systems	168-175
	Polyurethane Overlaminate	103	41	- interior rape of sterior	
	Cast Overlaminate	104		Adhesive Tape Systems	169
	Premium Polymeric Overlaminate	106			
	Intermediate Overlaminate	108			
	Monomeric Overlaminate	110			
	Green Solution Overlaminate – Non PVC				

Index

Signage Film	8-29	ORAJET® 3164XG/3164XM	79	ORAGUARD® 270	125
Good, Better, Best Guide	9-11	ORAJET® 3164GHT/3164MHT	80	ORAFOL® Cleaning and Care	126
ORACAL® 951	12	ORAJET® 3162XGRA/3162XMRA	80	ORAFOL® Application Gel	126
ORACAL® 751C	13	ORAJET® 3162GP/3162XPG	81	ORACAL® 951	127
	14				127
ORACAL® 551		ORAJET® 3162G/3162M	81	ORACAL® 751C	
ORACAL® 651	15	ORAJET® 3162XG/3162XM	82	ORACAL® 551	129
ORACAL® 631	16	ORAJET® 3174XG/3174XM	83	ORAJET® 3981RA+ Pro <i>Slide</i> ™	130
ORACAL® 641	17	ORAJET® 3172XG	83	ORAJET® 3951RA+ Pro <i>Slide</i> ™	131
ORACAL® 621	17	ORAJET® 3954	84	ORAJET® 3551GRA	133
ORACAL® 8810	18	ORAIET® 3554M	84	ORAJET® 3675	135
ORACAL® 8710	18	ORAJET® 3268M	85	ORAJET® 3676	135
ORACAL® 8530	18	ORAJET® 3628M	85	-	
	19			Screen Print Films	139-141
ORACAL® 8510/8510RA		ORAJET® 3621M	85	ORACAL® 1640	139
ORACAL® 8511/8511RA	19	ORAJET® 3952F	86	ORACAL® 640	139
ORACAL® 8800	20	ORAJET® 3352F	86	ORACAL® 352	140
ORACAL® 8500	21	ORAJET® 3551	86	Application Tapes and Papers	142-145
ORACAL® 8830/8860	21	ORAJET® 3651	87	ORATAPE® LT95	143
ORACAL® 8300	22	ORAJET® 3165	87		
ORACAL® 8870	22	ORAJET® 3169	88	ORATAPE® MT95	143
ORACAL® 7710RA	23	ORAJET® 3851	88	ORATAPE® MT52	143
ORACAL® 7510	23	ORAJET® 3850	89	ORATAPE® MT72	144
				ORATAPE® HT76	144
ORACAL® 6510	23	ORAJET® 3675	90	Decorative Window Films	146-153
ORACAL® 351	24	ORAJET® 3675E	90	ORACAL® W001	147
ORACAL® 383	24	ORAJET® 3676	91		
ORACAL® 352	25	ORAJET® 3676E	91	ORACAL® W002	147
ORAMASK® 810	26	ORAJET® 3635	91	ORACAL® W004	147
ORAMASK® 810S	26	ORAJET® 3636	92	ORACAL® W014	148
ORAMASK® 811	26	ORAJET® 3554M	94	ORACAL® W018	148
				ORACAL® UV05	148
ORAMASK® 813	27	ORAJET® 3162	94	ORACAL® UV10	149
Bundles	31-65	ORACAL® 1663	94	ORACAL® UV11	149
Good, Better, Best	31	Floor Graphics Systems	95		
ORAJET® 3981RA+ Pro <i>Slide</i> ™	34	ORAJET® 3959G	96	ORACAL® G002	149
ORAJET® 3951RA+ Pro <i>Slide</i> ™	36	ORAJET® 3930	96	ORACAL® WM20	150
ORAJET® 3551GRA	38	ORAJET® 3350	97	ORACAL® DX01	150
		ORACAL® 820	98	ORACAL® DX02	150
ORAJET® 3551MRA	40		99	ORACAL® DX03	151
ORAJET® 3551	41	Processing & Handling	99		
ORAJET 3331	41	, , , , , , , , , , , , , , , , , , ,		ORACAI® DX04	151
ORAJET® 3554M	42	Digital Overlaminate Films	102-119	ORACAL® DX04	151 151
		-	102-119 103	ORACAL® DX05	151
ORAJET® 3554M ORAJET® 3651GRA	42	Digital Overlaminate Films			151 152
ORAJET® 3554M ORAJET® 3651GRA ORAJET® 3651	42 44 46	Digital Overlaminate Films ORAGUARD® 289F ORAGUARD® 293GF	103 104	ORACAL® DX05	151
ORAJET® 3554M ORAJET® 3651GRA ORAJET® 3651 ORAJET® 3650	42 44 46 48	Digital Overlaminate Films ORAGUARD® 289F ORAGUARD® 293GF ORAGUARD® 293	103 104 104	ORACAL® DX05 ORACAL® DX06	151 152
ORAJET® 3554M ORAJET® 3651GRA ORAJET® 3651 ORAJET® 3650 ORAJET® 3165GRA	42 44 46 48 50	Digital Overlaminate Films ORAGUARD® 289F ORAGUARD® 293GF ORAGUARD® 293 ORAGUARD® 290	103 104 104 104	ORACAL® DX05 ORACAL® DX06 Sign Making Accessories	151 152 154-157
ORAJET® 3554M ORAJET® 3651GRA ORAJET® 3651 ORAJET® 3650 ORAJET® 3165GRA ORAJET® 3165MRA	42 44 46 48 50 51	Digital Overlaminate Films ORAGUARD® 289F ORAGUARD® 293GF ORAGUARD® 293 ORAGUARD® 290 ORAGUARD® 290F	103 104 104 104 105	ORACAL® DX05 ORACAL® DX06 Sign Making Accessories Squeegees Blue WrapGlove®	151 152 154-157 155 156
ORAJET® 3554M ORAJET® 3651GRA ORAJET® 3651 ORAJET® 3650 ORAJET® 3165GRA ORAJET® 3165MRA ORAJET® 3165GRA/3165MRA	42 44 46 48 50 51 52	Digital Overlaminate Films ORAGUARD® 289F ORAGUARD® 293GF ORAGUARD® 293 ORAGUARD® 290 ORAGUARD® 290F ORAGUARD® 290GDU	103 104 104 104 105	ORACAL® DX05 ORACAL® DX06 Sign Making Accessories Squeegees Blue WrapGlove® Reflective Solutions	151 152 154-157 155 156 158-167
ORAJET® 3554M ORAJET® 3651GRA ORAJET® 3651 ORAJET® 3650 ORAJET® 3165GRA ORAJET® 3165MRA	42 44 46 48 50 51	Digital Overlaminate Films ORAGUARD® 289F ORAGUARD® 293GF ORAGUARD® 293 ORAGUARD® 290 ORAGUARD® 290F ORAGUARD® 290F ORAGUARD® 290GDU ORAGUARD® 259	103 104 104 104 105	ORACAL® DX05 ORACAL® DX06 Sign Making Accessories Squeegees Blue WrapGlove® Reflective Solutions ORALITE® 9910	151 152 154-157 155 156 158-167 159
ORAJET® 3554M ORAJET® 3651GRA ORAJET® 3651 ORAJET® 3650 ORAJET® 3165GRA ORAJET® 3165MRA ORAJET® 3165GRA/3165MRA	42 44 46 48 50 51 52	Digital Overlaminate Films ORAGUARD® 289F ORAGUARD® 293GF ORAGUARD® 293 ORAGUARD® 290 ORAGUARD® 290F ORAGUARD® 290GDU	103 104 104 104 105	ORACAL® DX05 ORACAL® DX06 Sign Making Accessories Squeegees Blue WrapGlove® Reflective Solutions ORALITE® 9910 ORALITE® 5910	151 152 154-157 155 156 158-167 159
ORAJET® 3554M ORAJET® 3651GRA ORAJET® 3651 ORAJET® 3650 ORAJET® 3165GRA ORAJET® 3165MRA ORAJET® 3165GRA/3165MRA ORAJET® 3165	42 44 46 48 50 51 52 54	Digital Overlaminate Films ORAGUARD® 289F ORAGUARD® 293GF ORAGUARD® 293 ORAGUARD® 290 ORAGUARD® 290F ORAGUARD® 290F ORAGUARD® 290GDU ORAGUARD® 259	103 104 104 104 105 105	ORACAL® DX05 ORACAL® DX06 Sign Making Accessories Squeegees Blue WrapGlove® Reflective Solutions ORALITE® 9910	151 152 154-157 155 156 158-167 159
ORAJET® 3554M ORAJET® 3651GRA ORAJET® 3651 ORAJET® 3650 ORAJET® 3165GRA ORAJET® 3165MRA ORAJET® 3165GRA/3165MRA ORAJET® 3165 ORAJET® 3169	42 44 46 48 50 51 52 54 56	Digital Overlaminate Films ORAGUARD® 289F ORAGUARD® 293GF ORAGUARD® 293 ORAGUARD® 290 ORAGUARD® 290F ORAGUARD® 290F ORAGUARD® 290GDU ORAGUARD® 259 ORAGUARD® 215 ORAGUARD® 215GDU/212MDU	103 104 104 104 105 105 105 106	ORACAL® DX05 ORACAL® DX06 Sign Making Accessories Squeegees Blue WrapGlove® Reflective Solutions ORALITE® 9910 ORALITE® 5910	151 152 154-157 155 156 158-167 159
ORAJET® 3554M ORAJET® 3651GRA ORAJET® 3651 ORAJET® 3650 ORAJET® 3165GRA ORAJET® 3165MRA ORAJET® 3165GRA/3165MRA ORAJET® 3165 ORAJET® 3169 ORAJET® 3675	42 44 46 48 50 51 52 54 56 58 60	Digital Overlaminate Films ORAGUARD® 289F ORAGUARD® 293GF ORAGUARD® 293 ORAGUARD® 290 ORAGUARD® 290F ORAGUARD® 290F ORAGUARD® 290GDU ORAGUARD® 259 ORAGUARD® 215 ORAGUARD® 215GDU/212MDU ORAGUARD® 213	103 104 104 104 105 105 105 106 107	ORACAL® DX05 ORACAL® DX06 Sign Making Accessories Squeegees Blue WrapGlove® Reflective Solutions ORALITE® 9910 ORALITE® 5910 ORALITE® 5960	151 152 154-157 155 156 158-167 159 159
ORAJET® 3554M ORAJET® 3651GRA ORAJET® 3651 ORAJET® 3650 ORAJET® 3165GRA ORAJET® 3165MRA ORAJET® 3165GRA/3165MRA ORAJET® 3165 ORAJET® 3169 ORAJET® 3675 ORAJET® 3676	42 44 46 48 50 51 52 54 56 58 60	Digital Overlaminate Films ORAGUARD® 289F ORAGUARD® 293GF ORAGUARD® 293G ORAGUARD® 290 ORAGUARD® 290F ORAGUARD® 290F ORAGUARD® 290GDU ORAGUARD® 259 ORAGUARD® 215 ORAGUARD® 215GDU/212MDU ORAGUARD® 213 ORAGUARD® 210	103 104 104 104 105 105 105 106 107 108 110	ORACAL® DX05 ORACAL® DX06 Sign Making Accessories Squeegees Blue WrapGlove® Reflective Solutions ORALITE® 9910 ORALITE® 5910 ORALITE® 5960 ORALITE® 5931M ORALITE® 5700	151 152 154-157 155 156 158-167 159 159 160 160
ORAJET® 3554M ORAJET® 3651GRA ORAJET® 3651 ORAJET® 3650 ORAJET® 3165GRA ORAJET® 3165MRA ORAJET® 3165GRA/3165MRA ORAJET® 3165 ORAJET® 3169 ORAJET® 3675 ORAJET® 3676 ORAJET® 3554M	42 44 46 48 50 51 52 54 56 58 60 61 62	Digital Overlaminate Films ORAGUARD® 289F ORAGUARD® 293GF ORAGUARD® 293G ORAGUARD® 290 ORAGUARD® 290F ORAGUARD® 290F ORAGUARD® 290GDU ORAGUARD® 259 ORAGUARD® 215 ORAGUARD® 215GDU/212MDU ORAGUARD® 213 ORAGUARD® 210 ORAGUARD® 210 ORAGUARD® 210 ORAGUARD® 210 ORAGUARD® 210 ORAGUARD® 210	103 104 104 104 105 105 105 106 107 108 110	ORACAL® DX05 ORACAL® DX06 Sign Making Accessories Squeegees Blue WrapGlove® Reflective Solutions ORALITE® 9910 ORALITE® 5910 ORALITE® 5960 ORALITE® 5931M ORALITE® 5700 ORALITE® 5500	151 152 154-157 155 156 158-167 159 159 160 160 161
ORAJET® 3554M ORAJET® 3651GRA ORAJET® 3651 ORAJET® 3650 ORAJET® 3165GRA ORAJET® 3165MRA ORAJET® 3165GRA/3165MRA ORAJET® 3165 ORAJET® 3169 ORAJET® 3675 ORAJET® 3676	42 44 46 48 50 51 52 54 56 58 60	Digital Overlaminate Films ORAGUARD® 289F ORAGUARD® 293GF ORAGUARD® 293 ORAGUARD® 290 ORAGUARD® 290F ORAGUARD® 290F ORAGUARD® 290GDU ORAGUARD® 259 ORAGUARD® 215 ORAGUARD® 215 ORAGUARD® 213 ORAGUARD® 213 ORAGUARD® 210 ORAGUARD® 210SO	103 104 104 104 105 105 106 107 108 110 110	ORACAL® DX05 ORACAL® DX06 Sign Making Accessories Squeegees Blue WrapGlove® Reflective Solutions ORALITE® 9910 ORALITE® 5910 ORALITE® 5960 ORALITE® 5931M ORALITE® 5700 ORALITE® 5500 ORALITE® 5500 ORALITE® 5400	151 152 154-157 155 156 158-167 159 159 160 160 161 161
ORAJET® 3554M ORAJET® 3651GRA ORAJET® 3651 ORAJET® 3650 ORAJET® 3165GRA ORAJET® 3165MRA ORAJET® 3165GRA/3165MRA ORAJET® 3165 ORAJET® 3169 ORAJET® 3675 ORAJET® 3676 ORAJET® 3554M	42 44 46 48 50 51 52 54 56 58 60 61 62	Digital Overlaminate Films ORAGUARD® 289F ORAGUARD® 293GF ORAGUARD® 293 ORAGUARD® 290 ORAGUARD® 290F ORAGUARD® 290F ORAGUARD® 290GDU ORAGUARD® 259 ORAGUARD® 215 ORAGUARD® 215 ORAGUARD® 213 ORAGUARD® 213 ORAGUARD® 210 ORAGUARD® 210 ORAGUARD® 210 ORAGUARD® 210 ORAGUARD® 210 ORAGUARD® 210SO ORAGUARD® 200	103 104 104 104 105 105 106 107 108 110 110	ORACAL® DX05 ORACAL® DX06 Sign Making Accessories Squeegees Blue WrapGlove® Reflective Solutions ORALITE® 9910 ORALITE® 5910 ORALITE® 5960 ORALITE® 5931M ORALITE® 5700 ORALITE® 5500 ORALITE® 5500 ORALITE® 5400 ORALITE® 6900ES	151 152 154-157 155 156 158-167 159 159 160 160 161 161 161 162
ORAJET® 3554M ORAJET® 3651GRA ORAJET® 3651 ORAJET® 3650 ORAJET® 3165GRA ORAJET® 3165GRA ORAJET® 3165GRA/3165MRA ORAJET® 3165 ORAJET® 3169 ORAJET® 3169 ORAJET® 3676 ORAJET® 3554M ORAJET® 3162	42 44 46 48 50 51 52 54 56 58 60 61 62 64 66-101	Digital Overlaminate Films ORAGUARD® 289F ORAGUARD® 293GF ORAGUARD® 293 ORAGUARD® 290 ORAGUARD® 290F ORAGUARD® 290F ORAGUARD® 290GDU ORAGUARD® 259 ORAGUARD® 215 ORAGUARD® 215 ORAGUARD® 213 ORAGUARD® 213 ORAGUARD® 210 ORAGUARD® 210SO	103 104 104 104 105 105 106 107 108 110 110	ORACAL® DX05 ORACAL® DX06 Sign Making Accessories Squeegees Blue WrapGlove® Reflective Solutions ORALITE® 9910 ORALITE® 5910 ORALITE® 5960 ORALITE® 5931M ORALITE® 5700 ORALITE® 5500 ORALITE® 5500 ORALITE® 5400 ORALITE® 6900ES ORALITE® 5600RA	151 152 154-157 155 156 158-167 159 159 160 160 161 161 162 162
ORAJET® 3554M ORAJET® 3651GRA ORAJET® 3651 ORAJET® 3650 ORAJET® 3165GRA ORAJET® 3165GRA ORAJET® 3165GRA/3165MRA ORAJET® 3165GRA/3165MRA ORAJET® 3169GRA ORAJET® 3169 ORAJET® 3675 ORAJET® 3676 ORAJET® 3554M ORAJET® 3162 Digital Print Films Adhesive & Film Performance Characteristics	42 44 46 48 50 51 52 54 56 58 60 61 62 64 66-101	Digital Overlaminate Films ORAGUARD® 289F ORAGUARD® 293GF ORAGUARD® 293 ORAGUARD® 290 ORAGUARD® 290F ORAGUARD® 290F ORAGUARD® 290GDU ORAGUARD® 259 ORAGUARD® 215 ORAGUARD® 215 ORAGUARD® 213 ORAGUARD® 213 ORAGUARD® 210 ORAGUARD® 210 ORAGUARD® 210 ORAGUARD® 210 ORAGUARD® 210 ORAGUARD® 210SO ORAGUARD® 200	103 104 104 104 105 105 106 107 108 110 110	ORACAL® DX05 ORACAL® DX06 Sign Making Accessories Squeegees Blue WrapGlove® Reflective Solutions ORALITE® 9910 ORALITE® 5910 ORALITE® 5960 ORALITE® 5931M ORALITE® 5700 ORALITE® 5500 ORALITE® 5500 ORALITE® 5400 ORALITE® 6900ES	151 152 154-157 155 156 158-167 159 159 160 160 161 161 161 162
ORAJET® 3554M ORAJET® 3651GRA ORAJET® 3651 ORAJET® 3650 ORAJET® 3165GRA ORAJET® 3165GRA ORAJET® 3165GRA/3165MRA ORAJET® 3165GRA/3165MRA ORAJET® 3165 ORAJET® 3169 ORAJET® 3675 ORAJET® 3676 ORAJET® 3554M ORAJET® 3162 Digital Print Films Adhesive & Film Performance Characteristics Good, Better, Best	42 44 46 48 50 51 52 54 56 58 60 61 62 64 66-101 67	Digital Overlaminate Films ORAGUARD® 289F ORAGUARD® 293GF ORAGUARD® 293 ORAGUARD® 290 ORAGUARD® 290 ORAGUARD® 290F ORAGUARD® 290GDU ORAGUARD® 259 ORAGUARD® 215 ORAGUARD® 215 ORAGUARD® 215 ORAGUARD® 213 ORAGUARD® 210 ORAGUARD® 210 ORAGUARD® 210 ORAGUARD® 210 ORAGUARD® 210 ORAGUARD® 210SO ORAGUARD® 200 ORAGUARD® 236	103 104 104 104 105 105 106 107 108 110 110 111 111	ORACAL® DX05 ORACAL® DX06 Sign Making Accessories Squeegees Blue WrapGlove® Reflective Solutions ORALITE® 9910 ORALITE® 5910 ORALITE® 5960 ORALITE® 5931M ORALITE® 5700 ORALITE® 5500 ORALITE® 5500 ORALITE® 5400 ORALITE® 6900ES ORALITE® 5600RA	151 152 154-157 155 156 158-167 159 159 160 160 161 161 162 162
ORAJET® 3554M ORAJET® 3651GRA ORAJET® 3651 ORAJET® 3650 ORAJET® 3165GRA ORAJET® 3165GRA ORAJET® 3165MRA ORAJET® 3165GRA/3165MRA ORAJET® 3165 ORAJET® 3169 ORAJET® 3675 ORAJET® 3676 ORAJET® 3554M ORAJET® 3162 Digital Print Films Adhesive & Film Performance Characteristics Good, Better, Best ORAJET® 3851RA+ ProSlide™	42 44 46 48 50 51 52 54 56 58 60 61 62 64 66-101 67 68 72	Digital Overlaminate Films ORAGUARD® 289F ORAGUARD® 293GF ORAGUARD® 293 ORAGUARD® 290 ORAGUARD® 290F ORAGUARD® 290F ORAGUARD® 290F ORAGUARD® 259 ORAGUARD® 259 ORAGUARD® 215 ORAGUARD® 215 ORAGUARD® 215 ORAGUARD® 213 ORAGUARD® 210 ORAGUARD® 210 ORAGUARD® 210 ORAGUARD® 210 ORAGUARD® 210SO ORAGUARD® 200 ORAGUARD® 236 ORAGUARD® 373 ORAGUARD® 372	103 104 104 104 105 105 106 107 108 110 110 111 111 111 112	ORACAL® DX05 ORACAL® DX06 Sign Making Accessories Squeegees Blue WrapGlove® Reflective Solutions ORALITE® 9910 ORALITE® 5910 ORALITE® 5960 ORALITE® 5931M ORALITE® 5700 ORALITE® 5500 ORALITE® 5500 ORALITE® 5400 ORALITE® 6900ES ORALITE® 5600RA ORALITE® 5650RA	151 152 154-157 155 156 158-167 159 159 160 160 161 161 162 162 162 163
ORAJET® 3554M ORAJET® 3651GRA ORAJET® 3651 ORAJET® 3650 ORAJET® 3165GRA ORAJET® 3165GRA ORAJET® 3165GRA/3165MRA ORAJET® 3165GRA/3165MRA ORAJET® 3165 ORAJET® 3169 ORAJET® 3675 ORAJET® 3676 ORAJET® 3554M ORAJET® 3162 Digital Print Films Adhesive & Film Performance Characteristics Good, Better, Best ORAJET® 3981RA+ ProSlide™ ORAJET® 3951RA+ ProSlide™	42 44 46 48 50 51 52 54 56 58 60 61 62 64 66-101 67 68 72	Digital Overlaminate Films ORAGUARD® 289F ORAGUARD® 293GF ORAGUARD® 293 ORAGUARD® 290 ORAGUARD® 290F ORAGUARD® 290F ORAGUARD® 290F ORAGUARD® 259 ORAGUARD® 215 ORAGUARD® 215 ORAGUARD® 215 ORAGUARD® 213 ORAGUARD® 210 ORAGUARD® 236 ORAGUARD® 373 ORAGUARD® 372 ORAGUARD® 244G	103 104 104 104 105 105 106 107 108 110 111 111 111 112 114 114	ORACAL® DX05 ORACAL® DX06 Sign Making Accessories Squeegees Blue WrapGlove® Reflective Solutions ORALITE® 9910 ORALITE® 5910 ORALITE® 5960 ORALITE® 5931M ORALITE® 5700 ORALITE® 5700 ORALITE® 5500 ORALITE® 5500 ORALITE® 5400 ORALITE® 5600RA ORALITE® 5600RA ORALITE® 5650RA ORALITE® 5431 ORALITE® 5091INDAS	151 152 154-157 155 156 158-167 159 159 160 160 161 161 162 162 163 163 164
ORAJET® 3554M ORAJET® 3651GRA ORAJET® 3651 ORAJET® 3650 ORAJET® 3165GRA ORAJET® 3165GRA ORAJET® 3165GRA/3165MRA ORAJET® 3165GRA/3165MRA ORAJET® 3165 ORAJET® 3169 ORAJET® 3675 ORAJET® 3676 ORAJET® 3554M ORAJET® 3162 Digital Print Films Adhesive & Film Performance Characteristics Good, Better, Best ORAJET® 3951RA+ ProSlide® ORAJET® 3551GRA/3551MRA	42 44 46 48 50 51 52 54 56 58 60 61 62 64 66-101 67 68 72 73 74	Digital Overlaminate Films ORAGUARD® 289F ORAGUARD® 293GF ORAGUARD® 293 ORAGUARD® 290 ORAGUARD® 290 ORAGUARD® 290F ORAGUARD® 290F ORAGUARD® 259 ORAGUARD® 215 ORAGUARD® 215 ORAGUARD® 215 ORAGUARD® 215 ORAGUARD® 210 ORAGUARD® 270 ORAGUARD® 270 ORAGUARD® 271 ORAGUARD® 272 ORAGUARD® 373 ORAGUARD® 244G ORALITE® 5095	103 104 104 104 105 105 106 107 108 110 111 111 111 112 114 115 115	ORACAL® DX05 ORACAL® DX06 Sign Making Accessories Squeegees Blue WrapGlove® Reflective Solutions ORALITE® 9910 ORALITE® 5910 ORALITE® 5960 ORALITE® 5931M ORALITE® 5700 ORALITE® 5700 ORALITE® 5500 ORALITE® 5500 ORALITE® 5600RA ORALITE® 5650RA ORALITE® 5431 ORALITE® 5091INDAS Adhesive Tapes	151 152 154-157 155 156 158-167 159 159 160 160 161 161 162 162 163 163 164 164
ORAJET® 3554M ORAJET® 3651GRA ORAJET® 3651 ORAJET® 3650 ORAJET® 3165GRA ORAJET® 3165GRA ORAJET® 3165GRA/3165MRA ORAJET® 3165GRA/3165MRA ORAJET® 3165 ORAJET® 3169 ORAJET® 3675 ORAJET® 3676 ORAJET® 3554M ORAJET® 3554M ORAJET® 3554M ORAJET® 3554M ORAJET® 3554M ORAJET® 3554M ORAJET® 3551MRA	42 44 46 48 50 51 52 54 56 58 60 61 62 64 66-101 67 68 72 73 74	Digital Overlaminate Films ORAGUARD® 289F ORAGUARD® 293GF ORAGUARD® 293 ORAGUARD® 290 ORAGUARD® 290F ORAGUARD® 290F ORAGUARD® 290F ORAGUARD® 259 ORAGUARD® 215 ORAGUARD® 215 ORAGUARD® 215 ORAGUARD® 210 ORAGUARD® 236 ORAGUARD® 373 ORAGUARD® 372 ORAGUARD® 244G ORALITE® 5095 ORAGUARD® 297GF	103 104 104 104 105 105 106 107 108 110 111 111 112 114 115 115 116	ORACAL® DX05 ORACAL® DX06 Sign Making Accessories Squeegees Blue WrapGlove® Reflective Solutions ORALITE® 9910 ORALITE® 5910 ORALITE® 5960 ORALITE® 5931M ORALITE® 5700 ORALITE® 5700 ORALITE® 5500 ORALITE® 5500 ORALITE® 5600RA ORALITE® 5650RA ORALITE® 5431 ORALITE® 5091INDAS Adhesive Tapes ORABOND® 1375	151 152 154-157 155 156 158-167 159 159 160 160 161 161 162 162 163 163 164 164 164 164
ORAJET® 3554M ORAJET® 3651GRA ORAJET® 3651 ORAJET® 3650 ORAJET® 3165GRA ORAJET® 3165GRA ORAJET® 3165GRA/3165MRA ORAJET® 3165GRA/3165MRA ORAJET® 3165 ORAJET® 3169 ORAJET® 3675 ORAJET® 3676 ORAJET® 3554M ORAJET® 3162 Digital Print Films Adhesive & Film Performance Characteristics Good, Better, Best ORAJET® 3951RA+ ProSlide® ORAJET® 3551GRA/3551MRA	42 44 46 48 50 51 52 54 56 58 60 61 62 64 66-101 67 68 72 73 74 74	Digital Overlaminate Films ORAGUARD® 289F ORAGUARD® 293GF ORAGUARD® 293 ORAGUARD® 290 ORAGUARD® 290F ORAGUARD® 290F ORAGUARD® 290GDU ORAGUARD® 259 ORAGUARD® 215 ORAGUARD® 215 ORAGUARD® 215 ORAGUARD® 210 ORAGUARD® 236 ORAGUARD® 373 ORAGUARD® 372 ORAGUARD® 244G ORALITE® 5095 ORAGUARD® 297GF ORAGUARD® 252F	103 104 104 104 105 105 106 107 108 110 111 111 112 114 115 115 116 116	ORACAL® DX05 ORACAL® DX06 Sign Making Accessories Squeegees Blue WrapGlove® Reflective Solutions ORALITE® 9910 ORALITE® 5910 ORALITE® 5960 ORALITE® 5931M ORALITE® 5700 ORALITE® 5700 ORALITE® 5500 ORALITE® 5500 ORALITE® 5600RA ORALITE® 5600RA ORALITE® 5650RA ORALITE® 5431 ORALITE® 5091INDAS Adhesive Tapes ORABOND® 1375 ORABOND® 1377	151 152 154-157 155 156 158-167 159 159 160 160 161 161 162 162 163 163 164 164 164 164 168-175
ORAJET® 3554M ORAJET® 3651GRA ORAJET® 3651 ORAJET® 3650 ORAJET® 3165GRA ORAJET® 3165GRA ORAJET® 3165GRA/3165MRA ORAJET® 3165GRA/3165MRA ORAJET® 3165 ORAJET® 3169 ORAJET® 3675 ORAJET® 3676 ORAJET® 3554M ORAJET® 3554M ORAJET® 3554M ORAJET® 3554M ORAJET® 3554M ORAJET® 3554M ORAJET® 3551MRA	42 44 46 48 50 51 52 54 56 58 60 61 62 64 66-101 67 68 72 73 74	Digital Overlaminate Films ORAGUARD® 289F ORAGUARD® 293GF ORAGUARD® 293 ORAGUARD® 290 ORAGUARD® 290F ORAGUARD® 290F ORAGUARD® 290F ORAGUARD® 259 ORAGUARD® 215 ORAGUARD® 215 ORAGUARD® 215 ORAGUARD® 210 ORAGUARD® 250 ORAGUARD® 275 ORAGUARD® 275 ORAGUARD® 297GF ORAGUARD® 220HG	103 104 104 104 105 105 106 107 108 110 111 111 112 114 115 115 116 116	ORACAL® DX05 ORACAL® DX06 Sign Making Accessories Squeegees Blue WrapGlove® Reflective Solutions ORALITE® 9910 ORALITE® 5910 ORALITE® 5960 ORALITE® 5931M ORALITE® 5700 ORALITE® 5700 ORALITE® 5500 ORALITE® 5500 ORALITE® 5600RA ORALITE® 5650RA ORALITE® 5431 ORALITE® 5091INDAS Adhesive Tapes ORABOND® 1375	151 152 154-157 155 156 158-167 159 159 160 160 161 161 162 162 163 163 164 164 164 164 169 169
ORAJET® 3554M ORAJET® 3651GRA ORAJET® 3651 ORAJET® 3650 ORAJET® 3165GRA ORAJET® 3165GRA ORAJET® 3165GRA ORAJET® 3165GRA/3165MRA ORAJET® 3165GRA/3165MRA ORAJET® 3169GRA ORAJET® 3675 ORAJET® 3676 ORAJET® 3676 ORAJET® 3554M ORAJET® 362 Digital Print Films Adhesive & Film Performance Characteristics Good, Better, Best ORAJET® 3951RA+ ProSlide™ ORAJET® 3551GRA/3551MRA ORAJET® 3551 ORAJET® 3551	42 44 46 48 50 51 52 54 56 58 60 61 62 64 66-101 67 68 72 73 74 74	Digital Overlaminate Films ORAGUARD® 289F ORAGUARD® 293GF ORAGUARD® 293 ORAGUARD® 290 ORAGUARD® 290F ORAGUARD® 290F ORAGUARD® 290GDU ORAGUARD® 259 ORAGUARD® 215 ORAGUARD® 215 ORAGUARD® 215 ORAGUARD® 210 ORAGUARD® 236 ORAGUARD® 373 ORAGUARD® 372 ORAGUARD® 244G ORALITE® 5095 ORAGUARD® 297GF ORAGUARD® 252F	103 104 104 104 105 105 106 107 108 110 111 111 112 114 115 115 116 116	ORACAL® DX05 ORACAL® DX06 Sign Making Accessories Squeegees Blue WrapGlove® Reflective Solutions ORALITE® 9910 ORALITE® 5910 ORALITE® 5960 ORALITE® 5931M ORALITE® 5700 ORALITE® 5700 ORALITE® 5500 ORALITE® 5500 ORALITE® 5600RA ORALITE® 5600RA ORALITE® 5650RA ORALITE® 5431 ORALITE® 5091INDAS Adhesive Tapes ORABOND® 1375 ORABOND® 1377	151 152 154-157 155 156 158-167 159 159 160 160 161 161 162 162 163 163 164 164 164 164 168-175
ORAJET® 3554M ORAJET® 3651GRA ORAJET® 3651 ORAJET® 3650 ORAJET® 3165GRA ORAJET® 3165GRA ORAJET® 3165GRA ORAJET® 3165MRA ORAJET® 3165GRA/3165MRA ORAJET® 3165 ORAJET® 3169 ORAJET® 3675 ORAJET® 3676 ORAJET® 3554M ORAJET® 362 Digital Print Films Adhesive & Film Performance Characteristics Good, Better, Best ORAJET® 3951RA+ ProSlide® ORAJET® 3551GRA/3551MRA ORAJET® 3551 ORAJET® 3554M ORAJET® 3551 ORAJET® 3554M ORAJET® 3551	42 44 46 48 50 51 52 54 56 58 60 61 62 64 66-101 67 68 72 73 74 74 75	Digital Overlaminate Films ORAGUARD® 289F ORAGUARD® 293GF ORAGUARD® 293 ORAGUARD® 290 ORAGUARD® 290F ORAGUARD® 290F ORAGUARD® 290F ORAGUARD® 259 ORAGUARD® 215 ORAGUARD® 215 ORAGUARD® 215 ORAGUARD® 210 ORAGUARD® 250 ORAGUARD® 275 ORAGUARD® 275 ORAGUARD® 297GF ORAGUARD® 220HG	103 104 104 104 105 105 106 107 108 110 111 111 112 114 115 115 116 116	ORACAL® DX05 ORACAL® DX06 Sign Making Accessories Squeegees Blue WrapGlove® Reflective Solutions ORALITE® 9910 ORALITE® 5910 ORALITE® 5960 ORALITE® 5931M ORALITE® 5700 ORALITE® 5700 ORALITE® 5500 ORALITE® 5500 ORALITE® 5500 ORALITE® 5600RA ORALITE® 5600RA ORALITE® 5650RA ORALITE® 5431 ORALITE® 5091INDAS Adhesive Tapes ORABOND® 1375 ORABOND® 1377 ORABOND® 1397PP	151 152 154-157 155 156 158-167 159 159 160 160 161 161 162 162 163 163 164 164 164 164 168-175 169 169
ORAJET® 3554M ORAJET® 3651GRA ORAJET® 3651 ORAJET® 3650 ORAJET® 3165GRA ORAJET® 3165GRA ORAJET® 3165MRA ORAJET® 3165MRA ORAJET® 3165GRA/3165MRA ORAJET® 3169GRA ORAJET® 3169 ORAJET® 3675 ORAJET® 3676 ORAJET® 3554M ORAJET® 3162 Digital Print Films Adhesive & Film Performance Characteristics Good, Better, Best ORAJET® 3951RA+ ProSlide™ ORAJET® 3551GRA/3551MRA ORAJET® 3551 ORAJET® 3554M ORAJET® 3551GRA/3551MRA ORAJET® 3651GRA ORAJET® 3651 ORAJET® 3651	42 44 46 48 50 51 52 54 56 58 60 61 62 64 66-101 67 68 72 73 74 74 75 75 75	Digital Overlaminate Films ORAGUARD® 289F ORAGUARD® 293GF ORAGUARD® 293 ORAGUARD® 290 ORAGUARD® 290F ORAGUARD® 290F ORAGUARD® 290F ORAGUARD® 259 ORAGUARD® 215 ORAGUARD® 215 ORAGUARD® 215 ORAGUARD® 215 ORAGUARD® 210 ORAGUARD® 270 ORAGUARD® 270 ORAGUARD® 270 ORAGUARD® 270 ORAGUARD® 272 ORAGUARD® 275 ORAGUARD® 276 ORAGUARD® 297GF ORAGUARD® 220HG ORAGUARD® 210SO	103 104 104 104 105 105 106 107 108 110 111 111 112 114 115 115 116 116 116 117	ORACAL® DX05 ORACAL® DX06 Sign Making Accessories Squeegees Blue WrapGlove® Reflective Solutions ORALITE® 9910 ORALITE® 5910 ORALITE® 5960 ORALITE® 5931M ORALITE® 5700 ORALITE® 5700 ORALITE® 5500 ORALITE® 5500 ORALITE® 5600RA ORALITE® 5600RA ORALITE® 5650RA ORALITE® 5431 ORALITE® 5431 ORALITE® 5091INDAS Adhesive Tapes ORABOND® 1375 ORABOND® 1377 ORABOND® 1397PP ORABOND® 1398	151 152 154-157 155 156 158-167 159 159 160 160 161 161 162 162 163 163 164 164 164 164 169 169 170
ORAJET® 3554M ORAJET® 3651GRA ORAJET® 3651 ORAJET® 3650 ORAJET® 3165GRA ORAJET® 3165GRA ORAJET® 3165GRA ORAJET® 3165GRA ORAJET® 3165MRA ORAJET® 3165GRA/3165MRA ORAJET® 3169 ORAJET® 3675 ORAJET® 3676 ORAJET® 3554M ORAJET® 3162 Digital Print Films Adhesive & Film Performance Characteristics Good, Better, Best ORAJET® 3551GRA/3551MRA ORAJET® 3551 ORAJET® 3551 ORAJET® 3651 ORAJET® 3651 ORAJET® 3650 ORAJET® 3650	42 44 46 48 50 51 52 54 56 58 60 61 62 64 66-101 67 68 72 73 74 74 75 75 75 76	Digital Overlaminate Films ORAGUARD® 289F ORAGUARD® 293GF ORAGUARD® 293 ORAGUARD® 290 ORAGUARD® 290 ORAGUARD® 290F ORAGUARD® 290F ORAGUARD® 259 ORAGUARD® 259 ORAGUARD® 215 ORAGUARD® 215 ORAGUARD® 215 ORAGUARD® 210 ORAGUARD® 200 ORAGUARD® 236 ORAGUARD® 236 ORAGUARD® 373 ORAGUARD® 372 ORAGUARD® 244G ORALITE® 5095 ORAGUARD® 252F ORAGUARD® 220HG ORAGUARD® 210SO ORAGUARD® 210SO ORAGUARD® 210SO ORAGUARD® 255AS	103 104 104 105 105 105 106 107 108 110 111 111 112 114 115 115 116 116 116 117 117	ORACAL® DX05 ORACAL® DX06 Sign Making Accessories Squeegees Blue WrapGlove® Reflective Solutions ORALITE® 9910 ORALITE® 5910 ORALITE® 5960 ORALITE® 5931M ORALITE® 5700 ORALITE® 5500 ORALITE® 5500 ORALITE® 5500 ORALITE® 5600RA ORALITE® 5600RA ORALITE® 5650RA ORALITE® 5431 ORALITE® 5431 ORALITE® 5091INDAS Adhesive Tapes ORABOND® 1375 ORABOND® 1377 ORABOND® 1397PP ORABOND® 1398 ORABOND® 1398 ORABOND® 1311TM	151 152 154-157 155 156 158-167 159 159 160 160 161 161 162 162 163 163 164 164 164 168-175 169 169 170 170
ORAJET® 3554M ORAJET® 3651GRA ORAJET® 3651 ORAJET® 3650 ORAJET® 3165GRA ORAJET® 3165GRA ORAJET® 3165GRA ORAJET® 3165MRA ORAJET® 3165GRA/3165MRA ORAJET® 3165 ORAJET® 3169 ORAJET® 3675 ORAJET® 3676 ORAJET® 3554M ORAJET® 3162 Digital Print Films Adhesive & Film Performance Characteristics Good, Better, Best ORAJET® 3551GRA/3551MRA ORAJET® 3551 ORAJET® 3551 ORAJET® 3651 ORAJET® 3651 ORAJET® 3651 ORAJET® 3650 ORAJET® 3165	42 44 46 48 50 51 52 54 56 58 60 61 62 64 66-101 67 68 72 73 74 74 75 75 75 76 76	Digital Overlaminate Films ORAGUARD® 289F ORAGUARD® 293GF ORAGUARD® 293 ORAGUARD® 290 ORAGUARD® 290F ORAGUARD® 290F ORAGUARD® 290F ORAGUARD® 259 ORAGUARD® 259 ORAGUARD® 215 ORAGUARD® 215 ORAGUARD® 215 ORAGUARD® 210 ORAGUARD® 200 ORAGUARD® 236 ORAGUARD® 236 ORAGUARD® 373 ORAGUARD® 372 ORAGUARD® 244G ORALITE® 5095 ORAGUARD® 252F ORAGUARD® 210SO ORAGUARD® 220HG ORAGUARD® 250AS ORAGUARD® 255AS Car Wrapping	103 104 104 105 105 105 106 107 108 110 111 111 112 114 115 115 116 116 116 117 117 117	ORACAL® DX05 ORACAL® DX06 Sign Making Accessories Squeegees Blue WrapGlove® Reflective Solutions ORALITE® 9910 ORALITE® 5910 ORALITE® 5960 ORALITE® 5931M ORALITE® 5700 ORALITE® 5500 ORALITE® 5500 ORALITE® 5500 ORALITE® 5500 ORALITE® 5600RA ORALITE® 5600RA ORALITE® 5650RA ORALITE® 5431 ORALITE® 5431 ORALITE® 5091INDAS Adhesive Tapes ORABOND® 1375 ORABOND® 1377 ORABOND® 1397PP ORABOND® 1398 ORABOND® 1398 ORABOND® 1812TM ORABOND® 1812TM ORABOND® 1819TM	151 152 154-157 155 156 158-167 159 159 160 160 161 161 162 162 163 163 164 164 164 168-175 169 169 170 170 170
ORAJET® 3554M ORAJET® 3651GRA ORAJET® 3651 ORAJET® 3650 ORAJET® 3165GRA ORAJET® 3165GRA ORAJET® 3165GRA ORAJET® 3165GRA/3165MRA ORAJET® 3165GRA/3165MRA ORAJET® 3165 ORAJET® 3169 ORAJET® 3675 ORAJET® 3676 ORAJET® 3554M ORAJET® 3162 Digital Print Films Adhesive & Film Performance Characteristics Good, Better, Best ORAJET® 3551GRA/3551MRA ORAJET® 3551GRA/3551MRA ORAJET® 3551GRA/3551MRA ORAJET® 3651 ORAJET® 3650 ORAJET® 3165 ORAJET® 3165 ORAJET® 3165	42 44 46 48 50 51 52 54 56 58 60 61 62 64 66-101 67 68 72 73 74 74 75 75 75 76 76 77	Digital Overlaminate Films ORAGUARD® 289F ORAGUARD® 293GF ORAGUARD® 293 ORAGUARD® 290 ORAGUARD® 290F ORAGUARD® 290F ORAGUARD® 290F ORAGUARD® 259 ORAGUARD® 259 ORAGUARD® 215 ORAGUARD® 215 ORAGUARD® 215 ORAGUARD® 210 ORAGUARD® 270 ORAGUARD® 250F ORAGUARD® 250F ORAGUARD® 250AS ORAGUARD® 255AS Car Wrapping ORACAL® 970RA	103 104 104 105 105 105 106 107 108 110 111 111 112 114 115 115 116 116 116 117 117 117 120-141	ORACAL® DX05 ORACAL® DX06 Sign Making Accessories Squeegees Blue WrapGlove® Reflective Solutions ORALITE® 9910 ORALITE® 5910 ORALITE® 5960 ORALITE® 5931M ORALITE® 5700 ORALITE® 5500 ORALITE® 5500 ORALITE® 5500 ORALITE® 5500 ORALITE® 5600RA ORALITE® 5600RA ORALITE® 5650RA ORALITE® 5431 ORALITE® 5431 ORALITE® 5091INDAS Adhesive Tapes ORABOND® 1375 ORABOND® 1377 ORABOND® 1397PP ORABOND® 1398 ORABOND® 1398 ORABOND® 1812TM ORABOND® 1812TM ORABOND® 1852	151 152 154-157 155 156 158-167 159 159 160 160 161 161 162 162 163 163 164 164 164 168-175 169 169 170 170 170 171
ORAJET® 3554M ORAJET® 3651GRA ORAJET® 3651 ORAJET® 3650 ORAJET® 3165GRA ORAJET® 3165GRA ORAJET® 3165MRA ORAJET® 3165MRA ORAJET® 3165GRA/3165MRA ORAJET® 3165 ORAJET® 3169 ORAJET® 3675 ORAJET® 3676 ORAJET® 3554M ORAJET® 3162 Digital Print Films Adhesive & Film Performance Characteristics Good, Better, Best ORAJET® 3951RA+ ProSlide® ORAJET® 3551GRA/3551MRA ORAJET® 3551 ORAJET® 3651 ORAJET® 3651 ORAJET® 3650 ORAJET® 3165 ORAJET® 3165 ORAJET® 3169	42 44 46 48 50 51 52 54 56 58 60 61 62 64 66-101 67 68 72 73 74 74 75 75 75 76 76 77	Digital Overlaminate Films ORAGUARD® 289F ORAGUARD® 293GF ORAGUARD® 293 ORAGUARD® 290 ORAGUARD® 290F ORAGUARD® 290F ORAGUARD® 290F ORAGUARD® 259 ORAGUARD® 215 ORAGUARD® 215 ORAGUARD® 215 ORAGUARD® 215 ORAGUARD® 210 ORAGUARD® 270 ORAGUARD® 252F ORAGUARD® 250AS ORAGUARD® 255AS Car Wrapping ORACAL® 970RA ORACAL® 975RA	103 104 104 105 105 105 106 107 108 110 111 111 112 114 115 115 116 116 116 117 117 117 120-141 121	ORACAL® DX05 ORACAL® DX06 Sign Making Accessories Squeegees Blue WrapGlove® Reflective Solutions ORALITE® 9910 ORALITE® 5910 ORALITE® 5960 ORALITE® 5931M ORALITE® 5500 ORALITE® 5500 ORALITE® 5500 ORALITE® 5500 ORALITE® 5400 ORALITE® 5600RA ORALITE® 5650RA ORALITE® 5431 ORALITE® 5431 ORALITE® 5991INDAS Adhesive Tapes ORABOND® 1375 ORABOND® 1377 ORABOND® 1398 ORABOND® 1398 ORABOND® 1812TM ORABOND® 1812TM ORABOND® 1852 ORABOND® 1852 ORABOND® 1852 ORABOND® 1852	151 152 154-157 155 156 158-167 159 159 160 160 161 161 162 162 163 163 164 164 164 168-175 169 169 170 170 170 171
ORAJET® 3554M ORAJET® 3651GRA ORAJET® 3651 ORAJET® 3650 ORAJET® 3165GRA ORAJET® 3165GRA ORAJET® 3165GRA ORAJET® 3165GRA/3165MRA ORAJET® 3165GRA/3165MRA ORAJET® 3165 ORAJET® 3169 ORAJET® 3675 ORAJET® 3676 ORAJET® 3554M ORAJET® 3162 Digital Print Films Adhesive & Film Performance Characteristics Good, Better, Best ORAJET® 3551GRA/3551MRA ORAJET® 3551GRA/3551MRA ORAJET® 3551GRA/3551MRA ORAJET® 3651 ORAJET® 3650 ORAJET® 3165 ORAJET® 3165 ORAJET® 3165	42 44 46 48 50 51 52 54 56 58 60 61 62 64 66-101 67 68 72 73 74 74 75 75 75 76 76 77	Digital Overlaminate Films ORAGUARD® 289F ORAGUARD® 293GF ORAGUARD® 293 ORAGUARD® 290 ORAGUARD® 290F ORAGUARD® 290F ORAGUARD® 290F ORAGUARD® 259 ORAGUARD® 259 ORAGUARD® 215 ORAGUARD® 215 ORAGUARD® 215 ORAGUARD® 210 ORAGUARD® 270 ORAGUARD® 250F ORAGUARD® 250F ORAGUARD® 250AS ORAGUARD® 255AS Car Wrapping ORACAL® 970RA	103 104 104 105 105 105 106 107 108 110 111 111 112 114 115 115 116 116 116 117 117 117 120-141	ORACAL® DX05 ORACAL® DX06 Sign Making Accessories Squeegees Blue WrapGlove® Reflective Solutions ORALITE® 9910 ORALITE® 5910 ORALITE® 5960 ORALITE® 5931M ORALITE® 5500 ORALITE® 5500 ORALITE® 5500 ORALITE® 5500 ORALITE® 5600RA ORALITE® 5600RA ORALITE® 5650RA ORALITE® 5431 ORALITE® 5431 ORALITE® 5091INDAS Adhesive Tapes ORABOND® 1375 ORABOND® 1377 ORABOND® 1398 ORABOND® 1398 ORABOND® 1812TM ORABOND® 1812TM ORABOND® 1852 ORABOND® 1852 ORABOND® UHB03110G ORABOND® UHB03110G	151 152 154-157 155 156 158-167 159 159 160 160 161 161 162 162 163 163 164 164 164 168-175 169 169 170 170 170 171 171 171
ORAJET® 3554M ORAJET® 3651GRA ORAJET® 3651 ORAJET® 3650 ORAJET® 3165GRA ORAJET® 3165GRA ORAJET® 3165MRA ORAJET® 3165MRA ORAJET® 3165GRA/3165MRA ORAJET® 3165 ORAJET® 3169 ORAJET® 3675 ORAJET® 3676 ORAJET® 3554M ORAJET® 3162 Digital Print Films Adhesive & Film Performance Characteristics Good, Better, Best ORAJET® 3951RA+ ProSlide® ORAJET® 3551GRA/3551MRA ORAJET® 3551 ORAJET® 3651 ORAJET® 3651 ORAJET® 3650 ORAJET® 3165 ORAJET® 3165 ORAJET® 3169	42 44 46 48 50 51 52 54 56 58 60 61 62 64 66-101 67 68 72 73 74 74 75 75 75 76 76 77	Digital Overlaminate Films ORAGUARD® 289F ORAGUARD® 293GF ORAGUARD® 293 ORAGUARD® 290 ORAGUARD® 290F ORAGUARD® 290F ORAGUARD® 290F ORAGUARD® 259 ORAGUARD® 215 ORAGUARD® 215 ORAGUARD® 215 ORAGUARD® 215 ORAGUARD® 210 ORAGUARD® 270 ORAGUARD® 252F ORAGUARD® 250AS ORAGUARD® 255AS Car Wrapping ORACAL® 970RA ORACAL® 975RA	103 104 104 105 105 105 106 107 108 110 111 111 112 114 115 115 116 116 116 117 117 117 120-141 121	ORACAL® DX05 ORACAL® DX06 Sign Making Accessories Squeegees Blue WrapGlove® Reflective Solutions ORALITE® 9910 ORALITE® 5910 ORALITE® 5960 ORALITE® 5931M ORALITE® 5500 ORALITE® 5500 ORALITE® 5500 ORALITE® 5500 ORALITE® 5400 ORALITE® 5600RA ORALITE® 5650RA ORALITE® 5431 ORALITE® 5431 ORALITE® 5991INDAS Adhesive Tapes ORABOND® 1375 ORABOND® 1377 ORABOND® 1398 ORABOND® 1398 ORABOND® 1812TM ORABOND® 1812TM ORABOND® 1852 ORABOND® 1852 ORABOND® 1852 ORABOND® 1852	151 152 154-157 155 156 158-167 159 159 160 160 161 161 162 162 163 163 164 164 164 168-175 169 169 170 170 170 171
ORAJET® 3554M ORAJET® 3651GRA ORAJET® 3651 ORAJET® 3650 ORAJET® 3165GRA ORAJET® 3165GRA ORAJET® 3165GRA ORAJET® 3165GRA/3165MRA ORAJET® 3165GRA/3165MRA ORAJET® 3169GRA ORAJET® 3169 ORAJET® 3675 ORAJET® 3676 ORAJET® 3554M ORAJET® 3162 Digital Print Films Adhesive & Film Performance Characteristics Good, Better, Best ORAJET® 3951RA+ ProSlide® ORAJET® 3551GRA/3551MRA ORAJET® 3551GRA/3551MRA ORAJET® 3651 ORAJET® 3650 ORAJET® 3165 ORAJET® 3165 ORAJET® 3169 ORAJET® 3169 ORAJET® 3169 ORAJET® 3169	42 44 46 48 50 51 52 54 56 58 60 61 62 64 66-101 67 68 72 73 74 74 75 75 75 76 76 77 77	Digital Overlaminate Films ORAGUARD® 289F ORAGUARD® 293GF ORAGUARD® 293 ORAGUARD® 290 ORAGUARD® 290F ORAGUARD® 290F ORAGUARD® 290F ORAGUARD® 259 ORAGUARD® 215 ORAGUARD® 215 ORAGUARD® 215 ORAGUARD® 215 ORAGUARD® 210 ORAGUARD® 270 ORAGUARD® 252F ORAGUARD® 250F ORAGUARD® 250AS ORAGUARD® 255AS Car Wrapping ORACAL® 970RA ORACAL® 975RA ORAGUARD® 280F	103 104 104 104 105 105 106 107 108 110 111 111 112 114 115 115 116 116 116 117 117 117 117 120-141 121 123 124	ORACAL® DX05 ORACAL® DX06 Sign Making Accessories Squeegees Blue WrapGlove® Reflective Solutions ORALITE® 9910 ORALITE® 5910 ORALITE® 5960 ORALITE® 5931M ORALITE® 5500 ORALITE® 5500 ORALITE® 5500 ORALITE® 5500 ORALITE® 5600RA ORALITE® 5600RA ORALITE® 5650RA ORALITE® 5431 ORALITE® 5431 ORALITE® 5091INDAS Adhesive Tapes ORABOND® 1375 ORABOND® 1377 ORABOND® 1398 ORABOND® 1398 ORABOND® 1812TM ORABOND® 1812TM ORABOND® 1852 ORABOND® 1852 ORABOND® UHB03110G ORABOND® UHB03110G	151 152 154-157 155 156 158-167 159 159 160 160 161 161 162 162 163 163 164 164 164 168-175 169 169 170 170 170 171 171 171









Plotter Film Product Selection

+

















Interior Graphic Applications

Application Type Adhesive Substrate Example Good Better Best

	Application Type		Substrate Example			
%		Removable	Painted Gyprock	621	631	
	Contour Cut Wall Graphics			641 651	551 751C	951
4		Permanent	Hard-to-Stick Painted Gyprock i.e. "Washable/Scrubbable" Painted Gyprock Gymnasiums, Locker Rooms, Aquatic Centres, School Hallways, etc.	651	551 751C	951
	Signage, P.O.P. Displays,	ail ————————————————————————————————————		621	631	
	Exhibit, Museum, Retail Promo Decals & Stickers	Permanent	PVC, Aluminium Composite, etc.	641	651 551	751C 951
\blacksquare	Window Graphics	Permanent	Conference Room, Office Cubicle, Museum, Restaurant, Store Front	8510 Etched	8710 <i>Dusted</i>	8810 Frosted
\blacksquare	Decorative Textures	Removable	Windows, Convenience Store Freezer & Cooler Doors		8530	
\blacksquare				Tr	8300 Transparent colour	
\blacksquare		Permanent		Milk	8830/8860 Sy white appear	
Ш			Conference Room Office Cubicle Museum		8500 Translucent	8800 Translucent
Ш	Window Graphics	Removable	Restaurant Store Front Windows Convenience Store		631	
\blacksquare		_	 Freezer & Cooler Doors 		8870	
\blacksquare		Permanent		641	651 551	751C 951
Ш	Window Graphics Metalised Chrome Colours		Conference Room, Office Cubicle, Museum, Restaurant, Store Front	351 Metalised Films	352 Metalised Films	383 Metalised Films
\blacksquare	Window Graphics Fluorescent Colours	Permanent	Windows, Convenience Store Freezer & Cooler Doors		6510 Fluorescent Colours	7510 Fluorescent Colours
	Safety, Interior Evacuation & Wayfinding Signage Glow-in-the-Dark		Industrial Signage, Office Buildings, Movie Theatres, Schools, Airports, Subways, etc.	8300 3930 Phosphorescent Phosphorescent		
13	Illuminated Backlit,	Permanent	Clear/White Acrylic			8800 Translucent
12	P.O.P. & Trade Show Displays	Removable	or Polycarbonate		631	

Match the film icon color application below to determine which graphic marking films best suit the application

● Opaque films ● Specialty films ● Translucent films ● Transparent films ● Blockout films ● Reflective films





Signage Films / Good, Better, Best



Exterior Graphic Applications

Plotter Film Product Selection

















	Application Type	Longevity	Adhesive	Substrate Example	Good	Better	Best
j			Removable	Corrugated Plastic, Painted	621	631	
		Short-term	Permanent	 MDO Board, Aluminium Composite Material, PVC, etc. 	641	651 551	751C 951
i	Outdoor Signage	Medium-term	Doggoog	Painted Aluminium,	651	551 751C	951
i		Long-term	- Permanent	Aluminium Composite Material, etc.	651	551 751C	951
j	Outdoor Signage Fluorescent Colours	Short- to Medium-term	Permanent	Corrugated Plastic, Painted MDO Board, Aluminium Composite Material, PVC, etc.		6510 Fluorescent	7510 Fluorescer
Ī	Outdoor Signage Metalised Chrome Colours	Short-term	-	Painted Aluminium, Aluminium Composite Material etc.	351	352	383
•	Contour Cut Wall Graphics		Permanent	Exterior Latex Painted Brick, Block or Poured Concrete Walls, Columns or Barricades	551	751C	951
]			Removable			631 / 8830	
	Window Graphics Opaque Films	Short-term	Permanent	– Architectural Windows	641	651	
}	Opaque Films	Medium- to Long-term	Permanent		551	751C	951
]	Window Graphics & Transparent Fillms	_			8300	8500	8800
}	Window Graphics Decorative Textures				8510 Etched	8710 <i>Dusted</i>	8810 Frosted
}		_			8830/8860 Milky white appearance		
∄	Window Graphics		Permanent	Architectural Windows	8300 Transparent	8500	8800 Translucen
}	Window Graphics Metalised Chrome Colours	_			351	352	383
}	Window Graphics Fluorescent Colours	_				6510	7510
	Illuminated			Clear/White Flat or Formed			
	Backlit Signage			Polycarbonate or Flex Face Banner Material	_	8500	8800
	Illuminated Backlit Signage	Long-term		Clear/White Flat or Formed		8830/8860	
	Diffuser Film		Permanent	Polycarbonate	Milk	y white appear	rance
	Illuminated		remanent	Clear/White Flat or Formed	8870		
	Backlit Signage Blockout Film			Polycarbonate or Flex Face Banner Material			
	Illuminated	Medium-term	_	Clear/White Flat		8500	8800
	Backlit Signage	Short-term	_	Acrylic or Polycarbonate	621	631	651
i	Reflective Signage		Permanent	General Municipal, Parking Lot, Parks & Rec Wayfinding Signage	5400	5500 5700	5600RA 5650RA

Match the film icon color application below to determine which graphic marking films best suit the application

● Opaque films ● Specialty films ● Translucent films ● Transparent films ● Blockout films ● Reflective films







Automotive Graphic Applications

Boat & Watercraft Applications

Plotter Film Product Selection

	Application Type Longevity		Adhesive	Substrate Example	Good	Better	Best
	Bumper, Stickers or	Temporary	Removable	Automotive Glass,	621	631	
	Decals	Medium-term		Automotive Paint	651	551	751C
	Tamper Evident Parking F	Permit Decals	-	Automotive Glass		820	
	Automotive Graphics, De	cals	Permanent	Fleet Graphics, Striping, Logos for Utility Vans, RV's, Trucks, Trailers,	651	551	951
	Automotive Window Grap	ohics		Motorsports, Emergency Vehicles, etc.		751C	
	Fluorescent Motorsports	Graphics	-	Race Car Striping, Lettering, Numbers (all levels)		6510	7510
	Restyling Rally-Stripes		Permanent	Hood, Roof, Truck, etc. Horizontal Striping & Accent Trim Pieces, Chrome	551 751C	951	970RA 975
	Solid Colour Change Wra	ps	Permanent (removable with heat)	Full & Partial Vehicle Wraps		970RA	
	Reflective Fleet Graphics		Permanent (removable with heat)	Emergency, DOT, Construction Work zone, Utility Service Vehicles	5600	5650RA	5600RA White only

Plotter Film Product Selection

	Application Type	Adhesive	Substrate Example	Good	Better	Best
*	Boat & Watercraft Striping & Lettering	Permanent	Recreational Boats, Yachts, — Catamarans with Well	551	751C	951 970RA 975
★	Solid Colour Change Wraps	Permanent (removable with heat)	Conditioned Clear Coats		970RA	

 $Match \ the \ film \ icon \ color \ application \ below \ to \ determine \ which \ graphic \ marking \ films \ best \ suit \ the \ application$







CAST FILMS



ORACAL® 951 Premium Cast

Size



Super Conformable Cast Vinyl Film



Product Features

Product

Face: 50 micron, Cast PVC Film

Liner: 137 gsm, Special Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 120° C

Durability: B&W 10 years, Colours 8 years, Metallics 6 years

Colours: 96 High Gloss, 48 Metallics & 2 Matte

Colours

Recommended Applications

- Corrugation, rivets, complex concave curves.
- Fleet, trains, light rail, buses.
- Marine and recreational vehicles.
- Architectural and directional signs.

Special Note

1-9m

• Superior cutting and weeding performance.

20-49m

50m+

Roll Price

• High gloss finish.

10-19m

• Custom colour matching available.













951 XXX 1260	Black,	White & Clea	r 1260mr	n \$30.	76 \$2	28.48	\$26.37	\$24.42	\$1,221.00
	Colou	rs & Metallics	1260mr	n \$32.	61 \$3	30.19	\$27.95	\$25.88	\$1,294.00
951 XXX 630	Black,	White & Clea	r 630mm	\$15.	39 \$1	4.25	\$13.19	\$12.21	\$610.50
	Colou	rs & Metallics	630mm	\$16.	31 \$1	5.10	\$13.98	\$12.94	\$647.00
#201 Crocus yellow	#216 Traffic yellow	#209 Maize yellow	#219 Yolk yellow	#255 Golden yellow L	#204 Melon yellow	#208 Post office yellow	#019 Signal yellow	#817 Almond	#203 Cream
#804 Beige brown	#818 Saffron	#816 Papyrus	#341 Coral	#035 Pastel orange	#332 Deep orange	#333 Pure orange	#335 Mars red	#326 Signal red	#032 Light Red
#324	#359	#031	#028	#305	#334	#348	#030	#026	#340
Blood Red	Tomato	Red	Cardinal red	Geranium red	Fire brigade red	Scarlet red	Dark red	Purple red	Chestnut
#347	#044	#402	#409	#043	#407	#415	#048	#549	#555
Red coral	Magenta	Cyclamen	Pale lilac	Lavender	Deep violet	Summer plum	Bordeaux	Dove blue	Glacier blue
#056 Ice blue	#053 Light blue	#547 Fjord blue	#052 Azure blue	#545 Ocean blue	#150 Brilliant blue L	#546 Velvet blue	#509 Sea blue	#544 Indigo blue	#067 Blue
#536 Middle blue	#049 King Blue	#511 Night blue	#065 Cobalt blue	#537 Deep blue	#050 Dark blue	#564 Light navy	#570 Moonlight blue	#518 Steel blue	#571 Mystic blue
#501 Mint blue	#502 Blue turquoise	#503 Water blue	#553 Lagoon	#628 Sea green	#630 Blue green	#601 Lime green	#602 Grass green	#062 Light green	#619 Traffic green
#603 Mint green	#604 Cactus green	#612 Police green	#078 Leaf green	#625 Moss green	#060 Dark green	#622 Fir tree green	#635 Forest green	#820 Golden brown	#811 Sahara beige
#812	#810	#079	#080	#070	#010	#109	#711	#730	#724
Terracotta	Cocoa brown	Red brown	Brown	Black	White	Hull white	Stone grey	Simple grey	Ice grey
#074	#076	#721	#071	#713	#073	#704	#093	#937	#936
Middle grey	Telegrey	Slate grey	Grey	Iron grey	Dark grey	Black metallic	Anthracite	Charcoal metallic	Silicone
#934 Zinc metallic	#932 Graphite metallic	#935 Grey cast iron	#905 Grey metallic	#908 Aluminium	#906 Silver metallic	#933 Tin metallic	#090 Silver grey	#904 Silver lake	#092 Copper
	144 11								
#920 Bronze	#925 Pale gold	#926 Pyrite	#091 Gold	#919 Gold metallic	#922 Brass	#921 Bronze antique	#923 Light brown metallic	#924 Champagne	#369 Red brown metallic
#368 Dark red metallic	#367 Red metallic	#944 Red gold L	#406 Violet metallic	#190 Moonlight metallic	#192 Deep blue metallic	#189 Midnight metallic	#193 Navy metallic	#196 Night blue metallic	#580 Bever blue metallic
			ESSENCE						
#197 Azure blue metallic	#194 Blue grey metallic	#199 Turquoise metallic	#195 Dove blue metallic	#673 Jade metallic	#677 Fir green metallic	#676 Wood green metallio	#675 Sea green metallic	#637 Teal metallic	#674 Mint metallic





















CAST FILMS

ORACAL® 751C High Performance Cast

Premium Cast Vinyl Film

Product Features

Face: 60 micron, Cast PVC Film

Liner: 137 gsm, Special Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 120° C

Durability: B&W 8 years, Clear & Colours 7 years, Metallics 5 years

Colours: 117 High Gloss & 2 Matte

Recommended Applications

• Corrugation, rivets, long-term application for high quality vehicle and public transport advertising.

• Outstanding cutting, weeding and handling characteristics.

Product	Colours	Size	1-9m	10-19m	20-49m	50m+	Roll Price
751C XXX 1260	Black, White & Clear	1260mm	\$25.01	\$23.16	\$21.44	\$19.85	\$992.50
	Colours & Metallics	1260mm	\$26.98	\$24.98	\$23.13	\$21.42	\$1,071.00
751C XXX 630	Black, White & Clear	630mm	\$12.50	\$11.57	\$10.71	\$9.92	\$496.00
	Colours & Metallics	630mm	\$13.50	\$12.50	\$11.57	\$10.71	\$535.50

#020 Golden yellow	#219 Yolk yellow	#203 Straw yellow	#211 Sun yellow	#019 Signal yellow	#208 Post office yellow	#209 Maize yellow	#021 Yellow	#216 Traffic yellow	#022 Light yellow
#025 Brimstone yellow	#026 Purple red	#361 Apple red	#030 Dark red	#348 Scarlet red	#306 Crimson	#031 Red	#027 Tomato red	#028 Cardinal red	#325 Middle red
#324 Blood red	#032 Light red	#326 Signal red	#047 Orange red	#033 Red orange	#335 Mars red	#333 Pure orange	#034 Orange	#332 Deep orange	#035 Pastel orange
#340 Chestnut	#048 Bordeaux	#415 Summer plum	#040 Violet	#403 Light violet	#043 Lavender	#042 Lilac	#041 Pink	#077 Telemagenta	#044 Magenta
#045 Soft pink	#532 Black blue	#588 Alpha blue	#590 Blueberry	#518 Steel blue	#591 Midnight blue	#050 Dark blue	#058 Ultramarine blue	#537 Deep blue	#065 Cobalt blue
#049 King blue	#592 Navy blue	#593 Striking blue	#150 Brilliant blue L	#536 Middle blue	#510 Clematis blue	#067 Blue	#595 Blue green	#057 Traffic blue	#051 Gentian blue
#509 Sea blue	#508 Signal blue	#052 Azure blue	#507 Capri blue	#555 Glacier blue	#594 Pastel blue	#517 Euro blue	#053 Light blue	#056 Ice blue	#549 Dove blue
#608 Petrol	#066 Turquoise blue	#054 Turquoise	#055 Mint	#599 Pastel turquoise	#060 Dark green	#661 Leaf green	#078 Foliage green	#617 Emerald	#607 Turquoise green
#604 Cactus green	#061 Green	#068 Grass green	#619 Traffic green	#062 Light green	#064 Yellow green	#063 Lime-tree green	#080 Brown	#803 Chocolate brown	#828 Earth brown
#079 Red brown	#083 Nut brown	#801 Light brown	#811 Sahara brown	#081 Light brown	#818 Saffron	#804 Beige brown	#023 Cream	#813 Light cream	#018 Light ivory
#070 Black	#720 Komatsu grey	#073 Dark grey	#713 Iron grey	#071 Grey	#721 Slate grey	#076 Telegrey	#074 Middle grey	#724 Ice grey	#072 Light grey
			STEEL T						
#109 Hull white	#010 White	#090 Silver grey	#930 Gold L	#093 Anthracite	#932 Graphite metallic	*Colours ar	e not a 100% colour ma	atch to the actual mate . All colour swatches m	

*Colours are not a 100% colour match to the actual material. Colour is provided as a reference only. All colour swatches may not be represented.







POLYMERIC FILMS



ORACAL® 551 High Performance Cal



Premium Flexible Polymeric Calendered Film



Product Features

Face: 70 micron, PVC Film

551 Liner: 137 gsm, Silicone Coated Paper

551RA Liner: 145 gsm, Double Sided PE Coated RapidAir® Paper

Adhesive: Solvent Polyacrylate, Permanent **Temperature Resistance:** -50 to 90° C

Durability: B&W 8 years, Colour 7 years, Metallics 4 years

Colours: 98 High Gloss & 2 Matte

Recommended Applications

- Suitable for uneven and slightly curved surfaces.
- Excellent dimensional stability and very good processing characteristics for high quality vehicle and public transport advertising.

- Outstanding cutting, weeding and handling characteristic.
- Gloss and matte black available in RapidAir®.

Product	Colours	Size	1-9m	10-19m	20-49m	50m+	Roll Price
551 XXX 1260	Black, White & Clear	1260mm	\$13.89	\$12.86	\$11.91	\$11.03	\$551.50
	Colours & Metallics	1260mm	\$14.69	\$13.60	\$12.59	\$11.66	\$583.00
551 XXX 630	Black, White & Clear	630mm	\$6.94	\$6.43	\$5.95	\$5.51	\$275.50
	Colours & Metallics	630mm	\$7.34	\$6.80	\$6.30	\$5.83	\$291.50
551RA XXX 1260	Black - <i>Rapid</i> Air®	1260mm	\$15.84	\$14.67	\$13.58	\$12.57	\$628.50
551RA XXX 630	Black - <i>Rapid</i> Air®	630mm	\$7.92	\$7.33	\$6.79	\$6.29	\$314.50

#201	#022	#202	#021	#203	#019	#229	#204	#020	#215
Crocus yellow	Shell yellow	Mustard yellow	Yellow	Straw yellow	Signal yellow	Tangerine yellow	Melon yellow	Golden yellow	Apricot
#395	#301	#035	#034	#396	#302	#303	#032	#397	#304
Pumpkin	Traffic orange	Pastel orange	Orange	Cinnabar	Poppy red	Blood orange	Light red	Tulip red	Fire red
#337	#321	#027	#028	#031	#305	#398	#306	#320	#307
Cardinal	Tomato	Tomato red	Cardinal red	Red	Geranium red	Venezian red	Carmine red	Dark red	Brown red
#308	#431	#411	#402	#403	#043	#601	#602	#491	#603
Wine red	French rose	Magenta	Cyclamen	Light violet	Lavender	Limette green	Grass green	Shamrock green	Mint green
#604	#061	#490	#078	#605	#060	#489	#502	#503	#608
Cactus green	Green	Paprika green	Foliage green	Forest green	Dark green	South sea turquoise	Blue turquoise	Water blue	Petrol
#169	#168	#504	#505	#167	#506	#052	#507	#166	#508
Baby blue	Tile blue	Pastel blue	Olympic blue	Electric blue	Paradise blue	Azure blue	Capri blue	Prussian blue	Signal blue
#509	#057	#165	#534	#150	#510	#535	#049	#065	#511
Marine blue	Traffic blue	Jeans blue	Standard blue	Brilliant blue L	Clematis blue	Sapphire	King blue	Cobalt blue	Night blue
#164	#050	#512	#513	#801	#802	#803	#813	#841	#804
Azurite blue	Dark blue	Sapphire blue	Black blue	Loam brown	Fawn brown	Chocolate brown	Light cream	Wheat brown	Beige brown
#840	#072	#711	#755	#712	#756	#076	#757	#713	#073
Egg shell	Light grey	Stone grey	Platinum grey	Traffic grey	Steel grey	Telegrey	Agate grey	Iron grey	Dark grey
#714	#701	#702	#101	#010	#102	#093	#090	#930	#000
Graphite grey	Deep black	Dull deep black	Arctic white	White	Dull arctic white	Anthracite	Silver	Gold	Transparent





















POLYMERIC FILMS

ORACAL® 651 Intermediate Cal

Intermediate Polymeric Calendered Film

Product Features

Face: 70 micron, Special PVC Film
Liner: 137 gsm, Silicone Coated Paper
Adhesive: Solvent Polyacrylate, Permanent
Temperature Resistance: -40 to 80° C

Durability: B&W 5 years, Colours & Metallics 4 years

Colours: 59 Gloss

Recommended Applications

• Medium term indoor and outdoor lettering, marking and decoration.

- Excellent opacity.
- Outstanding cutting, weeding and application characteristics.

Product	Colours	Size	1-9m	10-19m	20-49m	50m+	Roll Price
651 XXX 1260	Black, White & Clear	1260mm	\$10.49	\$9.71	\$8.99	\$8.32	\$416.00
	Colours & Metallics	1260mm	\$11.21	\$10.38	\$9.61	\$8.90	\$445.00
651 XXX 630	Black, White & Clear	630mm	\$5.24	\$4.85	\$4.49	\$4.16	\$208.00
	Colours & Metallics	630mm	\$5.61	\$5.19	\$4.81	\$4.45	\$222.50

#000	#010	#020	#019	#021	#022	#025	#026	#312	#030
Transparent	White	Golden yellow	Signal yellow	Yellow	Light yellow	Brimstone yellow	Purple red	Burgundy	Dark red
#031	#032	#047	#036	#035	#404	#040	#043	#042	#041
Red	Light red	#047 Orange red	Light orange	Pastel orange	Purple	#040 Violet	#043 Lavender	#042 Lilac	Pink
#045 Soft pink	#562 Deep sea blue	#518 Steel blue	#050 Dark blue	#065 Cobalt blue	#049 King blue	#086 Brilliant blue	#067 Blue	#057 Traffic blue	#051 Gentian blue
#098 Gentian	#052 Azure blue	#084 Sky blue	#053 Light blue	#056 Ice blue	#066 Turquoise blue	#054 Turquoise	#055 Mint	#060 Dark green	#613 Forest green
#061 Green	#068 Grass green	#062 Light green	#064 Yellow green	#063 Lime-tree green	#080 Brown	#083 Nut brown	#801 Light brown	#802 Beige	#023 Cream
#070 Black	#073 Dark grey	#071 Grey	#076 Telegrey	#074 Middle grey	#072 Light grey	#090 Silver grey	#091 Gold	#092 Copper	







MONOMERIC FILMS



ORACAL® 631 Exhibition Cal



Matte Monomeric Calendered Film



Product Features Face: 80 micron, Soft PVC Film

Liner: 135 gsm, Silicone Coated Paper Adhesive: Polyacrylate, Removable Temperature Resistance: -40 to 80° C

Durability: 3 years Colours: 60 Matte

Recommended Applications

- Suitable for cutting plotter systems.
- For short and medium-term marking, lettering and decoration in exhibition buildings, trade shows and computer cut wall art.

Special Note

• Superior conversion and handling properties, soft matte PVC film.

Product	Colours	Size	1-9m	10-19m	20-49m	50m+	Roll Price
631 XXX 1260	Black & White	1260mm	\$9.19	\$8.51	\$7.88	\$7.30	\$365.00
	Colours & Metallics	1260mm	\$10.03	\$9.29	\$8.60	\$7.96	\$398.00
631 XXX 630	Black & White	630mm	\$4.60	\$4.26	\$3.94	\$3.65	\$182.50
	Colours & Metallics	630mm	\$5.01	\$4.64	\$4.30	\$3.98	\$199.00

#000	#010	#020	#019	#021	#022	#025	#030	#031	#032
Transparent	White	Golden yellow	Signal yellow	Yellow	Light yellow	Brimstone yellow	Dark red	Red	Light red
#047	#034	#036	#035	#040	#043	#042	#041	#045	#429
Orange red	Orange	Light orange	Pastel orange	Violet	Lavender	Lilac	Pink	Soft pink	Carnation pink
#050	#049	#086	#057	#051	#098	#052	#053	#056	#172
Dark blue	King blue	Brilliant blue	Traffic blue	Gentian blue	Gentian	Azure blue	Light blue	Ice blue	Powder blue
#066	#054	#055	#060	#061	#062	#064	#063	#493	#495
Turquoise blue	Turquoise	Mint	Dark green	Green	Light green	Yellow green	Lime-tree green	Olive	Key lime pie
#818	#800	#801	#083	#817	#801	#816	#622	#082	#814
Saffron yellow	Nougat brown	Clay brown	Nut brown	Orange brown	Light brown	Dark beige	Pastel green	Beige	Ivory
#070	#073	#752	#071	#074	#751	#072	#090	#091	#092
Black	Dark grey	Storm grey	Grey	Middle grey	Warm grey	Light grey	Silver grey	Golden yellow	Copper



*Colours are not a 100% colour match to the actual material. Colour is provided as a reference only. All colour swatches may not be represented.



















MONOMERIC FILMS

ORACAL® 641 Economy Cal

Gloss and Matte Monomeric Calendered Film

Product Features

Face: 75 micron, Soft PVC Film Liner: 135 gsm, Silicone Coated Paper Adhesive: Polyacrylate, Permanent Temperature Resistance: -40 to 80° C

Durability: B&W 4 years, Colours & Metallics 3 years

Colours: 59 Gloss

decoration.

Recommended Applications

Special Note

· Short and medium-term markings, lettering and

• Good cutting, weeding and application characteristics.

Product	Colours	Size	1-9m	10-19m	20-49m	50m+	Roll Price
641 XXX 1260	Black, White & Clear	1260mm	\$8.23	\$7.62	\$7.06	\$6.54	\$327.00
	Colours	1260mm	\$9.00	\$8.33	\$7.71	\$7.14	\$357.00
641 XXX 630	Black, White & Clear	630mm	\$4.11	\$3.81	\$3.53	\$3.27	\$163.50
	Colours	630mm	\$4.50	\$4.17	\$3.86	\$3.57	\$178.50

#000 Transparent	#010 White	#020 Golden yellow	#019 Signal yellow	#021 Yellow	#022 Light yellow	#025 Brimstone yellow	#312 Burgundy	#030 Dark red	#031 Red
#032 Light red	#047 Orange red	#034 Orange	#036 Light orange	#035 Pastel orange	#404 Purple	#040 Violet	#043 Lavender	#042 Lilac	#041 Pink
#045 Soft pink	#562 Deep sea blue	#518 Steel blue	#050 Dark blue	#065 Cobalt blue	#049 King blue	#086 Brilliant blue	#067 Blue	#057 Traffic blue	#051 Gentian blue
#098 Gentian	#052 Azure blue	#084 Sky blue	#053 Light blue	#056 Ice blue	#066 Turquoise blue	#054 Turquoise	#055 Mint	#060 Dark green	#061 Green
#061 Green	#068 Grass green	#062 Light green	#064 Yellow green	#063 Lime-tree green	#800 Nougat brown	#083 Nut brown	#081 Light brown	#082 Beige	#023 Cream
							J L	L	
#070 Black	#073 Dark grey	#071 Grey	#076 Telegrey	#074 Middle grey	#072 Light grey				

RACAL® 621 Economy Cal

Gloss Monomeric Film

Product Features

Colours: Black and White

Face: 75 micron, Soft PVC Film Liner: 135 gsm, Silicone Coated Paper Adhesive: Polyacrylate, Removable Temperature Resistance: -40 to 80° C **Durability:** Black, White 4 years

Recommended Applications

• Short and medium-term markings, lettering and decoration.

Special Note

• Good cutting, weeding and application characteristics.

Product	Colours	Size	1-9m	10-19m	20-49m	50m+	Roll Price
621 XXX 1260	Black & White	1260mm	\$8.23	\$7.62	\$7.06	\$6.54	\$327.00
621 XXX 630	Black & White	630mm	\$4.11	\$3.81	\$3.53	\$3.27	\$163.50







FROSTED AND ETCHED FILMS



ORACAL® 8810 Frosted Glass Cast



Premium Cast Frosted Film



Face: 80 micron, Cast PVC Film

Liner: 100 micron, Coated Polyester Film Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -40 to 90° C

Durability: 7 years Colours: 5 Frost Effect

Product Features

Recommended Applications

• Developed to achieve frosted effect on windows, glass partitions and doors.

Special Note

· Wet application recommended.

Product	Colours	Size	1-9m	10-19m	20-49m	50m+	Roll Price
8810 090 1260	Frosted Silver	1260mm	\$33.59	\$31.10	\$28.80	\$26.67	\$1,333.50
8810 090 630	Frosted Silver	630mm	\$16.80	\$15.56	\$14.41	\$13.34	\$667.00
8810 XXX 1260	Frosted Colours	1260mm	\$36.04	\$33.37	\$30.90	\$28.61	\$1,430.50
8810 091 1260	Frosted Gold	1260mm	\$36.04	\$33.37	\$30.90	\$28.61	\$1,430.50









Premium Polymeric Dusted Film

Product Features

Face: 70 micron, Polymeric PVC Film Liner: 137 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -40 to 90° C

Durability: 7 years Colours: Dusted Effect

Recommended Applications

• Developed to achieve dusted effect on windows, glass partitions and doors.

Special Note

· Wet application recommended.

Product	Colours	Size	1-9m	10-19m	20-49m	50m+	Roll Price
8710 775 1260	Dusted Crystal	1260mm	\$22.32	\$20.67	\$19.14	\$17.72	\$886.00
8710 775 630	Dusted Crystal	630mm	\$11.17	\$10.34	\$9.57	\$8.86	\$443.00

ORACAL® 8530 • Etched Glass Film

5 year Polymeric Etched Glass Film

Product Features

Face: 80 micron, Premium Polymeric Calendered Film

Liner: 137 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Removable Temperature Resistance: -40 to 90° C

Durability: 5 years

Colours: Etched Silver Grey

Recommended Applications

- Glass areas where a hoarfrost, etched, cut or sandblasted effect is desired.
- Shop windows, partitions and glass doors.

- Excellent computer cutting characteristics.
- Wet application recommended.
- Easy removal.
- Fire Certification: Group 1, AS 5637.1 2015.

Product	Colours	Size	1-9m	10-19m	20-49m	50m+	Roll Price
8530 090 1260	Silver - Removable	1260mm	\$25.23	\$23.36	\$21.63	\$20.03	\$1,001.50























FROSTED AND ETCHED FILMS

ORACAL® 8510/8510RA Etched Glass Cal

7 year Polymeric Etched Glass Film

Product Features

Face: 80 micron, Premium Polymeric Calendered Film

8510 Liner: 137 gsm, Silicone Coated Paper

8510RA Liner: 145 gsm, Double Sided PE Coated *Rapid*Air® Paper

Adhesive: Solvent Polyacrylate, Permanent **Temperature Resistance:** -40 to 90° C

Durability: 7 years

Colours: Gold & Silver, Fine or Course Structure

Recommended Applications

- Glass areas where a hoarfrost, etched, cut or sandblasted effect is desired.
- Shop windows, partitions and glass doors.

Special Note

- 8510 wet application recommended.
- 8510RA recommended for bubble free application onto large areas of glass, do not wet apply.

Product	Colours	Size	1-9m	10-19m	20-49m	50m+	Roll Price
8510RA 090 1520	Silver Grey Fine	1520mm	\$34.66	\$32.09	\$29.71	\$27.51	\$1,375.50
8510RA 090 1260	Silver Grey Fine	1260mm	\$28.73	\$26.60	\$24.63	\$22.81	\$1,140.50
8510 090 1260	Silver Grey Fine	1260mm	\$25.23	\$23.36	\$21.63	\$20.03	\$1,001.50
8510 090 630	Silver Grey Fine	630mm	\$12.63	\$11.69	\$10.82	\$10.02	\$501.00
8510 091 1260	Gold Fine	1260mm	\$26.02	\$24.09	\$22.31	\$20.66	\$1,033.00
8510 094 1260	Silver Grey Course	1260mm	\$25.23	\$23.36	\$21.63	\$20.03	\$1,001.50
8510 094 630	Silver Grey Course	630mm	\$12.63	\$11.69	\$10.82	\$10.02	\$501.00
8510 095 1260	Gold Course	1260mm	\$26.02	\$24.09	\$22.31	\$20.66	\$1,033.00

ORACAL® 8511/8511RA • Etched Glass Film

5 year Polymeric Etched Glass Film

Product Features

Face: 80 micron, Premium Polymeric Calendered Film

8511 Liner: 137 gsm, Silicone Coated Paper

8511RA Liner: 145 gsm, Double Sided PE Coated RapidAir® Paper

Adhesive: Solvent Polyacrylate, Permanent **Temperature Resistance:** -40 to 90° C

Durability: 5 years

Colours: Etched Silver & Gold

Recommended Applications

- Glass areas where a hoarfrost, etched, cut or sandblasted effect is desired.
- Shop windows, partitions and glass doors.

- 8511 wet application recommended.
- 8511RA recommended for bubble free application onto large areas of glass, do not wet apply.
- • Fire Certification: Group 1, AS 5637.1 2015.

Product	Colours	Size	1-9m	10-19m	20-49m	50m+	Roll Price
8511RA 090 1520	Silver	1520mm	\$30.23	\$27.99	\$25.92	\$24.00	\$1,200.00
8511RA 090 1260	Silver	1260mm	\$25.07	\$23.21	\$21.49	\$19.90	\$995.00
8511 090 1520	Silver	1520mm	\$27.22	\$25.20	\$23.33	\$21.60	\$1,080.00
8511 090 1260	Silver	1260mm	\$22.55	\$20.88	\$19.33	\$17.90	\$895.00
8511 090 630	Silver	630mm	\$11.28	\$10.44	\$9.67	\$8.95	\$447.50
8511 091 1260	Gold	1260mm	\$23.21	\$21.49	\$19.90	\$18.43	\$921.50







LIGHT CONTROL FILMS



RACAL® 8800 Translucent Premium Cast



Premium Cast Translucent Film



Product Features

Face: 50 micron, Translucent Special Cast PVC Film Liner: 100 micron, Silicone Coated Translucent Polyester Film Adhesive: Solvent Polyacrylate, Permanent, Transparent

Temperature Resistance: -45 to 80° C

Durability: B&W 10 years, Colours 8 years, Metallics 5 years

Colours: 47 Satin



• For high quality designs of light boxes, internal illuminated signs, and backlit acrylic glass, glass and pretensioned banner materials.

- Translucent polyester liner for enhanced computer cutting and handling.
- Custom colour matching available.













Product	Colours	Size	1-9m	10-19m	20-49m	50m+	Roll Price
8800 XXX 1260	All Colours	1260mm	\$44.06	\$40.80	\$37.78	\$34.98	\$1,749.00
8800 XXX 630	All Colours	630mm	\$22.03	\$20.40	\$18.89	\$17.49	\$874.50





















LIGHT CONTROL FILMS

ORACAL® 8500 Translucent Cal

Polymeric Calendered Translucent Film

Product Features

Face: 80 micron, Translucent Special PVC Film Liner: 137 gsm, Silicone Coated Paper

Adhesive: Solvent Polyacrylate, Permanent, Transparent

Temperature Resistance: -40 to 90° C

Durability: B&W & Colours 7 years, Metallics 5 years

Colours: 54 Satin

Recommended Applications

• For high quality designs of light boxes, internal illuminated signs, backlit acrylic glass, glass and pretensioned banner materials.

Special Note

• The reduced surface gloss inhibits undesired reflection.

Product	Colours	Size	1-9m	10-19m	20-49m	50m+	Roll Price
8500 XXX 1260	All Colours	1260mm	\$22.45	\$20.79	\$19.25	\$17.82	\$891.00
8500 XXX 630	All Colours	630mm	\$11.22	\$10.39	\$9.62	\$8.91	\$445.50

#010 White	#025 Brimstone yellow	#021 Yellow	#013 Zinc yellow	#020 Golden yellow	#027 Ochre yellow	#034 Orange	#330 Fox red	#323 Coral red	#032 Light red
#329	#016	#031	#017	#030	#085	#413	#041	#008	#040
Carnation red	Crimson	Red	Cherry Red	Dark red	Pale pink	Light pink	Pink	Heather red	Violet
#403 Light violet	#012 Lilac	#527 Pastel blue	#053 Light blue	#052 Azure blue	#051 Gentian blue	#528 Grey blue	#005 Middle blue	#006 Intensive blue	#049 King blue
#542 Caribic blue	#065 Cobalt blue	#007 Dark blue	#541 Dark turquoise	#066 Turquoise blue	#054 Turquoise	#062 Light green	#063 Lime-tree green	#009 Middle green	#614 Reed green
#068 Grass green	#618 Dragon green	#087 Emerald	#060 Dark green	#070 Black	#074 Middle grey	#076 Telegrey	#072 Light grey	#805 Ivory	#011 Pale brown

RACAL® 8830/8860 Premium Diffuser Cast

8830 30% and 8860 60% Cast Diffuser Film

#090 Silver

#091 Gold

Product Features

#081 Light brown

Face: 55 micron, Translucent Special PVC Film Liner: 137 gsm, Silicone Coated Paper

Adhesive: Solvent Polyacrylate, Permanent, Transparent

Temperature Resistance: -40 to 80° C

#088 Coffee brown

Durability: 10 years

Colours: White 30% Diffuser and 60% Diffuser

Recommended Applications

· Provides improved light uniformity and distribution for internally illuminated signs.

Special Note

· Eliminates need for backspraying.

Product	Colours	Size	1-9m	10-19m	20-49m	50m+	Roll Price
8830 1260	White 30%	1260mm	\$31.43	\$29.10	\$26.94	\$24.94	\$1,247.00
8830 630	White 30%	630mm	\$15.71	\$14.55	\$13.47	\$12.47	\$623.50
8860 1260	White 60%	1260mm	\$31.43	\$29.10	\$26.94	\$24.94	\$1,247.00
8860 630	White 60%	630mm	\$15.71	\$14.55	\$13.47	\$12.47	\$623.50







LIGHT CONTROL FILMS



ORACAL® 8300 Transparent Cal



Transparent Polymeric Calendered Film



Face: 80 micron, Transparent PVC Film Liner: 137 gsm, Silicone Coated Paper

Adhesive: Solvent Polyacrylate, Permanent, Transparent

Temperature Resistance: -40 to 80° C

Durability: 5 years Colours: 32 Gloss

Product Features

Recommended Applications

• For internally illuminated short and medium term designs on backlit glass surfaces.

Special Note

• Dry and wet application.













Product	Colours	Size	1-9m	10-19m	20-49m	50m+	Roll Price
8300 XXX 1260	All Colours	1260mm	\$20.03	\$18.55	\$17.18	\$15.91	\$795.50
8300 XXX 630	All Colours	630mm	\$10.03	\$9.29	\$8.60	\$7.96	\$398.00

#025	#021	#216	#020	#034	#085	#089	#047	#033	#032
Brimstone yellow	Yellow	Traffic yellow	Golden yellow	Orange	Pale pink	Salmon pink	Orange red	Red orange	Light red
#031	#030	#041	#077	#040	#056	#096	#053	#052	#051
Red	Dark red	Pink	Telemagenta	Violet	Ice blue	Steel blue	Light blue	Azure blue	Gentian blue
#057	#049	#054	#063	#068	#061	#619	#097	#060	#074
Traffic blue	King blue	Turquoise	Lime-tree green	Grass green	Green	Traffic green	Blue green	Dark green	Middle grey

#079 Reddish brown #073 Dark grey

RACAL® 8870 Blockout Film

White or Black Premium Cast Blockout Film

Product Features

Face: 100 micron, Cast PVC Film Liner: 137 gsm, Silicone Coated Paper

Adhesive: Solvent Polyacrylate, Permanent, Transparent

Temperature Resistance: -40 to 80° C

Durability: 10 years Colours: Black, White

Recommended Applications

• This film is specially designed for high quality application onto light boxes and for the production of internally illuminated signs.

Special Note

• The reduced surface gloss inhibits undesired reflection.

Product	Colours	Size	1-9m	10-24m	25m+	Roll Price
8870 BW 1260	Black/White Cast Blockout	1260mm	\$39.68	\$36.74	\$34.02	\$850.50
8870 BW 630	Black/White Cast Blockout	630mm	\$19.84	\$18.37	\$17.01	\$425.25
8870 WB 1260	White/Black Cast Blockout	1260mm	\$39.68	\$36.74	\$34.02	\$850.50
8870 WB 630	White/Black Cast Blockout	630mm	\$19.84	\$18.37	\$17.01	\$425.25























FLUORESCENT FILMS

ORACAL® 7710RA Fluorescent Premium Cast

Premium Fluorescent Cast Film with RapidAir®

Product Features

Face: 170 micron, Fluorescent Cast PVC Film

Liner: 143 gsm, Double Sided PE Coated RapidAir® Paper,

Adhesive: Solvent Polyacrylate, Repositionable,

with Permanent Final Adhesion

Temperature Resistance: -50 to 120° C

Durability: 4 years Colours: 2 Gloss

Recommended Applications

• Intense fluorescence at daylight exposure designed for vehicle and bus advertising.

Special Note

• The RapidAir® technology enables easy and quick application, without air inclusion, especially in large scale applications.

Product	Colours	Size	1-9m	10-19m	20-49m	50m+	Roll Price
7710RA 029 1520	Fluorescent Yellow	1520mm	\$69.98	\$64.80	\$60.00	\$55.56	\$2,778.00
7710RA 039 1520	Fluorescent Red	1520mm	\$69.98	\$64.80	\$60.00	\$55.56	\$2,778.00

ORACAL® 7510 Fluorescent Premium Cast

Fluorescent Premium Cast Film

Product Features

Face: 150 micron, Fluorescent Cast PVC Liner: 137 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -40 to 110° C **Durability:** Yellow 3 years, All Colours 2 Years

Colours: 7 Gloss

Recommended Applications

• Intense fluorescence at daylight exposure designed for warning signs, vehicle and bus advertising.

Special Note

• Short term outdoor applications.

Product	Colours	Size	1-9m	10-19m	20-49m	50m+	Roll Price
7510 XXX 1260	All Colours	1260mm	\$42.90	\$39.72	\$36.78	\$34.06	\$1,703.00
7510 XXX 630	All Colours	630mm	\$21.45	\$19.86	\$18.39	\$17.03	\$851.50

ORACAL® 6510 Fluorescent Cast

Fluorescent Cast PVC Film

Product Features

Face: 110 micron, Fluorescent Cast PVC Film Liner: 137 gsm, Silicone Coated Paper **Adhesive:** Solvent Polyacrylate, Permanent Temperature Resistance: -40 to 105° C Durability: Yellow 2 years, All colours 1 year

Colours: 7 Gloss

Recommended Applications

• Intense fluorescence at daylight exposure makes it ideal for advertising.

Special Note

· Short term outdoor applications.

Product	Colours	Size	1-9m	10-19m	20-49m	50m+	Roll Price
6510 XXX 1260	All Colours	1260mm	\$30.93	\$28.64	\$26.52	\$24.56	\$1,228.00
6510 XXX 630	All Colours	630mm	\$15.47	\$14.32	\$13.26	\$12.28	\$614.00







METALISED FILMS



ORACAL® 351 Polyester Film



Metalised Polyester Film - Computer Cut



Product Features Face: 23 micron, Metalised Polyester Film (Chrome and Gold) Face: 50 micron, Metalised Polyester Film (Brushed Chrome

and Rose Gold)

Liner: 137 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -40 to 120° C

Durability: 2 years, 1 year Gold

Colours: 4 Colours

Recommended Applications

- Excellent dimensional stability and good long-term ageing properties.
- For premium quality decorative labels, name and technical plates, decorations and symbols.

Special Note

• Designed for computer cutting.











Product	Colours	Size	1-9m	10-19m	20-49m	50m+	Roll Price
351 001 1260	Double Sided Chrome - 23 micron	1260mm	\$23.97	\$22.19	\$20.55	\$19.03	\$951.50
351 001 630	Double Sided Chrome - 23 micron	630mm	\$11.98	\$11.09	\$10.27	\$9.51	\$475.50
351 907 1260	Double Sided Brushed Chrome - 50 micron	1260mm	\$29.70	\$27.50	\$25.46	\$23.57	\$1,178.50
351 907 630	Double Sided Brushed Chrome - 50 micron	630mm	\$14.85	\$13.75	\$12.73	\$11.79	\$589.50
351 911 1260	Double Sided Gold - 23 micron	1260mm	\$27.97	\$25.90	\$23.98	\$22.20	\$1,110.00
351 911 630	Double Sided Gold - 23 micron	630mm	\$13.99	\$12.95	\$11.99	\$11.10	\$555.00
351 931 1260	Double Sided Rose Gold - 50 micron	1260mm	\$41.00	\$37.96	\$35.15	\$32.55	\$1,627.50
351 931 630	Double Sided Rose Gold - 50 micron	630mm	\$20.50	\$18.98	\$17.57	\$16.27	\$813.50

ORACAL® 383 Ultraleaf Cast

Metalised Ultraleaf Cast Film

Product Features

Face: 85 micron, Metalised Cast Alkyd Resin Film Liner: 135 gsm, Special Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent

Application Temp: -54 to 71° C

Durability: 5 years

Colours: 2 Textured Colours

Recommended Applications

• Unique pressure sensitive film for lettering, marking and decoration of vehicles, windows and signs with highest requirements for long outdoor of up to 5 years.

Special Note

• 3-dimensional embossed gloss finish.

Product	Colours	Size	1-9m	10-19m	20-49m	50m+	Roll Price
383 001 1220	Chrome	1220mm	\$67.62	\$62.61	\$57.97	\$53.68	\$2,684.00
383 003 1220	Gold*	1220mm	\$67.62	\$62.61	\$57.97	\$53.68	\$2,684.00

^{*}Gold single sided only, reverse side chrome.









ORACAL® 352 Print Polyester

Metalised Polyester Screen Print Film

Product Features

Face: 23 micron, Metalised Polyester Film (Chrome and Gold) Face: 50 micron, Metalised Polyester Film (Chrome, Brushed

Chrome and Gold)

Liner: 160 gsm, Double Sided PE Coated Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -40 to 120° C

Durability: Chrome & Brushed Silver 2 years, Gold 1 year

Colours: 3 Colours

Recommended Applications

• For premium quality decorative labels, name and technical plates, decoration and mouldings, safety stickers.

Special Note

• Screen printing and UV offset printing.



Product	Colour	Size	1-9m	10-19m	20-49m	50m	Roll Price
352 001 1260	Double Sided Chrome - 23 micron	1260mm x 50m	\$24.67	\$22.84	\$21.15	\$19.58	\$979.00
352 001 630	Double Sided Chrome - 23 micron	630mm x 50m	\$12.33	\$11.42	\$10.57	\$9.79	\$489.50
352 003 1260	Single Sided Gold - 23 micron	1260mm x 50m	\$28.76	\$26.63	\$24.66	\$22.83	\$1,141.50
352 003 630	Single Sided Gold - 23 micron	630mm x 50m	\$14.39	\$13.32	\$12.33	\$11.42	\$571.00
352 901 1260	Double Sided Chrome - 50 micron	1260mm x 50m	\$33.34	\$30.87	\$28.58	\$26.46	\$1,323.00
352 901 630	Double Sided Chrome - 50 micron	630mm x 50m	\$16.66	\$15.43	\$14.29	\$13.23	\$661.50
352 907 1260	Double Sided Brushed Silver - 50 micron	1260mm x 50m	\$34.93	\$32.34	\$29.94	\$27.72	\$1,386.00
352 907 630	Double Sided Brushed Silver - 50 micron	630mm x 50m	\$17.46	\$16.17	\$14.97	\$13.86	\$693.00
352 911 1260	Double Sided Gold - 23 micron	1260mm x 50m	\$33.34	\$30.87	\$28.58	\$26.46	\$1,323.00
352 911 630	Double Sided Gold - 23 micron	630mm x 50m	\$16.66	\$15.43	\$14.29	\$13.23	\$661.50
352 912 1260	Double Sided Gold - 50 micron	1260mm x 50m	\$34.93	\$32.34	\$29.94	\$27.72	\$1,386.00
352 912 630	Double Sided Gold - 50 micron	630mm x 50m	\$17.46	\$16.17	\$14.97	\$13.86	\$693.00
























SPRAY AND MASK FILMS

ORAMASK® 810 Stencil Film

Transparent Grey Stencil Film

Product Features

Face: 80 micron, Dyed Special PVC Stencil Film **Liner:** 137 gsm, Silicone Coated Paper **Adhesive:** Polyacrylate, Removable

Colours: Translucent Grey

Recommended Applications

 Developed for use in stencil applications especially paint and spray techniques e.g. vehicle lettering, promotional lettering and general signs.

Special Note

- Not suitable for wet application.
- Low final peel adhesion.
- Suitable for spraying and painting on even and uneven surfaces.

Product	Colours	Size	Size 1-9m		20-49m	50m+	Roll Price	
810 1260	Grey	1260mm	\$9.45	\$8.75	\$8.10	\$7.50	\$375.00	
810 630	Grey	630mm	\$4.72	\$4.37	\$4.05	\$3.75	\$187.50	

ORAMASK® 810S Stencil Film

Solvent Resistant Transparent Grey Stencil Film

Product Features

Face: 80 micron, Dyed Special PVC Stencil Film **Liner:** 137 gsm, Silicone Coated Paper **Adhesive:** Solvent Polyacrylate, Removable

Colours: Translucent Dark Grey

Recommended Applications

 Developed for use in stencil applications especially paint and spray techniques e.g. vehicle lettering, promotional lettering and general signs.

Special Note

- Not suitable for wet application.
- Low final peel adhesion.
- Suitable for spraying and painting on even and uneven surfaces.

Product	Colours	Size	1-9m	10-19m	20-49m	50m+	Roll Price
810S 1260	Dark Grey	1260mm	\$11.94	\$11.06	\$10.24	\$9.48	\$474.00
810S 630	Dark Grey	630mm	\$5.97	\$5.53	\$5.12	\$4.74	\$237.00

ORAMASK® 811 Stencil Film

Opaque White Stencil Film

Product Features

Face: 80 micron, Dyed Special PVC Stencil Film **Liner:** 137 gsm, Silicone Coated Light Blue Paper

Adhesive: Polyacrylate, Removable

Colours: White

Recommended Applications

• Due to its relatively high stiffness this film is especially suitable for spraying and painting onto smooth surfaces.

Special Note

• The silicone paper is a light blue colour which forms a stronger contrast to the lettering.

Product	Colours	Size	1-9m	10-19m	20-49m	50m+	Roll Price
811 1260	White	1260mm	\$6.66	\$6.17	\$5.71	\$5.29	\$264.50
811 630	White	630mm	\$3.34	\$3.09	\$2.86	\$2.65	\$132.50























SPRAY AND MASK FILMS

ORAMASK® 813 Stencil Film

Transparent Blue Stencil Film

Product Features

Face: 80 micron, Dyed Special PVC Stencil Film

Liner: 137 gsm, Silicone Coated Paper Adhesive: Polyacrylate, Removable

Colours: Translucent Blue

Recommended Applications

• Developed for use in stencil applications, especially for painting and spraying techniques, e.g. vehicle lettering, stencil painting, promotional lettering and exhibition decoration.

Special Note

• The translucency of the film guarantees the visibility of the surface underneath.

Product	Colours	Size	1-9m	10-19m	20-49m	50m+	Roll Price
813 1260	Blue	1260mm	\$9.45	\$8.75	\$8.10	\$7.50	\$375.00
813 630	Blue	630mm	\$4.72	\$4.37	\$4.05	\$3.75	\$187.50




























Interior Graphic Applications

Digital Print Film Product Selection

	Application Type	Adhesive	Substrate Example	Good	Better	Best	ORAGUARD® Overlaminate	
	Wall Mural	Removable	Painted Gyprock	3628	3628	3169GRA 3169MRA	• 200 • 210 • 213	
		Permanent	- (Low energy surface)	3165/3165RA	3651/3651RA	3551RA	• 213 • 215	
	Wall Mural, Contour Cut Wall Graphics	Permanent	Hard-to-Stick "Washable/Scrubbable" Painted plaster	3164HT	3554M	3954	• 210 • 215 • 290	
	Contour Cut Wall Graphics	Removable	Painted Gyprock (Low energy surface)	3268	3628	3169GRA	• 210 • 215	
	Textured Wall Graphics	Permanent	Latex Painted Brick, Block, Poured Concrete Walls	3551 3551RA	3554M	3954	• 215 • 290	
*	Commercial		Smooth, Sealed Flooring Surface (Shopping Mall, Convenience Store)	3162	3169MRA	1663	• 210OS	
	Floor Graphics Short-Term	nics Removable	Carpet (Commercial) 1-2 weeks for Special Events, Trade Shows, etc.	3554M	3554M	3554M	• 250AS • 255AS	
	Signage, POS Displays, Exhibits, Retail	Removable	Foam Core, Corflute, PVC, - Aluminum Composite Panel,	3162	3169	3169GRA	• 200 • 210	
	Signage, POS Displays, Promo Decals, Stickers	Permanent	etc.	3164	3164GRA	3164HT	• 213 • 215	
	Window Graphics	Permanent	Conference Room, Office	8510 Etched	8710 Etched	8810 Etched	Not	
	Decorative Textures	Removable	Cubicle, Museum, Storefronts	8530 Etched			Recommended	
\blacksquare	Short-Term Window Graphics Transparent			3162 Transparent	3169 Transparent		• 200	
	Optically Clear Window Graphics Transparent	Removable	Glass Doors, Conference Rooms, Restaurants, Freezer Doors, etc.		3352	3952F	• 210 • 213 • 252F	
	Window Graphics Opaque	_		3162	3628	3165GRA		
*	Safety, Warning, Emergency, Way Finding Signage (Glow-in-the-dark)	Permanent	Industrial Signage, Office Buildings, Movie Theaters, Schools, etc.		3930		• 290	
11/2	Illuminated Backlit,		White Acrylic or Polycarbonate	3164 Transparent	3651 Transparent	3551 Transparent	• 210	
Į.	POS Trade Show Displays		Clear/White Acrylic or Polycarbonate	3650 White	zrisparene	3850 Translucent	• 213 • 215	
	Eco-Friendly Graphics, PVC-Free, General Graphic Applications	Permanent	Foam Core, Corflute, PVC, Aluminum Composite Panel, etc.	3172/3174		3981GRA+	. 226	

 ${\sf ORAFOL}\ recommends\ testing\ product\ and\ substrate\ compatibility\ prior\ to\ any\ application.$





Exterior Graphic Applications

Digital Print Film Product Selection

















	Application Type	Adhesive	Substrate Example	Good	Better	Best	ORAGUARD® Overlaminate
	Outdoor Signage	Removable	Corflute, Painted MDO Board,	3162	3169	3169GRA	
	Short-term	Permanent	Aluminum Composite Panel,	3164	3165	3651	• 200 • 210 • 213
	Outdoor Signage	Removable	PVC, etc.	3162		3169GRA	
	Outdoor Signage Medium-term	– Permanent	Painted Aluminum, Aluminum Composite Panel, PVC, etc.	3165 3165GRA	3651 3651GRA	3551 3551GRA	• 215 • 290 • 289GF
	Outdoor Signage Long-term	reimanent	Painted Aluminum, Aluminum Composite Panel, etc.	3551 3551GRA	3951GRA+ •	3981GRA+	
	Unpainted, Exposed Brick or Concrete Block	- Downson out	Exterior		3954		• 215
	Painted, Brick or Concrete Block	Permanent	Exterior Latex Painted Brick, Block or Poured Concrete Walls		3554M	3954	• 290 • 293
*	Hard-to-Stick Plastics or Powder Coated Surfaces	Permanent	Wheelie Bins, Plastic Coolers, Port-a-loo, Kayaks, Snow Mobiles, ATV, other "orange peel" Textured Surfaces, Low Surface Energy Plastics	3164HT	3554	3954	• 210 • 215 • 290
	Window Graphics Perf Window Film	Permanent		3675E 50% printable 3676E 60% printable		3675 50% printable 3676 60% printable	• 297GF
	Window Graphics Opaque			3651 3651GRA	3551 3551GRA	3551GRA	• 215 • 290
\blacksquare			Restaurants, Retail,	3268		3169GRA	• 210 • 213
	Optically Clear Window Graphics Transparent	- Removable	Car Dealerships		3352F	3952F	• 252F
	Short-Term	_		3162			• 210
	Window Graphics Transparent	Permanent		3651 Transparent	3551 • Transparent	3952 Transparent	• 215 • 290
	Illuminated Backlit Signage Transparent	- Parmanant	White Acrylic or Polycarbonate	3651 Transparent	3551 • Transparent	3551 Transparent	• 215 • 290
	Illuminated Backlit Signage Translucent	– Permanent	Clear/White Acrylic or Polycarbonate		3850	3850	• 215 • 290
*	Reflective Signage	Permanent	General Municipal Way Finding Signage, Parking Lot, Parks & Rec Signage	5400	5600	5650RA	• 215 • 290GF

 ${\sf ORAFOL}\ recommends\ testing\ product\ and\ substrate\ compatibility\ prior\ to\ any\ application.$







Automotive Graphic Applications

Digital Print Film Product Selection

	Application Type	Adhesive	Substrate Example	Good	Better	Best	ORAGUARD® Overlaminate
	Bumper Stickers, Decals Short-term	Removable	Automotive Glass, Automotive Paint	3162	3169GRA	3169GRA	210213215
	Automotive Graphics, Decals Medium to Long-term		Contour Cut Fleet Graphics, Logos for Utility Vans, Trucks, Trailers, Sedans, etc.	_ 3651GRA •	GRA 3551GRA • •	3951GRA+	• 215 • 289GF
	Automotive Wraps Medium to Long-term	Permanent	Full & Partial Wraps for Utility Vans, Trucks, Trailers, Sedans, Buses, etc.			3981RA •	• 290 • 293
	Automotive Window Graphics Window Perf	removable with heat)	Automotive Glass	367	5/3676/3635/	3636	• 297GF
	Reflective Fleet Graphics	-	Emergency, DOT, Construction, Workzone, Utility Service Vehicles	5600	5650RA	5600RA	• 290 • 293 • 289GF

Boat & Watercraft Applications

Digital Print Film Product Selection

	Application Type	Adhesive	Substrate Example	Good	Better	Best	ORAGUARD® Overlaminate
*	Boat & Watercraft Long-term	Permanent (removable with heat)	Recreational Boats, Yachts, Catamarans with well conditioned clear coats	3551 3551GRA	3951GRA+	3981GRA	• 280 • 289GF • 290 • 293

























Bundles / ORAJET & ORAGUARD



POLYURETHANE FILMS

ORAJET® 3981RA+ ProSlide™



Premium Digital Printing PU Film



Product Features



Pro*Slide*™ Paper

Adhesive: Solvent Polyacrylate, Repositionable with

Permanent Final Adhesion, Grey

Temperature Resistance: -50 to 100° C

Durability: 10 years **Colours:** Gloss White



Recommended Applications

- Complex curves, deep recesses.
- Fleet, transportation, marine, vans, trucks.
- Highest demanding applications with best horizontal warranty available.

Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 289.
- Best warranty.
- \$ 100% PVC free.



For the perfect finish, match with our ORAGUARD® overlaminate films



ORAGUARD® 289F 🌢





Product Features

Face: 50 micron, Polyurethane Film Liner: 36 micron, Polyester Liner

Adhesive: Solvent Polyacrylate, Permanent **Temperature Resistance:** -50 to 100° C

Durability: 10 years **Colours:** Gloss Transparent

Recommended Applications

 Rivets, complex curves, high demanding extreme applications including horizontal surfaces.

- Highest level UV protection with the highest gloss levels.
- PVC free premium protection over ORAJET® 3981RA + ProSlide™.
- \$ 100% PVC free.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3981GRA+289G1370	ORAJET® 3981GRA Gloss White Polyurethane Pro <i>Slide™/</i> ORAGUARD® 289G (50µ) Gloss Overlaminate Kit	1370mm x 50m	\$3,223.00
KIT3981GRA+289G1520	ORAJET® 3981GRA Gloss White Polyurethane Pro <i>Slide™/</i> ORAGUARD® 289G (50µ) Gloss Overlaminate Kit	1520mm x 50m	\$3,611.00







Bundles / ORAJET & ORAGUARD



CAST FILMS



ORAJET® 3951RA+ ProSlide™ **Premium Digital Printing PVC Film**



Product Features

Face: 55 micron, Premium Cast PVC Film

Liner: 158 gsm, Double Sided PE Coated RapidAir®

Pro*Slide*™ Paper

Adhesive: Solvent Polyacrylate, Repositionable with

Permanent Final Adhesion, Grey



Recommended Applications

- Complex curves, deep recesses.
- Fleet, transportation, marine, vans, and trucks.
- · High demanding applications.



Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 289, 293, 290.
- Warranty available.

For the perfect finish, match with our ORAGUARD® overlaminate films



ORAGUARD® 289F ♦

High Performance Polyurethane Overlaminate Film



Product Features

Face: 50 micron, Polyurethane Film Liner: 36 micron, Polyester Liner

Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 100° C

Durability: 10 years **Colours:** Gloss Transparent

Recommended Applications

· Rivets, complex curves, high demanding extreme applications including horizontal surfaces.

Special Note

- Highest level UV protection with the highest gloss levels.
- PVC free premium protection over ORAJET® 3981RA + ProSlide™.
- \$ 100% PVC free.

Product		Bundle Products	Bundle Size	Bundle Price
	KIT3951GRA+289G1370	ORAJET® 3951GRA Pro <i>Slide</i> ™ Gloss White /ORAGUARD® 289G (50µ) Gloss Overlaminate Kit	1370mm x 50m	\$2,624.00
	KIT3951GRA+289G1520	ORAJET® 3951GRA Pro $Slide^{\tiny{>\!\! }}$ Gloss White /ORAGUARD® 289G (50µ) Gloss Overlaminate Kit	1520mm x 50m	\$2,946.00

ORAGUARD® 293

Ultra Flexible Premium Cast PVC Overlaminate Film

Product Features

Face: 30 micron, Cast PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent **Temperature Resistance:** -50 to 100° C

Durability: 8 years

Colours: Gloss & Matte Transparent

Recommended Applications

• Rivets, complex curves, deep recesses.

Special Note

- Highest level UV protection with the highest gloss levels.
- Premium protection over ORAJET® 3951RA + ProSlide™.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3951GRA+293G1370	ORAJET® 3951GRA Pro <i>Slide</i> ™ Gloss White /ORAGUARD® 293G (30µ) Gloss Overlaminate Kit*	1370mm x 50m	\$1,976.50
KIT3951GRA+293G1520	ORAJET® 3951GRA Pro <i>Slide</i> ™ Gloss White /ORAGUARD® 293G (30µ) Gloss Overlaminate Kit*	1520mm x 50m	\$2,213.50

Note: These Kits are also available with a ORAGUARD® 293 Matte





ORAJET® 3951RA+ ProSlide™

Premium Digital Printing PVC Film

Product Features

Face: 55 micron, Premium Cast PVC Film

Liner: 158 gsm, Double Sided PE Coated RapidAir®

Pro*Slide*[™] Paper

Adhesive: Solvent Polyacrylate, Repositionable with

Permanent Final Adhesion, Grey **Temperature Resistance:** -50 to 100° C

Durability: 10 years **Colours:** Gloss White

Recommended Applications

- Complex curves, deep recesses.
- Fleet, transportation, marine, vans, and trucks.
- · High demanding applications.

Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 289, 293, 290.
- Warranty available.

For the perfect finish, match with our ORAGUARD® overlaminate films

ORAGUARD® 290

Highly Conformable Premium Cast PVC Overlaminate Film

Product Features

Face: 50 micron, Cast PVC Film
Liner: 90 gsm, Silicone Coated Paper
Adhesive: Solvent Polyacrylate, Permanent
Temperature Resistance: -50 to 110° C

Durability: 8 years

Colours: Gloss & Matte Transparent

Recommended Applications

• Rivets, complex curves, deep recesses.

Special Note

- Highest level UV protection with the highest gloss levels.
- Premium protection over ORAJET® 3951RA + ProSlide™.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3951GRA+290G1370	ORAJET® 3951GRA Pro <i>Slide</i> ™ Gloss White /ORAGUARD® 290G (50µ) Gloss Overlaminate Kit*	1370mm x 50m	\$1,859.50
KIT3951GRA+290G1520	ORAJET® 3951GRA Pro <i>Slide</i> ™ Gloss White /ORAGUARD® 290G (50µ) Gloss Overlaminate Kit*	1520mm x 50m	\$2,081.00

Note: These Kits are also available with ORAGUARD $^{\otimes}$ 290 Matter

ORAGUARD® 290GDU

Highly Conformable Premium Cast PVC Overlaminate Film

Product Features

Face: 50 micron, Cast PVC Film
Liner: 90 gsm, Silicone Coated Paper
Adhesive: Solvent Polyacrylate, Permanent
Temperature Resistance: -50 to 110° C

Durability: 8 years

Colours: Gloss Transparent

Recommended Applications

- · Corrugations, rivets, moderate curves.
- Fleet, vans, trucks, marine and watercraft.

- Reduced silvering for UV inks.
- High level UV Protection with a high gloss level.
- Overlaminate for ORAJET® 3951RA + ProSlide™.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3951GRA+290GDU1370	ORAJET® 3951GRA Pro <i>Slide</i> ™ Gloss White /ORAGUARD® 290GDU (50µ) Gloss Overlaminate Kit	1370mm x 50m	\$2,171.50
KIT3951GRA+290GDU1520	ORAJET® 3951GRA Pro <i>Slide</i> ™ Gloss White /ORAGUARD® 290GDU (50µ) Gloss Overlaminate Kit	1520mm x 50m	\$2,434.00






























PREMIUM POLYMERIC FILMS




ORAJET® 3551GRA



Premium Polymeric Film








Durability: 7 years

Colours: Gloss White, Matte White









Premium Polymeric PVC Overlaminate Film



Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 293, 290, 215.
- · Warranty available.

For the perfect finish, match with our ORAGUARD® overlaminate films







Product Features

Face: 75 micron, Cast PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 90° C

Durability: 7 years

Colours: Gloss, Semi-gloss & Matte Transparent

Recommended Applications

- · Moderate curves.
- Vehicle spot graphics, fleet, flat truck sides.
- Wall graphics and general signage.

Special Note

- High level UV protection with high gloss levels.
- Overlaminate for ORAJET® 3551, 3554, 3651, 3650, 3165, 3169.
- Fire Certification: Group 1, AS 5637.1 2015.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3551GRA/215G1370	ORAJET® 3551 Gloss White <i>Rapid</i> Air®/ORAGUARD® 215 Gloss Clear*	1370mm x 50m	\$994.00
KIT3551GRA/215G1600	ORAJET® 3551 Gloss White <i>Rapid</i> Air®/ORAGUARD® 215 Gloss Clear*	1600mm x 50m	\$1,161.00

^{*}Note: These Kits are also available with ORAGUARD® 215 Matte and Semi-gloss

ORAGUARD® 215GDU/215MDU 🁌

Premium Polymeric PVC Overlaminate Film for UV Ink

Product Features

Face: 75 micron, Polymeric PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 90° C

Durability: 7 years

Colours: Gloss & Matte Transparent

Recommended Applications

- Moderate curves.
- · Vehicle spot graphics, fleet, flat truck sides.
- Wall graphics and general signage.

- High level UV protection.
- Reduced silvering over UV Inks.
- Overlaminate for ORAJET® 3551, 3554, 3651, 3650, 3165, 3169.
- Fire Certification: Group 1, AS 5637.1 2015.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3551GRA/215GDU1370	ORAJET® 3551 Gloss White <i>Rapid</i> Air®ORAGUARD® 215 Gloss Clear-UV Print*	1370mm x 50m	\$1,062.50
KIT3551GRA/215GDU1550	ORAJET® 3551 Gloss White <i>Rapid</i> Air®ORAGUARD® 215 Gloss Clear-UV Print*	1550mm x 50m	\$1,222.00























PREMIUM POLYMERIC FILMS

ORAJET® 3551GRA

Premium Polymeric Film

Product Features

Face: 70 micron, Premium Polymeric Calendered Film Liner: 143 gsm, Double Sided PE Coated RapidAir® Paper Adhesive: Solvent Polyacrylate, Permanent, Grey

Temperature Resistance: -50 to 90° C

Durability: 7 years Colours: Gloss White

Recommended Applications

· Long term outdoor signage, vehicles including partial wraps, cars, vans, utility bodies, truck sides.

Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 293, 290, 215.
- Warranty available.

For the perfect finish, match with our ORAGUARD® overlaminate films

ORAGUARD® 290

Highly Conformable Premium Cast PVC Overlaminate Film

Product Features

Face: 50 micron, Cast PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 110° C

Durability: 8 years

Colours: Gloss & Matte Transparent

Recommended Applications

• Rivets, complex curves, deep recesses.

Special Note

- Highest level UV protection with the highest gloss levels.
- Premium protection over ORAJET® 3951RA + ProSlide™.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3551GRA/290G1370	ORAJET® 3551 Gloss White <i>Rapid</i> Air® /ORAGUARD® 290G (50µ) Gloss	* 1370mm x 50m	\$1,388.00
KIT3551GRA/290G1550	ORAJET® 3551 Gloss White <i>Rapid</i> Air® /ORAGUARD® 290G (50µ) Gloss	* 1550mm x 50m	\$1,590.00

^{*}Overlaminate Note: These Kits are also available with ORAGUARD® 290 Matte

ORAGUARD® 293

Ultra Flexible Premium Cast PVC Overlaminate Film

Product Features

Face: 30 micron, Cast PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 100° C

Durability: 8 years

Colours: Gloss & Matte Transparent

Recommended Applications

• Rivets, complex curves, deep recesses.

- Highest level UV protection with the highest gloss levels.
- Premium protection over ORAJET® 3951RA + ProSlide™.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3551GRA/293G1370	ORAJET® 3551 Gloss White <i>Rapid</i> Air® /ORAGUARD® 293G (30µ) Gloss Overlaminate*	1370mm x 50m	\$1,505.00
KIT3551GRA/293G1550	ORAJET® 3551 Gloss White <i>Rapid</i> Air® /ORAGUARD® 293G (30µ) Gloss Overlaminate*	1550mm x 50m	\$1,722.50

^{*}Note: These Kits are also available with ORAGUARD® 293 Matte







PREMIUM POLYMERIC FILMS



ORAJET® 3551MRA



Premium Polymeric Film



Face: 70 micron, Premium Polymeric Calendered Film Liner: 143 gsm, Double Sided PE Coated RapidAir® Paper Adhesive: Solvent Polyacrylate, Permanent, Grey

Temperature Resistance: -50 to 90° C

Durability: 7 years Colours: Gloss White

Product Features

Recommended Applications

• Long term outdoor signage, vehicles including partial wraps, cars, vans, utility bodies, truck sides.

Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 293, 290, 215.
- Warranty available.



For the perfect finish, match with our ORAGUARD® overlaminate films









Premium Polymeric PVC Overlaminate Film



Face: 75 micron, Cast PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 90° C

Durability: 7 years

Colours: Gloss, Semi-gloss & Matte Transparent

Recommended Applications

- · Moderate curves.
- Vehicle spot graphics, fleet, flat truck sides.
- · Wall graphics and general signage.

Special Note

- High level UV protection with high gloss levels.
- Overlaminate for ORAJET® 3551, 3554, 3651, 3650, 3165, 3169.
- A Fire Certification: Group 1, AS 5637.1 2015.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3551MRA/215G1370	ORAJET® 3551 Matt White <i>Rapid</i> Air®/ORAGUARD® 215 Gloss Clear*	1370mm x 50m	\$994.00
KIT3551MRA/215G1520	ORAJET® 3551 Matt White <i>Rapid</i> Air®/ORAGUARD® 215 Gloss Clear*	1520mm x 50m	\$1,129.00

^{*}Note: These Kits are also available with ORAGUARD® 215 Matte and Semi-gloss

ORAGUARD® 215GDU/215MDU 🔥

Premium Polymeric PVC Overlaminate Film for UV Ink

Product Features

Face: 75 micron, Polymeric PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 90° C

Durability: 7 years

Colours: Gloss & Matte Transparent

Recommended Applications

- Moderate curves.
- Vehicle spot graphics, fleet, flat truck sides.
- Wall graphics and general signage.

- High level UV protection.
- Reduced silvering over UV Inks.
- Overlaminate for ORAJET® 3551, 3554, 3651, 3650, 3165, 3169.
- Fire Certification: Group 1, AS 5637.1 2015.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3551MRA/215GDU1370	ORAJET® 3551 Matt White <i>Rapid</i> Air®/ORAGUARD® 215 Gloss Clear-UV*	1370mm x 50m	\$1,062.50
KIT3551MRA/215GDU1520	ORAJET® 3551 Matt White <i>Rapid</i> Air®/ORAGUARD® 215 Gloss Clear-UV*	1520mm x 50m	\$1,190.00

^{*}Print Note: These Kits are also available with ORAGUARD® 215 Matte - UV Print



PREMIUM POLYMERIC FILMS

ORAJET® 3551

Premium Polymeric Film

Product Features

Face: 70 micron, Premium Polymeric Calendered Film Liner: 143 gsm, Double Sided PE Coated RapidAir® Paper Adhesive: Solvent Polyacrylate, Permanent, Grey

Temperature Resistance: -50 to 90° C

Durability: 7 years Colours: Gloss White

Recommended Applications

· Long term outdoor signage, shopfronts, windows, awnings, general signage.

Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 293, 290, 215.
- Warranty available.

For the perfect finish, match with our ORAGUARD® overlaminate films





Premium Polymeric PVC Overlaminate Film

Product Features

Face: 75 micron, Cast PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 90° C

Durability: 7 years

Colours: Gloss, Semi-gloss & Matte Transparent

Recommended Applications

- Moderate curves.
- Vehicle spot graphics, fleet, flat truck sides.
- Wall graphics and general signage.

Special Note

- High level UV protection with high gloss levels.
- Overlaminate for ORAJET® 3551, 3554, 3651, 3650, 3165, 3169.
- Fire Certification: Group 1, AS 5637.1 2015.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3551G/215G1370	ORAJET® 3551 Gloss White/ORAGUARD® 215 Gloss Clear*	1370mm x 50m	\$918.50
KIT3551G/215G1370	ORAJET® 3551 Gloss White/ORAGUARD® 215 Gloss Clear*	1600mm x 50m	\$1,073.00

^{*}Note: These Kits are also available with ORAGUARD® 215 Matte and Semi-gloss

ORAGUARD® 215GDU/215MDU 🔥

Premium Polymeric PVC Overlaminate Film for UV Ink

Product Features

Face: 75 micron, Polymeric PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 90° C

Durability: 7 years

Colours: Gloss & Matte Transparent

Recommended Applications

- · Moderate curves.
- · Vehicle spot graphics, fleet, flat truck sides.
- · Wall graphics and general signage.

- High level UV protection.
- · Reduced silvering over UV Inks.
- Overlaminate for ORAJET® 3551, 3554, 3651, 3650, 3165, 3169.
- A Fire Certification: Group 1, AS 5637.1 2015.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3551G/215GDU1370	ORAJET® 3551 Gloss White/ORAGUARD® 215 Gloss Clear-UV Print*	1370mm x 50m	\$987.00
KIT3551G/215GDU1550	ORAJET® 3551 Gloss White/ORAGUARD® 215 Gloss Clear-UV Print*	1550mm x 50m	\$1,134.00

^{*}Note: These Kits are also available with ORAGUARD® 215 Matte - UV Print






























PREMIUM POLYMERIC FILMS



ORAJET® 3554M •



Brick Stone Film



Face: 70 micron Polymeric PVC Film

Liner: 143 gsm, Double Sided PE Coated Paper Adhesive: Solvent Polyacrylate, Permanent, Grey

Temperature Resistance: -50 to 100° C

Durability: 7 years Colours: Matte White



- High demanding wall graphic applications for indoor and outdoor where a hi-tack adhesive is required.
- Applied to flat or simple curved unsealed textured surfaces such as brick, concrete block and poured concrete, painted gyprock.

Special Note

- · Warranty available.
- ♦ Fire Certification: Group 1, AS 5637.1 2015.















Product Features

Face: 75 micron, Cast PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 90° C

Durability: 7 years

Colours: Gloss, Semi-gloss & Matte Transparent

Recommended Applications

- Moderate curves.
- Vehicle spot graphics, fleet, flat truck sides.
- Wall graphics and general signage.

Special Note

- High level UV protection with high gloss levels.
- Overlaminate for ORAJET® 3551, 3554, 3651, 3650, 3165, 3169.
- Fire Certification: Group 1, AS 5637.1 2015.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3554M/215G1370	ORAJET® 3554 Matt White/ORAGUARD® 215 Gloss Clear*	1370mm x 50m	\$1,015.00
KIT3554M/215G1600	ORAJET® 3554 Matt White/ORAGUARD® 215 Gloss Clear*	1600mm x 50m	\$1,186.00

^{*}Note: These Kits are also available with ORAGUARD® 215 Matte and Semi-gloss

ORAGUARD® 215GDU/215MDU 6



Premium Polymeric PVC Overlaminate Film for UV Ink

Product Features

Face: 75 micron, Polymeric PVC Film Liner: 90 gsm, Silicone Coated Paper **Adhesive:** Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 90° C

Durability: 7 years

Colours: Gloss & Matte Transparent

Recommended Applications

- Moderate curves.
- Vehicle spot graphics, fleet, flat truck sides.
- · Wall graphics and general signage.

- High level UV protection.
- · Reduced silvering over UV Inks.
- Overlaminate for ORAJET® 3551, 3554, 3651, 3650, 3165, 3169.
- Fire Certification: Group 1, AS 5637.1 2015.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3554M/215GDU1370	ORAJET® 3554 Matt White/ORAGUARD® 215 Gloss Clear-UV Print*	1370mm x 50m	\$1,083.50
KIT3554M/215GDU1550	ORAJET® 3554 Matt White/ORAGUARD® 215 Gloss Clear-UV Print*	1550mm x 50m	\$1,247.00

^{*}Note: These Kits are also available with ORAGUARD® 215 Matte - UV Print























PREMIUM POLYMERIC FILMS



Brick Stone Film

Product Features

Face: 70 micron, Polymeric PVC Film Liner: 143 gsm, Double Sided PE Coated Paper Adhesive: Solvent Polyacrylate, Permanent, Grey

Temperature Resistance: -50 to 100° C

Durability: 7 years Colours: Matte White

Recommended Applications

- High demanding wall graphic applications for indoor and outdoor where a hi-tack adhesive is required.
- · Applied to flat or simple curved unsealed textured surfaces such as brick, concrete block and poured concrete, painted gyprock.

Special Note

- Warranty available.
- • Fire Certification: Group 1, AS 5637.1 2015.

For the perfect finish, match with our ORAGUARD® overlaminate films

ORAGUARD® 213

Intermediate Polymeric PVC Overlaminate Film

Product Features

Face: 70 micron, Polymeric PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 90° C

Durability: 5 years

Colours: Gloss, Semi-gloss & Matte Transparent

Recommended Applications

• Interior wall graphics and general signage.

- High level UV protection.
- Overlaminate for ORAJET® 3554, 3651, 3650, 3165, 3169.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3554M/213G1370	ORAJET® 3554 Matt White/ORAGUARD® 213 Gloss Clear*	1370mm x 50m	\$941.50
KIT3554M/213G1600	ORAJET® 3554 Matt White/ORAGUARD® 213 Gloss Clear*	1600mm x 50m	\$1,100.00

^{*}Note: These Kits are also available with ORAGUARD® 215 Matte and Semi-gloss







INTERMEDIATE POLYMERIC FILMS



ORAJET® 3651GRA •



Intermediate Polymeric Film



Product Features



Face: 70 micron, Blended Polymeric PVC Film

Liner: 143 gsm, Double Sided PE coated RapidAir® Paper

Adhesive: Solvent Polyacrylate, Permanent, Grey Temperature Resistance: -40 to 80° C

Durability: 5 years Colours: Gloss White



Recommended Applications



· Long term outdoor signage, vehicles including spot graphics, cars, vans, utility bodies, truck sides.

Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 215, 213.
- Fire Certification: Group 1, AS 5637.1 2015.



For the perfect finish, match with our ORAGUARD® overlaminate films







Premium Polymeric PVC Overlaminate Film



Face: 75 micron, Cast PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 90° C

Durability: 7 years

Colours: Gloss, Semi-gloss & Matte Transparent

Recommended Applications

- · Moderate curves.
- · Vehicle spot graphics, fleet, flat truck sides.
- Wall graphics and general signage.

- High level UV protection with high gloss levels.
- Overlaminate for ORAJET® 3551, 3554, 3651, 3650, 3165, 3169.
- A Fire Certification: Group 1, AS 5637.1 2015.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3651GRA/215G1370	ORAJET® 3651 Gloss White <i>Rapid</i> Air®/ORAGUARD® 215 Gloss Clear*	1370mm x 50m	\$884.50
KIT3651GRA/215G1600	ORAJET® 3651 Gloss White <i>Rapid</i> Air®/ORAGUARD® 215 Gloss Clear*	1600mm x 50m	\$1,033.00

^{*}Note: These Kits are also available with ORAGUARD® 215 Matte and Semi-gloss





ORAJET® 3651GRA •

Intermediate Polymeric Film

Product Features

Face: 70 micron, Blended Polymeric PVC Film Liner: 143 gsm, Double Sided PE coated *Rapid*Air® Paper Adhesive: Solvent Polyacrylate, Permanent, Grey

Temperature Resistance: -40 to 80° C

Durability: 5 years **Colours:** Gloss White

Recommended Applications

• Long term outdoor signage, vehicles including spot graphics, cars, vans, utility bodies, truck sides.

Special Note

- $\bullet \;\;$ Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 215, 213.
- Fire Certification: Group 1, AS 5637.1 2015.

For the perfect finish, match with our ORAGUARD® overlaminate films

ORAGUARD® 215GDU/215MDU 🁌

Premium Polymeric PVC Overlaminate Film for UV Ink

Product Features

Face: 75 micron, Polymeric PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 90° C

Durability: 7 years

Colours: Gloss & Matte Transparent

Recommended Applications

- Moderate curves.
- · Vehicle spot graphics, fleet, flat truck sides.
- Wall graphics and general signage.

Special Note

- High level UV protection.
- Reduced silvering over UV Inks.
- Overlaminate for ORAJET® 3551, 3554, 3651, 3650, 3165, 3169.
- Fire Certification: Group 1, AS 5637.1 2015.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3651GRA/215GDU1370	ORAJET® 3651 Gloss White <i>Rapid</i> Air®/ORAGUARD® 215 Gloss Clear-UV Print*	1370mm x 50m	\$953.00
KIT3651GRA/215GDU1550	ORAJET® 3651 Gloss White <i>Rapid</i> Air®/ORAGUARD® 215 Gloss Clear-UV Print*	1550mm x 50m	\$1,094.00

^{*}Note: These Kits are also available with ORAGUARD® 215 Matte - UV Print

ORAGUARD® 213

Intermediate Polymeric PVC Overlaminate Film

Product Features

Face: 70 micron, Polymeric PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 90° C

Durability: 5 years

Colours: Gloss, Semi-gloss & Matte Transparent

Recommended Applications

• Interior wall graphics and general signage.

- High level UV protection.
- Overlaminate for ORAJET® 3554, 3651, 3650, 3165, 3169.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3651GRA/213G1370	ORAJET®3651 Gloss White <i>Rapid</i> Air®/ORAGUARD® 213 Gloss Clear*	1370mm x 50m	\$811.00
KIT3651GRA/213G1600	ORAIET®3651 Gloss White RapidAir® /ORAGUARD® 213 Gloss Clear*	1600mm x 50m	\$947.00

^{*}Note: These Kits are also available with ORAGUARD® 213 Matte and Semi-gloss





























INTERMEDIATE POLYMERIC FILMS




ORAJET® 3651



Intermediate Polymeric Film







Durability: 5 years Colours: Gloss White

Product Features



· Long term outdoor signage, shopfronts, windows, awnings, general signage.

Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 215, 213.
- Fire Certification: Group 1, AS 5637.1 2015.



For the perfect finish, match with our ORAGUARD® overlaminate films









Premium Polymeric PVC Overlaminate Film

Product Features

Face: 75 micron, Cast PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 90° C

Durability: 7 years

Colours: Gloss, Semi-gloss & Matte Transparent

Recommended Applications

- Moderate curves.
- Vehicle spot graphics, fleet, flat truck sides.
- Wall graphics and general signage.

Special Note

- High level UV protection with high gloss levels.
- Overlaminate for ORAJET® 3551, 3554, 3651, 3650, 3165, 3169.
- A Fire Certification: Group 1, AS 5637.1 2015.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3651G/215G1370	ORAJET® 3651 Gloss White/ORAGUARD® 215 Gloss Clear*	1370mm x 50m	\$857.00
KIT3651G/215G1600	ORAJET® 3651 Gloss White/ORAGUARD® 215 Gloss Clear*	1600mm x 50m	\$1,001.00

^{*}Note: These Kits are also available with ORAGUARD® 215 Matte and Semi-gloss

ORAGUARD® 215GDU/215MDU 🁌

Premium Polymeric PVC Overlaminate Film for UV Ink

Product Features

Face: 75 micron, Polymeric PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 90° C

Durability: 7 years

Colours: Gloss & Matte Transparent

Recommended Applications

- Moderate curves.
- Vehicle spot graphics, fleet, flat truck sides.
- Wall graphics and general signage.

- High level UV protection.
- Reduced silvering over UV Inks.
- Overlaminate for ORAJET® 3551, 3554, 3651, 3650, 3165, 3169.
- Fire Certification: Group 1, AS 5637.1 2015.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3651G/215GDU1370	ORAJET® 3651 Gloss White/ORAGUARD® 215 Gloss Clear-UV Print*	1370mm x 50m	\$925.50
KIT3651G/215GDU1550	ORAJET® 3651 Gloss White/ORAGUARD® 215 Gloss Clear-UV Print*	1550mm x 50m	\$1,062.00

^{*}Note: These Kits are also available with ORAGUARD® 215 Matte - UV Print



INTERMEDIATE POLYMERIC FILMS



Intermediate Polymeric Film

Product Features

Face: 70 micron, Blended Polymeric PVC Film Liner: 143 gsm, Double Sided PE Coated Paper Adhesive: Solvent Polyacrylate, Permanent, Grey

Temperature Resistance: -40 to 80° C

Durability: 5 years **Colours:** Gloss White

Recommended Applications

• Long term outdoor signage, shopfronts, windows, awnings, general signage.

Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 215, 213.
- Fire Certification: Group 1, AS 5637.1 2015.

For the perfect finish, match with our ORAGUARD® overlaminate films

ORAGUARD® 213

Intermediate Polymeric PVC Overlaminate Film

Product Features

Face: 70 micron, Polymeric PVC Film
Liner: 90 gsm, Silicone Coated Paper
Adhesive: Solvent Polyacrylate, Permanent
Temperature Resistance: -50 to 90° C

Durability: 5 years

Colours: Gloss, Semi-gloss & Matte Transparent

Recommended Applications

• Interior wall graphics and general signage.

- High level UV protection.
- Overlaminate for ORAJET® 3554, 3651, 3650, 3165, 3169.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3651G/213G1370	ORAJET® 3651 Gloss White/ORAGUARD® 213 Gloss Clear*	1370mm x 50m	\$783.50
KIT3651G/213G1600	ORAJET® 3651 Gloss White/ORAGUARD® 213 Gloss Clear*	1600mm x 50m	\$915.00

^{*}Note: These Kits are also available with ORAGUARD® 213 Matte and Semi-gloss





























INTERMEDIATE POLYMERIC FILMS




ORAJET® 3650



Intermediate Polymeric Film







Temperature Resistance: -40 to 80° C

Durability: 5 years Colours: Gloss White

Product Features

Recommended Applications

· Long term outdoor signage, shopfronts, windows, awnings, general signage, shop windows, partitions and glass doors.

Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 215, 213.

For the perfect finish, match with our ORAGUARD® overlaminate films









Product Features

Face: 75 micron, Cast PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 90° C

Durability: 7 years

Colours: Gloss, Semi-gloss & Matte Transparent

Recommended Applications

- · Moderate curves.
- · Vehicle spot graphics, fleet, flat truck sides.
- Wall graphics and general signage.

Special Note

- High level UV protection with high gloss levels.
- Overlaminate for ORAJET® 3551, 3554, 3651, 3650, 3165, 3169.
- • Fire Certification: Group 1, AS 5637.1 2015.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3650/215G1370	ORAJET® 3650 Gloss White/ORAGUARD® 215 Gloss Clear*	1370mm x 50m	\$857.00
KIT3650/215G1520	ORAJET® 3650 Gloss White/ORAGUARD® 215 Gloss Clear*	1520mm x 50m	\$977.00

^{*}Note: These Kits are also available with ORAGUARD® 215 Matte and Semi-gloss

ORAGUARD® 215GDU/215MDU 🁌



Product Features

Face: 75 micron, Polymeric PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 90° C

Durability: 7 years

Colours: Gloss & Matte Transparent

Recommended Applications

- Moderate curves.
- · Vehicle spot graphics, fleet, flat truck sides.
- Wall graphics and general signage.

- High level UV protection.
- Reduced silvering over UV Inks.
- Overlaminate for ORAJET® 3551, 3554, 3651, 3650, 3165, 3169.
- Fire Certification: Group 1, AS 5637.1 2015.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3650/215GDU1370	ORAJET® 3650 Gloss White/ORAGUARD® 215 Gloss Clear-UV Print*	1370mm x 50m	\$925.50
KIT3650/215GDU1520	ORAJET® 3650 Gloss White/ORAGUARD® 215 Gloss Clear-UV Print*	1520mm x 50m	\$1,038.00

^{*}Note: These Kits are also available with ORAGUARD® 215 Matte - UV Print





















INTERMEDIATE POLYMERIC FILMS

ORAJET® 3650

Intermediate Polymeric Film

Product Features

Face: 70 micron, Blended Polymeric PVC Film Liner: 143 gsm, Double Sided PE Coated Paper Adhesive: Solvent Polyacrylate, Permanent,

Transparent

Temperature Resistance: -40 to 80° C

Durability: 5 years Colours: Gloss White

Recommended Applications

• Long term outdoor signage, shopfronts, windows, awnings, general signage, shop windows, partitions and glass doors.

Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 215, 213.

For the perfect finish, match with our ORAGUARD® overlaminate films

ORAGUARD® 213

Intermediate Polymeric PVC Overlaminate Film

Product Features

Face: 70 micron, Polymeric PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 90° C

Durability: 5 years

Colours: Gloss, Semi-gloss & Matte Transparent

Recommended Applications

• Interior wall graphics and general signage.

- High level UV protection.
- Overlaminate for ORAJET® 3554, 3651, 3650, 3165, 3169.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3650/213G1370	ORAJET® 3650 Gloss White/ORAGUARD® 213 Gloss Clear*	1370mm x 50m	\$783.50
KIT3650/213G1520	ORAJET® 3650 Gloss White/ORAGUARD® 213 Gloss Clear*	1520mm x 50m	\$891.00

^{*}Note: These Kits are also available with ORAGUARD® 213 Matte and Semi-gloss







INTERMEDIATE POLYMERIC FILMS



ORAJET® 3165GRA •



Intermediate Polymeric Film



Product Features

Face: 100 micron Blended Polymeric PVC Film

Liner: 143 gsm, Double Sided PE Coated RapidAir® Paper

Adhesive: Solvent Polyacrylate, Permanent, Grey

Temperature Resistance: -40 to 80° C

Durability: 5 years Colours: Gloss White

Recommended Applications

• Long term outdoor signage, vehicles including spot graphics, cars, vans, utility bodies, truck sides.

Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 215, 213.
- Fire Certification: Group 1, AS 5637.1 2015.



For the perfect finish, match with our ORAGUARD® overlaminate films





Premium Polymeric PVC Overlaminate Film



Product Features

Face: 75 micron, Cast PVC Film Liner: 90 gsm, Silicone Coated Paper **Adhesive:** Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 90° C

Durability: 7 years

Colours: Gloss, Semi-gloss & Matte Transparent

Recommended Applications

- · Moderate curves.
- · Vehicle spot graphics, fleet, flat truck sides.
- · Wall graphics and general signage.

Special Note

- · High level UV protection with high gloss levels.
- Overlaminate for ORAJET® 3551, 3554, 3651, 3650, 3165, 3169.
- A Fire Certification: Group 1, AS 5637.1 2015.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3165GRA/215G1370	ORAJET® 3165 Gloss White <i>Rapid</i> Air®/ORAGUARD® 215 Gloss Clear*	1370mm x 50m	\$884.50
KIT3165GRA/215G1520	ORAJET® 3165 Gloss White <i>Rapid</i> Air®/ORAGUARD®215 Gloss Clear*	1520mm x 50m	\$1,007.50

^{*}Note: These Kits are also available with ORAGUARD® 215 Matte and Semi-gloss

ORAGUARD® 215GDU/215MDU 🁌



Product Features

Face: 75 micron, Polymeric PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 90° C

Durability: 7 years

Colours: Gloss & Matte Transparent

Recommended Applications

- · Moderate curves.
- · Vehicle spot graphics, fleet, flat truck sides.
- · Wall graphics and general signage.

- High level UV protection.
- · Reduced silvering over UV Inks.
- Overlaminate for ORAJET® 3551, 3554, 3651, 3650, 3165, 3169.
- Fire Certification: Group 1, AS 5637.1 2015.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3165GRA/215GDU1370	ORAJET® 3165 Gloss White <i>Rapid</i> Air®/ORAGUARD® 215 Gloss Clear-UV Print*	1370mm x 50m	\$953.00
KIT3165GRA/215GDU1520	ORAJET® 3165 Gloss White <i>Rapid</i> Air®/ORAGUARD® 215 Gloss	1520mm x 50m	\$1,068.50

^{*}Note: These Kits are also available with ORAGUARD® 215 Matte - UV Print

























INTERMEDIATE POLYMERIC FILMS



Intermediate Polymeric Film

Product Features

Face: 100 micron Blended Polymeric PVC Film

Liner: 143 gsm, Double Sided PE Coated RapidAir® Paper

Adhesive: Solvent Polyacrylate, Permanent, Grey

Temperature Resistance: -40 to 80° C

Durability: 5 years Colours: Matte White

Recommended Applications

• Long term outdoor signage, vehicles including spot graphics, cars, vans, utility bodies, truck sides.

Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 215, 213.
- A Fire Certification: Group 1, AS 5637.1 2015.

For the perfect finish, match with our ORAGUARD® overlaminate films

ORAGUARD® 215 🔥



Premium Polymeric PVC Overlaminate Film

Product Features

Face: 75 micron, Cast PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 90° C

Durability: 7 years

Colours: Gloss, Semi-gloss & Matte Transparent

Recommended Applications

- · Moderate curves.
- Vehicle spot graphics, fleet, flat truck sides.
- Wall graphics and general signage.

Special Note

- High level UV protection with high gloss levels.
- Overlaminate for ORAJET® 3551, 3554, 3651, 3650, 3165, 3169.
- Fire Certification: Group 1, AS 5637.1 2015.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3165MRA/215G1370	ORAJET® 3165 Matte White <i>Rapid</i> Air®/ORAGUARD® 215 Gloss Clear*	1370mm x 50m	\$884.50
KIT3165MRA/215G1520	ORAJET® 3165 Matte White <i>Rapid</i> Air®/ORAGUARD® 215 Gloss Clear*	1520mm x 50m	\$1,007.50

^{*}Note: These Kits are also available with ORAGUARD® 215 Matte and Semi-gloss

ORAGUARD® 215GDU/215MDU 🁌



Premium Polymeric PVC Overlaminate Film for UV Ink

Product Features

Face: 75 micron, Polymeric PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 90° C

Durability: 7 years

Colours: Gloss & Matte Transparent

Recommended Applications

- · Moderate curves.
- Vehicle spot graphics, fleet, flat truck sides.
- Wall graphics and general signage.

- High level UV protection.
- Reduced silvering over UV Inks.
- Overlaminate for ORAJET® 3551, 3554, 3651, 3650, 3165, 3169.
- Fire Certification: Group 1, AS 5637.1 2015.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3165MRA/215GDU1370	ORAJET® 3165 Matte White RapidAir® /ORAGUARD® 215 Gloss	1370mm x 50m	\$953.00
	Clear-UV Print*		
KIT3165MRA/215GDU1520	ORAJET® 3165 Matte White <i>Rapid</i> Air® /ORAGUARD® 215 Gloss	1520mm x 50m	\$1,068.50

^{*}Note: These Kits are also available with ORAGUARD® 215 Matte - UV Print







INTERMEDIATE POLYMERIC FILMS



ORAJET® 3165GRA/3165MRA •



Intermediate Polymeric Film



Product Features



Face: 100 micron, Blended Polymeric PVC Film Liner: 143 gsm, Double Sided PE Coated RapidAir® Paper

Adhesive: Solvent Polyacrylate, Permanent, Grey

Temperature Resistance: -40 to 80° C

Durability: 5 years

Colours: Gloss White, Matte White

Recommended Applications

• Long term outdoor signage, vehicles including spot graphics, cars, vans, utility bodies, truck sides.

Special Note


- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 215, 213.
- Fire Certification: Group 1, AS 5637.1 2015.



For the perfect finish, match with our ORAGUARD® overlaminate films



ORAGUARD® 213



Intermediate Polymeric PVC Overlaminate Film



Product Features

Face: 70 micron, Polymeric PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 90° C

Durability: 5 years

Colours: Gloss, Semi-gloss & Matte Transparent

Recommended Applications

• Interior wall graphics and general signage.

- High level UV protection.
- Overlaminate for ORAJET® 3554, 3651, 3650, 3165, 3169.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3165GRA/213G1370	ORAJET® 3165 Gloss White <i>Rapid</i> Air®/ORAGUARD® 213 Gloss Clea	r* 1370mm x 50m	\$811.00
KIT3165GRA/213G1520	ORAJET® 3165 Gloss White <i>Rapid</i> Air®/ORAGUARD® 213 Gloss Clea	r* 1520mm x 50m	\$921.50

^{*}Note: These Kits are also available with ORAGUARD® 213 Matte and Semi-gloss









INTERMEDIATE POLYMERIC FILMS



ORAJET® 3165



Intermediate Polymeric Film



Face: 100 micron, Blended Polymeric PVC Film Liner: 143 gsm, Double Sided PE Coated Paper Adhesive: Solvent Polyacrylate, Permanent, Grey

Temperature Resistance: -40 to 80° C

Durability: 5 years

Colours: Gloss White, Matte White, Semi-gloss White

Recommended Applications

· Long term outdoor signage, shopfronts, windows, awnings, general signage.

Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 215, 213.
- Fire Certification: Group 1, AS 5637.1 2015.

For the perfect finish, match with our ORAGUARD® overlaminate films







Premium Polymeric PVC Overlaminate Film

Product Features

Face: 75 micron, Cast PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 90° C

Durability: 7 years

Colours: Gloss, Semi-gloss & Matte Transparent

Recommended Applications

- Moderate curves.
- · Vehicle spot graphics, fleet, flat truck sides.
- · Wall graphics and general signage.

Special Note

- High level UV protection with high gloss levels.
- Overlaminate for ORAJET® 3551, 3554, 3651, 3650, 3165, 3169.
- A Fire Certification: Group 1, AS 5637.1 2015.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3165G/215G1370	ORAJET® 3165 Gloss White/ORAGUARD®215 Gloss Clear*	1370mm x 50m	\$857.00
KIT3165G/215G1520	ORAJET® 3165 Gloss White /ORAGUARD®215 Gloss Clear*	1520mm x 50m	\$977.00

^{*}Note: These Kits are also available with ORAGUARD® 215 Matte and Semi-gloss

ORAGUARD® 215GDU/215MDU 🁌

Premium Polymeric PVC Overlaminate Film for UV Ink

Product Features

Face: 75 micron, Polymeric PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 90° C

Durability: 7 years

Colours: Gloss & Matte Transparent

Recommended Applications

- Moderate curves.
- Vehicle spot graphics, fleet, flat truck sides.
- Wall graphics and general signage.

- High level UV protection.
- Reduced silvering over UV Inks.
- Overlaminate for ORAJET® 3551, 3554, 3651, 3650, 3165, 3169.
- A Fire Certification: Group 1, AS 5637.1 2015.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3165G/215GDU1370	ORAJET® 3165 Gloss White /ORAGUARD® 215 Gloss Clear -UV Print*	1370mm x 50m	\$925.50
KIT3165G/215GDU1520	ORAJET® 3165 Gloss White /ORAGUARD® 215 Gloss Clear -UV Print*	1520mm x 50m	\$1,038.00

^{*}Note: These Kits are also available with ORAGUARD® 215 Matte - UV Print



INTERMEDIATE POLYMERIC FILMS

ORAJET® 3165 6

Intermediate Polymeric Film

Product Features

Face: 100 micron, Blended Polymeric PVC Film **Liner:** 143 gsm, Double Sided PE Coated Paper **Adhesive:** Solvent Polyacrylate, Permanent, Grey

Temperature Resistance: -40 to 80° C

Durability: 5 years

Colours: Gloss White, Matte White, Semi-gloss White

Recommended Applications

• Long term outdoor signage, shopfronts, windows, awnings, general signage.

Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 215, 213.
- Fire Certification: Group 1, AS 5637.1 2015.

For the perfect finish, match with our ORAGUARD® overlaminate films

ORAGUARD® 213

Intermediate Polymeric PVC Overlaminate Film

Product Features

Face: 70 micron, Polymeric PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 90° C

Durability: 5 years

Colours: Gloss, Semi-gloss & Matte Transparent

Recommended Applications

• Interior wall graphics and general signage.

- High level UV protection.
- Overlaminate for ORAJET® 3554, 3651, 3650, 3165, 3169.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3165G/213G1370	ORAJET® 3165 Gloss White/ORAGUARD® 213 Gloss Clear*	1370mm x 50m	\$783.50
KIT3165G/213G1520	ORAJET® 3165 Gloss White/ORAGUARD® 213 Gloss Clear*	1520mm x 50m	\$891.00

^{*}Note: These Kits are also available with ORAGUARD® 213 Matte and Semi-gloss





























INTERMEDIATE POLYMERIC FILMS



ORAJET® 3169GRA



Intermediate Polymeric Film



Face: 100 micron, Blended Polymeric PVC Film

Liner: 143 gsm, Double Sided coated PE RapidAir® Paper Adhesive: Solvent Polyacrylate, Removable, Grey

Premium Polymeric PVC Overlaminate Film

Temperature Resistance: -40 to 80° C

Durability: 5 years Colours: Gloss White

Product Features



· Long term or short term outdoor signage that requires a removable adhesive.

Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD 215, 213.



For the perfect finish, match with our ORAGUARD® overlaminate films









Product Features

Face: 75 micron, Cast PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 90° C

Durability: 7 years

Colours: Gloss, Semi-gloss & Matte Transparent

Recommended Applications

- · Moderate curves.
- · Vehicle spot graphics, fleet, flat truck sides.
- Wall graphics and general signage.

Special Note

- · High level UV protection with high gloss levels.
- Overlaminate for ORAJET® 3551, 3554, 3651, 3650, 3165, 3169.
- Fire Certification: Group 1, AS 5637.1 2015.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3169GRA/215G1370	ORAJET® 3169 Gloss White <i>Rapid</i> Air®/ORAGUARD® 215 Gloss Clear*	1370mm x 50m	\$884.50

^{*}Note: These Kits are also available with ORAGUARD® 215 Matte and Semi-gloss

ORAGUARD® 215GDU/215MDU 🁌



Premium Polymeric PVC Overlaminate Film for UV Ink

Product Features

Face: 75 micron, Polymeric PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 90° C

Durability: 7 years

Colours: Gloss & Matte Transparent

Recommended Applications

- · Moderate curves.
- · Vehicle spot graphics, fleet, flat truck sides.
- · Wall graphics and general signage.

- High level UV protection.
- Reduced silvering over UV Inks.
- Overlaminate for ORAJET® 3551, 3554, 3651, 3650, 3165, 3169.
- A Fire Certification: Group 1, AS 5637.1 2015.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3169GRA/215GDU1370	ORAJET [®] 3169 Gloss White <i>Rapid</i> Air [®] /ORAGUARD [®] 215 Gloss	1370mm x 50m	\$953.00
	Clear - UV Print*		

^{*}Note: These Kits are also available with ORAGUARD® 215 Matte - UV Print



INTERMEDIATE POLYMERIC FILMS

ORAJET® 3169GRA

Intermediate Polymeric Film

Temperature Resistance: -40 to 80° C

Product Features

Face: 100 micron, Blended Polymeric PVC Film

Liner: 143 gsm, Double Sided coated PE RapidAir® Paper

Adhesive: Solvent Polyacrylate, Removable, Grey

Durability: 5 years **Colours:** Gloss White

Recommended Applications

 Long term or short term outdoor signage that requires a removable adhesive.

Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD 215, 213.

For the perfect finish, match with our ORAGUARD® overlaminate films

ORAGUARD® 213

Intermediate Polymeric PVC Overlaminate Film

Product Features

Face: 70 micron, Polymeric PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 90° C

Durability: 5 years

Colours: Gloss, Semi-gloss & Matte Transparent

Recommended Applications

• Interior wall graphics and general signage.

Special Note

- High level UV protection.
- Overlaminate for ORAJET® 3554, 3651, 3650, 3165, 3169.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3169GRA/213G1370	ORAJET® 3169 Gloss White <i>Rapid</i> Air®/ORAGUARD® 213 Gloss Clear	* 1370mm x 50m	\$811.00

*Note: These Kits are also available with ORAGUARD® 213 Matte and Semi-gloss





























INTERMEDIATE POLYMERIC FILMS




ORAJET® 3169



Intermediate Polymeric Film





Temperature Resistance: -40 to 80° C

Durability: 5 years Colours: Gloss White

Product Features

Recommended Applications

· For brilliant and colourful advertising prints in short and medium-term outdoor applications.

Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 215, 213.















Premium Polymeric PVC Overlaminate Film



Face: 75 micron, Cast PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 90° C

Durability: 7 years

Colours: Gloss, Semi-gloss & Matte Transparent

Recommended Applications

- · Moderate curves.
- · Vehicle spot graphics, fleet, flat truck sides.
- Wall graphics and general signage.

Special Note

- High level UV protection with high gloss levels.
- Overlaminate for ORAJET® 3551, 3554, 3651, 3650, 3165, 3169.
- Fire Certification: Group 1, AS 5637.1 2015.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3169G/215G1370	ORAJET® 3169 Gloss White/ORAGUARD® 215 Gloss Clear*	1370mm x 50m	\$857.00
KIT3169G/215G1520	ORAJET® 3169 Gloss White/ORAGUARD® 215 Gloss Clear*	1520mm x 50m	\$977.00

^{*}Note: These Kits are also available with ORAGUARD® 215 Matte and Semi-gloss

ORAGUARD® 215GDU/215MDU 6



Premium Polymeric PVC Overlaminate Film for UV Ink

Face: 75 micron, Polymeric PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 90° C

Durability: 7 years

Product Features

Colours: Gloss & Matte Transparent

Recommended Applications

- Moderate curves.
- Vehicle spot graphics, fleet, flat truck sides.
- · Wall graphics and general signage.

- High level UV protection.
- Reduced silvering over UV Inks.
- Overlaminate for ORAJET® 3551, 3554, 3651, 3650, 3165, 3169.
- Fire Certification: Group 1, AS 5637.1 2015.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3169G/215GDU1370	ORAJET® 3169 Gloss White/ORAGUARD® 215 Gloss Clear-UV Print*	1370mm x 50m	\$925.50
KIT3169G/215GDU1520	ORAJET® 3169 Gloss White/ORAGUARD® 215 Gloss Clear-UV Print*	1520mm x 50m	\$1,038.00

^{*}Note: These Kits are also available with ORAGUARD® 215 Matte - UV Print



INTERMEDIATE POLYMERIC FILMS

ORAJET® 3169

Intermediate Polymeric Film

Product Features

Face: 100 micron, Blended Polymeric PVC Film **Liner:** 143 gsm, Double Sided PE Coated Paper **Adhesive:** Solvent Polyacrylate, Removable, Grey

Temperature Resistance: -40 to 80° C

Durability: 5 years **Colours:** Gloss White

Recommended Applications

• For brilliant and colourful advertising prints in short and medium-term outdoor applications.

Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 215, 213.

For the perfect finish, match with our ORAGUARD® overlaminate films

ORAGUARD® 213

Intermediate Polymeric PVC Overlaminate Film

Product Features

Face: 70 micron, Polymeric PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 90° C

Durability: 5 years

Colours: Gloss, Semi-gloss & Matte Transparent

Recommended Applications

• Interior wall graphics and general signage.

Special Note

- High level UV protection.
- Overlaminate for ORAJET® 3554, 3651, 3650, 3165, 3169.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3169G/213G1370	ORAJET®3169 Gloss White/ORAGUARD® 213 Gloss Clear*	1370mm x 50m	\$783.50
KIT3169G/213G1520	ORAJET®3169 Gloss White/ORAGUARD® 213 Gloss Clear*	1520mm x 50m	\$891.00

*Note: These Kits are also available with ORAGUARD® 213 Matte and Semi-gloss α





























PERFORATED FILMS




ORAJET® 3675



Perforated Window Film





Temperature Resistance: -40 to 80° C

Durability: 4 years **Colours:** Gloss White

Product Features



• For short and medium term outdoor applications e.g. shop windows, vehicle window panes.

Special Note

- 50% printable area, hole diameter of 1.5mm.
- Dry application only.
- Compatible inks: Inkjet printing with solvent based inks.
- Matching overlaminate: ORAGUARD® 297.











Optically Clear Cast PVC Overlaminate Film



Product Features

Face: 70 micron, Cast PVC Film Liner: 36 micron, Polyester Liner

Adhesive: Solvent Polyacrylate, Permanent **Temperature Resistance:** -50 to 110° C

Durability: 8 years **Colours:** Optically Clear

Recommended Applications

- Moderate curves on glass.
- Vehicle window advertising.

- High level UV protection.
- Optically clear.
- Overlaminate for ORAJET® 3635/3636 perforated range.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3675/297GF1370 ORAJET® 3675 Perforated 50% Perm Adh/ORAGUARD® 297 Gloss Clear Optically Cast PVC Overlaminate		1370mm x 50m	\$2,343.00
KIT3675/297GF1520	ORAJET® 3675 Perforated 50% Perm Adh/ORAGUARD® 297 Gloss Clear Optically Cast PVC Overlaminate	1520mm x 50m	\$2,625.50



+

















PERFORATED FILMS

ORAJET® 3676

Perforated Window Film

Product Features

Face: 140 micron, Perforated Special PVC Film, Black Backed Liner: 135 gsm, Silicone Coated Paper, Non-Perforated Adhesive: Solvent Polyacrylate, Permanent, Transparent

Temperature Resistance: -40 to 80° C

Durability: 4 years **Colours:** Gloss White

Recommended Applications

• For short and medium-term advertising graphics on vehicle windows, shop windows and other types of smooth surfaced transparent advertising media.

Special Note

- 60% printable area, hole diameter of 1.5mm.
- Dry application only.
- Compatible inks: Inkjet printing with solvent based inks.
- Matching overlaminate: ORAGUARD® 297.

For the perfect finish, match with our ORAGUARD® overlaminate films

ORAGUARD® 297GF

Optically Clear Cast PVC Overlaminate Film

Product Features

Face: 70 micron, Cast PVC Film **Liner:** 36 micron, Polyester Liner

Adhesive: Solvent Polyacrylate, Permanent **Temperature Resistance:** -50 to 110° C

Durability: 8 years **Colours:** Optically Clear

Recommended Applications

- Moderate curves on glass.
- · Vehicle window advertising.

- High level UV protection.
- Optically clear.
- Overlaminate for ORAJET® 3635/3636 perforated range.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3676/297GF1370	KIT3676/297GF1370 ORAJET® 3676 Perforated 60% Perm Adh/ORAGUARD® 297 Gloss Clear Optically Cast PVC Overlaminate		\$2,343.00
KIT3676/297GF1520	ORAJET® 3676 Perforated 60% Perm Adh/ORAGUARD® 297 Gloss Clear Optically Cast PVC Overlaminate	1520mm x 50m	\$2,625.50





FLOOR GRAPHIC FILMS

ORAJET® 3554M •



Brick Stone Film



Face: 70 micron, Polymeric PVC Film

Liner: 143 gsm, Double Sided PE Coated Paper Adhesive: Solvent Polyacrylate, Permanent, Grey

Temperature Resistance: -50 to 100° C

Durability: 7 years Colours: Matte White



Recommended Applications

· Great option for carpet graphics. For best result the

Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 255AS, 250AS.
- Fire Certification: Group 1, AS 5637.1 2015.

carpet must be of a flat woven type.

For the perfect finish, match with our ORAGUARD® overlaminate films



ORAGUARD® 255AS

Anti-Slip Overlaminate Film

Product Features

Face: 170 micron, Cast PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -40 to 80° C **Durability:** 5 years Internal, 2 years External.

Up to 12 months for Foot Traffic **Colours:** Textured Transparent

Recommended Applications

• Anti-slip surface for floor advertising.

Special Note

- P3 slip rating.
- Overlaminate for ORAJET® 3554, 3162.

Product Bundle Products		Bundle Size	Bundle Price
KIT3554M/255AS1370	ORAJET® 3554 Matt White/ORAGUARD® 255AS	1370mm x 50m	\$1,678.50
KIT3554M/255AS1550	ORAJET® 3554 Matt White/ORAGUARD® 255AS	1550mm x 50m	\$1,893.50

ORAGUARD® 250AS

Anti-Slip Overlaminate Film

Product Features

Face: 120 micron, Cast PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -40 to 80° C **Durability:** 5 years Internal, 2 years External.

Up to 6 months for Foot Traffic **Colours:** Textured Transparent

Recommended Applications

• Anti-slip surface for floor advertising.

- P2 slip rating.
- Combine with ORAJET® 3554, 3162.

Product Bundle Products		Bundle Size	Bundle Price
KIT3554M/250AS1370 ORAJET® 3554 Matt White/ORAGUARD® 250AS		1370mm x 50m	\$1,334.00
KIT3554M/250AS1550	ORAJET® 3554 Matt White/ORAGUARD® 250AS	1550mm x 50m	\$1,530.50



+



















FLOOR GRAPHIC FILMS

ORAJET® 3554M

Brick Stone Film

Product Features

Face: 70 micron, Polymeric PVC Film

Liner: 143 gsm, Double Sided PE Coated Paper **Adhesive:** Solvent Polyacrylate, Permanent, Grey

Temperature Resistance: -50 to 100° C

Durability: 7 years **Colours:** Matte White

Recommended Applications

• Great option for carpet graphics. For best result the carpet must be of a flat woven type.

Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 255AS, 250AS.
- • Fire Certification: Group 1, AS 5637.1 2015.

For the perfect finish, match with our ORAGUARD® overlaminate films

ORAGUARD® 210SO

Anti-Slip Overlaminate Film

Product Features

Face: 70 micron, Monomeric PVC Film
Liner: 90 gsm, Silicone Coated Paper
Adhesive: Solvent Polyacrylate, Permanent
Temperature Resistance: -40 to 80° C

Durability: 4 years, Up to 3 months for Foot Traffic

Colours: Sandy Grain Transparent

Recommended Applications

- · Floor graphics.
- Textured wall graphics.

- P2 slip rating.
- Overlaminate for ORAJET® 3554, 3162.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3554M/210SO1370	ORAJET® 3554 Matt White/ORAGUARD® 210SO	1370mm x 50m	\$911.50







FLOOR GRAPHIC FILMS







Digital Printing Film



Face: 100 micron, Soft PVC Film Liner: 135 gsm, Silicone Coated Paper

Adhesive: Polyacrylate, Removable, Transparent

Temperature Resistance: -40 to 80° C

Durability: 4 years

Product Features

Colours: Gloss White, Matte White



Recommended Applications

• Suitable for brilliant and colourful advertising prints in short and medium-term outdoor applications.

Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 210SO, 250AS, 255AS.
- Fire Certification: Group 1, AS 5637.1 2015.



For the perfect finish, match with our ORAGUARD® overlaminate films



ORAGUARD® 255AS



Anti-Slip Overlaminate Film

Product Features

Face: 170 micron, Cast PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -40 to 80° C

Durability: 5 years Internal, 2 years External. Up to 12 months for Foot Traffic

Colours: Textured Transparent

Recommended Applications

• Anti-slip surface for floor advertising.

Special Note

- · P3 slip rating.
- Overlaminate for ORAJET® 3554, 3162.

Product Bundle Products		Bundle Size	Bundle Price
KIT3162G/255AS1370	ORAJET® 3162 Gloss White/ORAGUARD® 255AS	1370mm x 50m	\$1,298.00
KIT3162G/255AS1550	ORAJET® 3162 Gloss White/ORAGUARD® 255AS	1550mm x 50m	\$1,437.50

ORAGUARD® 250AS

Anti-Slip Overlaminate Film

Product Features

Face: 120 micron, Cast PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -40 to 80° C

Durability: 5 years Internal, 2 years External. Up to 6 months for foot traffic

Colours: Textured Transparent

Recommended Applications

• Anti-slip surface for floor advertising.

- P2 slip rating.
- Combine with ORAJET® 3554, 3162.

Product Bundle Products		Bundle Size	Bundle Price
KIT3162G/250AS1370	ORAJET® 3162 Gloss White/ORAGUARD® 250AS	1370mm x 50m	\$953.50
KIT3162G/250AS1550	ORAJET® 3162 Gloss White/ORAGUARD® 250AS	1550mm x 50m	\$1,074.50





















FLOOR GRAPHIC FILMS



Digital Printing Film

Product Features

Face: 100 micron, Soft PVC Film Liner: 135 gsm, Silicone Coated Paper

Adhesive: Polyacrylate, Removable, Transparent

Temperature Resistance: -40 to 80° C

Durability: 4 years

Colours: Gloss White, Matte White

Recommended Applications

• Suitable for brilliant and colourful advertising prints in short and medium-term outdoor applications.

Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 210SO, 250AS, 255AS.
- Fire Certification: Group 1, AS 5637.1 2015.

For the perfect finish, match with our ORAGUARD® overlaminate films

ORAGUARD® 210SO

Anti-Slip Overlaminate Film

Product Features

Face: 70 micron, Monomeric PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -40 to 80° C

Durability: 4 years, Up to 3 months for Foot Traffic

Colours: Sandy Grain Transparent

Recommended Applications

- Floor graphics.
- Textured wall graphics.

- P2 slip rating.
- Overlaminate for ORAJET® 3554, 3162.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3162G/210SO1370	ORAJET® 3162 Gloss White/ORAGUARD® 210SO	1370mm x 50m	\$531.00























Adhesive & Film Performance Characteristics

Adhesive Performance Characteristics

Removable Adhesive Short-to-medium-term

- Removes cleanly within 2-3 years of application from most properly prepared, smooth, sealed surfaces.
- Beyond 3+ years, removal properties may diminish and the adhesive may become more permanent.

Permanent Adhesive Medium-to-long-term

- Stronger anchoring power when applied to smooth, properly prepared, sealed surfaces.
- May not remove cleanly from the surface.

High-tack Permanent Adhesive Permanent


- Extremely high-initial-tack and final bond when applied to hard-to-stick low energy plastics and powder coatings.
- May not remove cleanly from the surface.

Film Properties

Good	Better	Best
Calendered PVC Film	Cast PVC Film*	Cast Urethane Film
Thicker film type	Thin and flexible	Extremely durable
Flat surfaces only	Long-term applications	Eco-friendly film type
When used incorrectly, material may tunnel, delaminate, or "shrink" from	Premium film type	Self-healing properties
the application surface	Perfect for both flat and heavily contoured, curved, recessed surfaces	Will not yellow or crack

Proprietary Technologies








New advanced repositionable adhesive technology that enables a quick and easy application.







Interior Graphic Applications

Digital Print Film Product Selection

















	Application Type	Adhesive	Substrate Example	Good	Better	Best	ORAGUARD® Overlaminate
	Wall Mural	Removable	Painted Gyprock	3628	3628	3169GRA 200 210 213	• 210
		Permanent	· (Low energy surface)	3165/3165RA	3651/3651RA	3551RA	
	Wall Mural, Contour Cut Wall Graphics	Permanent	Hard-to-Stick "Washable/Scrubbable" Painted plaster	3164HT	3554M	3954	• 215
	Contour Cut Wall Graphics	Removable	Painted Gyprock (Low energy surface)	3268	3628		• 215 • 215
	Textured Wall Graphics	Permanent	Latex Painted Brick, Block, Poured Concrete Walls	3551 3551RA	3554M		
_	Commercial	Dagaarahla	Smooth, Sealed Flooring Surface (Shopping Mall, Convenience Store)	3162	3169MRA		
	Floor Graphics Short-Term	Removable	Carpet (Commercial) 1-2 weeks for Special Events, Trade Shows, etc.	3554M	3554M	3554M	
	Signage, POS Displays, Exhibits, Retail	Removable	Foam Core, Corflute, PVC, - Aluminum Composite Panel,	3162	3169	3169GRA	
l d	Signage, POS Displays, Promo Decals, Stickers	Permanent	etc.	3164	3164GRA	3164HT	
	Window Graphics	Permanent	Conference Room, Office	8510 Etched			Not
	Decorative Textures	Removable	Cubicle, Museum, Storefronts		8530 Etched		Recommended
\boxplus	Short-Term Window Graphics Transparent		Class Danie Confessor	3162 Transparent	3169 • Transparent		. 200
	Optically Clear Window Graphics Transparent	Removable	Glass Doors, Conference Rooms, Restaurants, Freezer Doors, etc.		3352	3952F	• 210 • 213
	Window Graphics Opaque	=		3162	3628	3165GRA	
*	Safety, Warning, Emergency, Way Finding Signage (Glow-in-the-dark)	Permanent	Industrial Signage, Office Buildings, Movie Theaters, Schools, etc.		3930		• 290
112	Illuminated Backlit,		White Acrylic or Polycarbonate	3164 Transparent	3651 Transparent	3551 Transparent	• 210
Ĭŝ.	POS Trade Show Displays	Show Permanent	Clear/White Acrylic or Polycarbonate	3650 <i>White</i>		3850 Translucent	• 213 • 215
	Eco-Friendly Graphics, PVC-Free, General Graphic Applications	Permanent	Foam Core, Corflute, PVC, Aluminum Composite Panel, etc.	3172/3174		3981GRA+	• 236 • 289GF

 ${\sf ORAFOL}\ recommends\ testing\ product\ and\ substrate\ compatibility\ prior\ to\ any\ application.$







Exterior Graphic Applications

Digital Print Film Product Selection

	Application Type	Adhesive	Substrate Example	Good	Better	Best	ORAGUARD® Overlaminate
	Outdoor Signage	Removable	Corflute, Painted MDO Board,	3162	3169	3169GRA	
	Short-term	Permanent	Aluminum Composite Panel,	3164	3165	3651	Coverlaminate RA 1
	Out de la Cience de	Removable	PVC, etc.	3162		3169GRA	
	Outdoor Signage Medium-term	– Permanent	Painted Aluminum, Aluminum Composite Panel, PVC, etc.	3165 3165GRA	3651 3651GRA	3551 3551GRA	
	Outdoor Signage Long-term	- Permanent	Painted Aluminum, Aluminum Composite Panel, etc.	3551 3551GRA	3951GRA+ •	3981GRA+	
	Unpainted, Exposed Brick or Concrete Block	Dannana	Exterior		3954		
4	Painted, Brick or Concrete Block	– Permanent	Exterior Latex Painted Brick, Block or Poured Concrete Walls	Painted Brick, I Concrete Walls Plastic Coolers, aks, Snow ther "orange Surfaces, Low 3551GRA 3951GR 3954 3954 3164HT 3554	3554M	3954	
*	Hard-to-Stick Plastics or Powder Coated Surfaces	Permanent	Wheelie Bins, Plastic Coolers, Port-a-loo, Kayaks, Snow Mobiles, ATV, other "orange peel" Textured Surfaces, Low Surface Energy Plastics	3164HT	3554	3954	• 215
	Window Graphics Perf Window Film	Permanent		50% printable 3676E		3675 50% printable 3676 60% printable	• 297GF
	Window Craphics		Analoite at mal Class	3651 3651GRA	3551 3551GRA	3551GRA	3651 3651 3651 3651 3551 3551 3551 3954 3954 3954 3954 3954 3954 3954 3954
\blacksquare	Window Graphics Opaque		Architectural Glass, Restaurants, Retail,	3268		3169GRA	
	Optically Clear Window Graphics Transparent	– Removable	Car Dealerships		3352F	3952F	• 252F
	Short-Term		_		3162		• 210
	Window Graphics Transparent	Permanent		3651 Transparent	3551 • Transparent	3952 <i>Transparent</i>	
	Illuminated Backlit Signage <i>Transparent</i>	Davis	White Acrylic or Polycarbonate	3651 <i>Transparent</i>	3551 • Transparent	3551 Transparent	
	Illuminated Backlit Signage Translucent		Clear/White Acrylic or Polycarbonate		3850	3850	
*	Reflective Signage	Permanent	General Municipal Way Finding Signage, Parking Lot, Parks & Rec Signage	5400	5600	5650RA	

 ${\sf ORAFOL}\ recommends\ testing\ product\ and\ substrate\ compatibility\ prior\ to\ any\ application.$





Digital Print Films / Good, Better, Best



Automotive Graphic Applications

Digital Print Film Product Selection


















	Application Type	Adhesive	Substrate Example	Good	Better	Best	ORAGUARD® Overlaminate
	Bumper Stickers, Decals Short-term	Removable	Automotive Glass, Automotive Paint	3162	3169GRA	3169GRA	210213215
	Automotive Graphics, Decals Medium to Long-term		Contour Cut Fleet Graphics, Logos for Utility Vans, Trucks, Trailers, Sedans, etc.	_ 3651GRA	A 3551GRA	3951GRA+ • • • 3981RA	• 215 • 289GF
	Automotive Wraps Medium to Long-term	Permanent	Full & Partial Wraps for Utility Vans, Trucks, Trailers, Sedans, Buses, etc.				• 290 • 293
	Automotive Window Graphics Window Perf	(removable with heat)	Automotive Glass	3675/3676/3635/3636 °		• 297GF	
	Reflective Fleet Graphics		Emergency, DOT, Construction, Workzone, Utility Service Vehicles	5600	5650RA	5600RA	• 290 • 293 • 289GF

Boat & Watercraft Applications

Digital Print Film Product Selection

	Application Type	Adhesive	Substrate Example	Good	Better	Best	ORAGUARD® Overlaminate
*	Boat & Watercraft Long-term	Permanent (removable with heat)	Recreational Boats, Yachts, Catamarans with well conditioned clear coats	3551 3551GRA	3951GRA+	3981GRA	• 280 • 289GF • 290 • 293







Digital Print Films / ORAJET



POLYURETHANE FILMS

ORAJET® 3981RA+ ProSlide™ ♦



Premium Digital Printing PU Film

Product Features

Face: 50 micron, Premium Polyurethane Film Liner: 158 gsm, Double Sided PE Coated RapidAir®

Pro*Slide*[™] Paper

Adhesive: Solvent Polyacrylate, Repositionable with

Permanent Final Adhesion, Grey

Temperature Resistance: -50 to 100° C

Durability: 10 years Colours: Gloss White

Recommended Applications

- · Complex curves, deep recesses.
- Fleet, transportation, marine, vans, trucks.
- · Highest demanding applications with best horizontal warranty available.

Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 289.
- Best warranty.
- \$ 100% PVC free.

Product	Description	Size	Roll Price
3981GRA+ 010 1370	Gloss White Polyurethane Print Film + Pro <i>Slide</i> ™	1370mm x 50m	\$1,861.00
3981GRA+ 010 1520	Gloss White Polyurethane Print Film + Pro <i>Slide</i> ™	1520mm x 50m	\$2,065.00









Pro*Slide*™ Technology

The ProSlide[™] technology installation has never been easier.

Its repositioning features are unbeatable. On top of this the material can be stretched more than conventional wrapping films, and will not lift.

Covering compound curves is no problem, and with the classic RapidAir® construction, the risk of bubbles forming under the material during the process is avoided. And, it get's even better: Being 100% free from PVC as well as plasticisers, this polyurethane film adds to ORAFOL's already large range of "green" graphics films.

The material is developed for inkjet printing, and with its glossy surface prints will stand out exceptionally sharp and brilliant on the vehicle.







ORAJET® 3951RA+ ProSlide™

Premium Digital Printing PVC Film

Product Features

Face: 55 micron, Premium Cast PVC Film

Liner: 158 gsm, Double Sided PE Coated RapidAir®

Pro*Slide*™ Paper

Adhesive: Solvent Polyacrylate, Repositionable with

Permanent Final Adhesion, Grey **Temperature Resistance:** -50 to 100° C

Durability: 10 years **Colours:** Gloss White

Recommended Applications

- · Complex curves, deep recesses.
- Fleet, transportation, marine, vans, and trucks.
- · High demanding applications.

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 289, 293, 290.
- Warranty available.

Product	Description	Size	Roll Price
3951GRA+ 010 1370	Gloss White Cast Print Film + Pro <i>Slide</i> ™	1370mm x 50m	\$1,172.50
3951GRA+ 010 1520	Gloss White Cast Print Film + Pro <i>Slide</i> ™	1520mm x 50m	\$1,301.00




























PREMIUM POLYMERIC FILMS



ORAJET® 3551GRA/3551MRA



Premium Polymeric Film



Face: 70 micron, Premium Polymeric Calendered Film Liner: 143 gsm, Double Sided PE Coated RapidAir® Paper Adhesive: Solvent Polyacrylate, Permanent, Grey

Description

Temperature Resistance: -50 to 90° C

Durability: 7 years

3551GRA 101 1370

3551GRA 101 1600

3551MRA 102 1370

3551MRA 102 1520

Product

Product Features

Colours: Gloss White, Matte White

Recommended Applications

• Long term outdoor signage, vehicles including partial wraps, cars, vans, utility bodies, truck sides.

Special Note

Gloss White Premium Polymeric Film - Permanent B/O Adhesive - RapidAir®

Gloss White Premium Polymeric Film - Permanent B/O Adhesive - RapidAir®

Matte White Premium Polymeric Film – Permanent B/O Adhesive - RapidAir®

Matte White Premium Polymeric Film - Permanent B/O Adhesive - RapidAir®

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 293, 290, 215.

Size

1370mm x 50m

1600mm x 50m

1370mm x 50m

1520mm x 50m

Roll Price

\$631.00

\$737.00

\$631.00

\$700.00

• Warranty available.















Product Features

Face: 70 micron, Premium Polymeric Calendered Film Liner: 143 gsm, Double Sided PE Coated Paper

Adhesive: Adhesive: Solvent Polyacrylate, Permanent, Grey

Temperature Resistance: -50 to 90° C

Durability: 7 years **Colours:** Gloss White

Recommended Applications

· Long term outdoor signage, shopfronts, windows, awnings, general signage.

Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 293, 290, 215.
- Warranty available.

Product	Description	Size	Roll Price
3551G 101 1370	Gloss White Premium Polymeric Film – Permanent B/O Adhesive	1370mm x 50m	\$540.50
3551G 101 1600	Gloss White Premium Polymeric Film – Permanent B/O Adhesive	1600mm x 50m	\$631.00

ORAJET® 3554M •

Brick Stone Film

Product Features

Face: 70 micron, Polymeric PVC Film

Liner: 143 gsm, Double Sided PE Coated Paper Adhesive: Solvent Polyacrylate, Permanent, Grey

Temperature Resistance: -50 to 100° C

Durability: 7 years Colours: Matte White

Recommended Applications

- High demanding wall graphic applications for indoor and outdoor where a hi-tack adhesive is required.
- Applied to flat or simple curved unsealed textured surfaces such as brick, concrete block and poured concrete, painted gyprock.

- Warranty available.
- Matching overlaminate: ORAGUARD® 215, 213.
- Fire Certification: Group 1, AS 5637.1 2015.

Product	Description	Size	Roll Price
3554M 102 1370	Matte White Polymeric Print Film – High Tack B/O Adhesive	1370mm x 50m	\$655.00
3554M 102 1600	Matte White Polymeric Print Film – High Tack B/O Adhesive	1600mm x 50m	\$765.00







ORAJET® 3651GRA •



Product Features

Face: 70 micron, Blended Polymeric PVC Film

Liner: 143 gsm, Double Sided PE coated RapidAir® Paper

Adhesive: Solvent Polyacrylate, Permanent, Grey

Temperature Resistance: -40 to 80° C

Durability: 5 years Colours: Gloss White

Recommended Applications

· Long term outdoor signage, vehicles including spot graphics, cars, vans, utility bodies, truck sides.

Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 215, 213.
- Fire Certification: Group 1, AS 5637.1 2015.

Product	Description	Size	Roll Price
3651GRA 010 1370	Gloss White Polymeric Print Film – Permanent B/O Adhesive - <i>Rapid</i> Air®	1370mm x 50m	\$503.50
3651GRA 010 1600	Gloss White Polymeric Print Film – Permanent B/O Adhesive - RapidAir®	1600mm x 50m	\$588.00



Intermediate Polymeric Film

Product Features

Face: 70 micron, Blended Polymeric PVC Film Liner: 143 gsm, Double Sided PE Coated Paper Adhesive: Solvent Polyacrylate, Permanent, Grey

Temperature Resistance: -40 to 80° C

Durability: 5 years Colours: Gloss White

Recommended Applications

· Long term outdoor signage, shopfronts, windows, awnings, general signage.

Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 215, 213.
- A Fire Certification: Group 1, AS 5637.1 2015.

Product	Description	Size	Roll Price
3651 010 1370	Gloss White Polymeric Print Film – Permanent B/O Adhesive	1370mm x 50m	\$472.50
3651 010 1600	Gloss White Polymeric Print Film – Permanent B/O Adhesive	1600mm x 50m	\$552.00

Intermediate Polymeric Film

Product Features

Face: 70 micron, Blended Polymeric PVC Film Liner: 143 gsm, Double Sided PE Coated Paper

Adhesive: Solvent Polyacrylate, Permanent, Transparent

Temperature Resistance: -40 to 80° C

Durability: 5 years

Colours: Gloss White, Matte White

Recommended Applications

· Long term outdoor signage, shopfronts, windows, awnings, general signage, shop windows, partitions and glass doors.

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 215, 213.

Product	Description	Size	Roll Price
3650 010 1370	Gloss White Polymeric Print Film – Permanent Clear Adhesive	1370mm x 50m	\$472.50
3650 010 1520	Gloss White Polymeric Print Film – Permanent Clear Adhesive	1520mm x 50m	\$524.50
3650M 010 1370	Matte White Polymeric Print Film – Permanent Clear Adhesive	1370mm x 50m	\$472.50
3650M 010 1520	Matte White Polymeric Print Film – Permanent Clear Adhesive	1520mm x 50m	\$524.50



























INTERMEDIATE POLYMERIC FILMS



ORAJET® 3165GRA/3165MRA •



Intermediate Polymeric Film



Product Features

Face: 100 micron, Blended Polymeric PVC Film

Liner: 143 gsm, Double Sided PE Coated RapidAir® Paper

Adhesive: Solvent Polyacrylate, Permanent, Grey

Temperature Resistance: -40 to 80° C

Durability: 5 years

Colours: Gloss White, Matte White

Recommended Applications

· Long term outdoor signage, vehicles including spot graphics, cars, vans, utility bodies, truck sides.

Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 215, 213.
- Fire Certification: Group 1, AS 5637.1 2015.

Product	Description	Size	Roll Price
3165GRA 010 1370	Gloss White Polymeric Print Film – Permanent B/O Adhesive - <i>Rapid</i> Air®	1370mm x 50m	\$503.50
3165GRA 010 1520	Gloss White Polymeric Print Film – Permanent B/O Adhesive - RapidAir®	1520mm x 50m	\$558.50
3165MRA 010 1370	Matte White Polymeric Print Film – Permanent B/O Adhesive - <i>Rapid</i> Air®	1370mm x 50m	\$503.50
3165MRA 010 1520	Matte White Polymeric Print Film – Permanent B/O Adhesive - <i>Rapid</i> Air®	1520mm x 50m	\$558.50













Intermediate Polymeric Film

Product Features

Face: 100 micron, Blended Polymeric PVC Film Liner: 143 gsm, Double Sided PE Coated Paper Adhesive: Solvent Polyacrylate, Permanent, Grey

Temperature Resistance: -40 to 80° C

Durability: 5 years

Colours: Gloss White, Matte White, Semi-gloss White

Recommended Applications

· Long term outdoor signage, shopfronts, windows, awnings, general signage.

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 215, 213.
- Fire Certification: Group 1, AS 5637.1 2015.

Product	Description	Size	Roll Price
3165G 010 1370	Gloss White Polymeric Print Film – Permanent B/O Adhesive	1370mm x 50m	\$472.50
3165G 010 1520	Gloss White Polymeric Print Film – Permanent B/O Adhesive	1520mm x 50m	\$524.50
3165M 010 1370	Matte White Polymeric Print Film – Permanent B/O Adhesive	1370mm x 50m	\$472.50
3165M 010 1520	Matte White Polymeric Print Film – Permanent B/O Adhesive	1520mm x 50m	\$524.50
3165SG 010 1370	Semi-gloss White Polymeric Print Film – Permanent B/O Adhesive	1370mm x 50m	\$472.50
3165SG 010 1520	Semi-gloss White Polymeric Print Film – Permanent B/O Adhesive	1520mm x 50m	\$524.50























INTERMEDIATE POLYMERIC FILMS

ORAJET® 3169GRA

Intermediate Polymeric Film

Product Features

Face: 100 micron, Blended Polymeric PVC Film

Liner: 143 gsm, Double Sided Coated PE RapidAir® Paper

Adhesive: Solvent Polyacrylate, Removable, Grey

Temperature Resistance: -40 to 80° C

Durability: 5 years Colours: Gloss White

Recommended Applications

• Long term or short term outdoor signage that requires a removable adhesive.

Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD 215, 213.

Product	Description	Size	Roll Price
3169GRA 010 1370	Gloss White Polymeric Print Film – Removable B/O Adhesive - <i>Rapid</i> Air®	1370mm x 50m	\$503.50

ORAJET® 3169

Intermediate Polymeric Film

Product Features

Face: 100 micron, Blended Polymeric PVC Film Liner: 143 gsm, Double Sided PE Coated Paper Adhesive: Solvent Polyacrylate, Removable, Grey

Temperature Resistance: -40 to 80° C

Durability: 5 years Colours: Gloss White

Recommended Applications

• For brilliant and colourful advertising prints in short and medium-term outdoor applications.

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 215, 213.

Product	Description	Size	Roll Price
3169G 010 1370	Gloss White Polymeric Print Film – Removable B/O Adhesive	1370mm x 50m	\$472.50
3169G 010 1520	Gloss White Polymeric Print Film – Removable B/O Adhesive	1520mm x 50m	\$524.50





PROMOTIONAL MONOMERIC FILMS

ORAJET® 3164XGRA/3164XMRA •





Product Features

Face: 100 micron, Soft PVC Film

Liner: 143 gsm, Double Sided PE Coated RapidAir® Paper

Adhesive: Polyacrylate, Permanent, Grey **Temperature Resistance:** -40 to 80° C

Durability: 4 years


Colours: Gloss White, Matte White

Recommended Applications

- For brilliant and colourful digital advertising prints in short and medium-term outdoor applications.
- The RapidAir® technology enables easy and rapid application without air inclusion, especially of large-sized decals.

Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 210, 200.
- A Fire Certification: Group 1, AS 5637.1 2015.











ORAJET® 3164GP/3164XPG **♦**

Promotional Monomeric Film

Product Features

Face: 100 micron, Soft PVC Film

Liner: 143 gsm, Double Sided PE Coated Paper **Adhesive:** Polyacrylate, Permanent, Grey, or Clear

Temperature Resistance: -40 to 80° C

Durability: 4 years

Colours: Gloss White, Gloss Clear

Recommended Applications

- Suitable for short and medium-term outdoor applications.
- Particularly suited for HP Latex Printers where high temperatures are used to cure the inks.

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 210, 200.
- A Fire Certification: Group 1, AS 5637.1 2015.

Product	Description	Size	Roll Price
3164GP 000 1370	Gloss Clear Monomeric Print Film – Permanent Clear Adhesive - PE Liner	1370mm x 50m	\$319.00
3164GP 010 1370	Gloss White Monomeric Print Film – Permanent Clear Adhesive - PE Liner	1370mm x 50m	\$319.00
3164GP 010 1520	Gloss White Monomeric Print Film – Permanent Clear Adhesive - PE Liner	1520mm x 50m	\$354.00
3164XPG 010 1370	Gloss White Monomeric Print Film – Permanent B/O Adhesive - PE Liner	1370mm x 50m	\$319.00
3164XPG 010 1520	Gloss White Monomeric Print Film – Permanent B/O Adhesive - PE Liner	1520mm x 50m	\$354.00





















PROMOTIONAL MONOMERIC FILMS

ORAJET® 3164G/3164M •

Promotional Monomeric Film

Product Features

Face: 100 micron, Soft PVC Film Liner: 135 gsm, Silicone Coated Paper

Adhesive: Polyacrylate, Permanent, Transparent

Temperature Resistance: -40 to 80° C

Durability: 4 years

Colours: Gloss White, Matte White, Gloss Clear, Matte Clear

Recommended Applications

• Suitable for short and medium-term outdoor applications.

Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 210, 200.
- • Fire Certification: Group 1, AS 5637.1 2015.

Product	Description	Size	Roll Price
3164 000 1370	Gloss Clear Monomeric Print Film – Permanent Clear Adhesive	1370mm x 50m	\$222.00
3164 000 1600	Gloss Clear Monomeric Print Film – Permanent Clear Adhesive	1600mm x 50m	\$259.00
3164M 000 1370	Matte Clear Monomeric Print Film – Permanent Clear Adhesive	1370mm x 50m	\$222.00
3164M 000 1600	Matte Clear Monomeric Print Film – Permanent Clear Adhesive	1600mm x 50m	\$259.00
3164G 010 1370	Gloss White Monomeric Print Film – Permanent Clear Adhesive	1370mm x 50m	\$222.00
3164G 010 1600	Gloss White Monomeric Print Film – Permanent Clear Adhesive	1600mm x 50m	\$259.00
3164M 010 1370	Matte White Monomeric Print Film – Permanent Clear Adhesive	1370mm x 50m	\$222.00

ORAJET® 3164XG/3164XM •

Promotional Monomeric Film

Product Features

Face: 100 micron, Soft PVC Film Liner: 135 gsm, Silicone Coated Paper Adhesive: Polyacrylate, Permanent, Grey Temperature Resistance: -40 to 80° C

Durability: 4 years

Colours: Gloss White, Matte White

Recommended Applications

- Suitable for short and medium-term outdoor applications.
- Indoor exposure is almost unlimited.

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 210, 200.
- Fire Certification: Group 1, AS 5637.1 2015.

Product	Description	Size	Roll Price
3164XG 010 1370	Gloss White Monomeric Print Film – Permanent B/O Adhesive	1370mm x 50m	\$222.00
3164XG 010 1600	Gloss White Monomeric Print Film – Permanent B/O Adhesive	1600mm x 50m	\$259.00
3164XM 010 1370	Matte White Monomeric Print Film – Permanent B/O Adhesive	1370mm x 50m	\$222.00
3164XM 010 1600	Matte White Monomeric Print Film – Permanent B/O Adhesive	1600mm x 50m	\$259.00







ORAJET® 3164GHT/3164MHT 🔥

PROMOTIONAL MONOMERIC FILMS



Promotional Monomeric Hi Tack Film

Product Features

Face: 100 micron, Soft PVC Film Liner: 135 gsm, Silicone Coated Paper

Adhesive: Polyacrylate, Permanent, Transparent,

High Initial Tack

Temperature Resistance: -40 to 80° C

Durability: 4 years

Colours: Gloss White, Matte White

Recommended Applications

- Suitable for short and medium-term outdoor applications.
- · Indoor exposure is almost unlimited.

Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 210, 200.
- Fire Certification: Group 1, AS 5637.1 2015.

Product	Description	Size	Roll Price
3164GHT 010 1370	Gloss White Monomeric Print Film – Permanent Clear High Tack Adhesive	1370mm x 50m	\$293.00
3164GHT 010 1520	Gloss White Monomeric Print Film – Permanent Clear High Tack Adhesive	1520mm x 50m	\$325.50
3164MHT 010 1370	Matte White Monomeric Print Film – Permanent Clear High Tack Adhesive	1370mm x 50m	\$293.00
3164MHT 010 1520	Matte White Monomeric Print Film – Permanent Clear High Tack Adhesive	1520mm x 50m	\$325.50





Promotional Monomeric Film

Product Features

Face: 100 micron, Soft PVC Film

Liner: 143 gsm, Double Sided PE Coated RapidAir® Paper

Adhesive: Polyacrylate, Removable, Grey **Temperature Resistance:** -40 to 80° C

Durability: 4 years

Colours: Gloss White, Matte White

Recommended Applications

- For brilliant and colourful digital advertising prints in short and medium-term outdoor applications.
- The *Rapid*Air® technology enables easy and rapid application without air inclusion, especially of large-sized decals.

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 210, 200.
- Fire Certification: Group 1, AS 5637.1 2015.

Product	Description	Size	Roll Price
3162XGRA 010 1370	Gloss White Monomeric Print Film – Removable B/O Adhesive - <i>Rapid</i> Air®	1370mm x 50m	\$319.00
3162XGRA 010 1520	Gloss White Monomeric Print Film – Removable B/O Adhesive - <i>Rapid</i> Air®	1520mm x 50m	\$354.00
3162XMRA 010 1370	Matte White Monomeric Print Film – Removable B/O Adhesive - <i>Rapid</i> Air®	1370mm x 50m	\$319.00
3162XMRA 010 1520	Matte White Monomeric Print Film – Removable B/O Adhesive - <i>Rapid</i> Air®	1520mm x 50m	\$354.00























PROMOTIONAL MONOMERIC FILMS

ORAJET® 3162GP/3162XPG •

Promotional Monomeric Film

Product Features

Face: 100 micron, Soft PVC Film

Liner: 143 gsm, Double Sided PE Coated Paper **Adhesive:** Polyacrylate, Removable, Grey or Clear

Temperature Resistance: -40 to 80° C

Durability: 4 years **Colours:** Gloss White

Recommended Applications

• Suitable for brilliant and colourful advertising prints in short and medium-term outdoor applications.

Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 210, 200.
- Fire Certification: Group 1, AS 5637.1 2015.

Product	Description	Size	Roll Price
3162GP 010 1370	Gloss White Monomeric Print Film – Removable Clear Adhesive - PE Liner	1370mm x 50m	\$319.00
3162GP 010 1524	Gloss White Monomeric Print Film – Removable Clear Adhesive - PE Liner	1520mm x 50m	\$354.00
3162XPG 010 1370	Gloss White Monomeric Print Film – Removable B/O Adhesive - PE Liner	1370mm x 50m	\$319.00
3162XPG 010 1520	Gloss White Monomeric Print Film – Removable B/O Adhesive - PE Liner	1520mm x 50m	\$354.00

ORAJET® 3162G/3162M •

Promotional Monomeric Film

Product Features

Face: 100 micron, Soft PVC Film Liner: 135 gsm, Silicone Coated Paper

Adhesive: Polyacrylate, Removable, Transparent

Temperature Resistance: -40 to 80° C

Durability: 4 years

Colours: Gloss White, Matte White

Recommended Applications

 Suitable for brilliant and colourful advertising prints in short and medium-term outdoor applications.

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 210, 200.
- A Fire Certification: Group 1, AS 5637.1 2015.

Product	Description	Size	Roll Price
3162G 000 1370	Gloss Clear Monomeric Print Film – Removable Clear Adhesive	1370mm x 50m	\$222.00
3162G 000 1520	Gloss Clear Monomeric Print Film – Removable Clear Adhesive	1520mm x 50m	\$246.00
3162G 010 1370	Gloss White Monomeric Print Film – Removable Clear Adhesive	1370mm x 50m	\$222.00
3162G 010 1600	Gloss White Monomeric Print Film – Removable Clear Adhesive	1600mm x 50m	\$259.00
3162M 010 1370	Matte White Monomeric Print Film – Removable Clear Adhesive	1370mm x 50m	\$222.00
3162M 010 1600	Matte White Monomeric Print Film – Removable Clear Adhesive	1600mm x 50m	\$259.00







PROMOTIONAL MONOMERIC FILMS



ORAJET® 3162XG/3162XM **♦**



Promotional Monomeric Film





Durability: 4 years

Product Features

Colours: Gloss White, Matte White



• Suitable for brilliant and colourful advertising prints in short and medium-term outdoor applications.

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 210, 200.
- Fire Certification: Group 1, AS 5637.1 2015.











Product	Description	Size	Roll Price
3162XG 010 1370	Gloss White Monomeric Print Film – Removable B/O Adhesive	1370mm x 50m	\$222.00
3162XG 010 1600	Gloss White Monomeric Print Film – Removable B/O Adhesive	1600mm x 50m	\$259.00
3162XM 010 1370	Matte White Monomeric Print Film – Removable B/O Adhesive	1370mm x 50m	\$222.00
3162XM 010 1600	Matte White Monomeric Print Film – Removable B/O Adhesive	1600mm x 50m	\$259.00























POLYPROPYLENE NON-PVC GREEN FILMS

ORAJET® 3174XG/3174XM ♦

PVC-Free Digital Printing Film

Product Features

Face: 100 micron, Top-Coated White Polypropylene Film Liner: 135 gsm, Single Sided Silicone Coated Paper

Adhesive: Polyacrylate, Permanent, Grey Temperature Resistance: -40 to 80° C

Durability: 2 years

Colours: Gloss White, Matte White

Recommended Applications

- For brilliant and colourful advertising prints, for indoor and short-term outdoor use.
- Suitable for even and slightly curved surfaces.

Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 236.
- \$ 100% PVC free.

Product	Description	Size	Roll Price
3174XG 010 1370	Gloss White Polypropylene Print Film – Permanent B/O Adhesive	1370mm x 50m	\$552.00
3174XM 010 1370	Matte White Polypropylene Print Film – Permanent B/O Adhesive	1370mm x 50m	\$552.00

RAIET® 3172XG 🌢

PVC-Free Digital Printing Film

Product Features

Face: 100 micron, Top-Coated White Polypropylene Film Liner: 135 gsm, Single Sided Silicone Coated Paper

Adhesive: Polyacrylate, Removable, Grey Temperature Resistance: -40 to 80° C

Durability: 2 years Colours: Gloss White

Recommended Applications

- For brilliant and colourful advertising prints, for indoor and short-term outdoor use.
- Suitable for even and slightly curved surfaces.

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 236.
- \$ 100% PVC free.

Product	Description	Size	Roll Price
3172XG 010 1370	Gloss White Polypropylene Print Film - Removable B/O Adhesive	1370mm x 50m	\$552.00







WALL FILMS







Brick Stone Film

Product Features

Face: 55 micron, Premium Cast Conformable PVC Film Liner: 143 gsm, Double Sided PE Coated Paper Adhesive: Solvent Polyacrylate, Permanent, Grey

Temperature Resistance: -50 to 100° C

Durability: 10 years Colours: Gloss White

Recommended Applications

- Application of advertising prints directly onto brick or concrete.
- The ideal solution for building front decorations.

Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 293, 290.
- Fire Certification: Group 1, AS 5637.1 2015.

Product	Description	Size	Roll Price
3954 010 1370	Gloss White Premium Cast Film – Permanent B/O Adhesive	1370mm x 50m	\$879.00













Face: 70 micron, Polymeric PVC Film

Liner: 143 gsm, Double Sided PE Coated Paper Adhesive: Solvent Polyacrylate, Permanent, Grey

Temperature Resistance: -50 to 100° C

Durability: 7 years Colours: Matte White

Recommended Applications

- High demanding wall graphic applications for indoor and outdoor where a hi-tack adhesive is required.
- Applied to flat or simple curved unsealed textured surfaces such as brick, concrete block and poured concrete, painted gyprock.

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 215, 213.
- Fire Certification: Group 1, AS 5637.1 2015.

Product	Description	Size	Roll Price
3554M 102 1370	Matte White Polymeric Print Film – High Tack B/O Adhesive	1370mm x 50m	\$655.00
3554M 102 1600	Matte White Polymeric Print Film – High Tack B/O Adhesive	1600mm x 50m	\$765.00























WALL FILMS



Wall Art Digital Film

Product Features

Face: 150 micron, Extra Thick Soft PVC Film Liner: 135 gsm, Silicone Coated Paper Adhesive: Polyacrylate, Easily Removable, Clear

Temperature Resistance: -40 to 80° C **Durability:** 2 years

Colours: Matte White

Recommended Applications

• For application onto interior walls such as decorations and advertisements.

Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- • Fire Certification: Group 1, AS 5637.1 2015.

Product	Description	Size	Roll Price
3268M 010 1370	Matte White Monomeric Print Film – Removable Clear Adhesive	1370mm x 50m	\$404.00

ORAJET® 3628M 🔥

Wall Art Digital Film

Product Features

Face: 80 micron, Soft PVC Film Liner: 135 gsm, Silicone Coated Paper

Adhesive: Polyacrylate, Easily Removable, Clear

Temperature Resistance: -40 to 80° C

Durability: 2 years Colours: Matte White

Recommended Applications

• For application onto interior walls such as decorations and advertisements.

Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 210, 200.
- • Fire Certification: Group 1, AS 5637.1 2015.

Product	Description	Size	Roll Price
3628M 010 1370	Matte White Monomeric Print Film – Removable Clear Adhesive	1370mm x 50m	\$280.00
3628M 010 1520	Matte White Monomeric Print Film – Removable Clear Adhesive	1520mm x 50m	\$311.00

ORAJET® 3621M

Wall Art Digital Film

Product Features

Face: 80 micron, Soft PVC Film Liner: 135 gsm, Silicone Coated Paper Adhesive: Polyacrylate, Removable, Grey Temperature Resistance: -40 to 80° C

Durability: 4 years Colours: Matte White

Recommended Applications

• For brilliant and colourful short and medium-term indoor or outdoor applications.

- · Compatible inks: Solvent, latex and UV
- Matching overlaminate: ORAGUARD® 210, 200.

Product	Description	Size	Roll Price
3621M 010 1370	Matte White Monomeric Print Film – Removable Grey Adhesive	1370mm x 50m	\$280.00
3621M 010 1520	Matte White Monomeric Print Film – Removable Grey Adhesive	1520mm x 50m	\$311.00







WINDOW FILMS




ORAJET® 3952F



Optically Clear Cast Film



Product Features



Liner: 75 micron, Polyester Film

Adhesive: Solvent Polyacrylate, Semi-Permanent, Transparent

Description

Optically Clear Cast PVC Film – Semi-Permanent Adhesive

Optically Clear Cast PVC Film – Semi-Permanent Adhesive

Temperature Resistance: -30 to 70° C

Durability: 7 years Colours: Gloss Clear

Product

3952F 000 1370

3952F 000 1520

Recommended Applications

· Used for ultra clear colourful advertising and glass decorations.

Size

1370mm x 50m

1520mm x 50m

Roll Price

\$1,670.00

\$1,853.00

· Wet application recommended.

Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 252F.















Optically Clear Polyester Film

Product Features

Face: 70 micron, Ultra Clear Top-coated Polyester Film

Liner: 35 micron, Polyester Film

Adhesive: Solvent Polyacrylate, Removable, Transparent

Temperature Resistance: -30 to 70° C

Durability: 1 year Colours: Gloss Clear

Recommended Applications

- Used for ultra clear colourful advertising and glass decorations.
- Wet application recommended.

Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 252F.

Product	Description	Size	Roll Price
3352F 000 1370	Optically Clear Polyester Film – Removable Adhesive	1370mm x 50m	\$1,659.00
3352F 000 1520	Optically Clear Polyester Film – Removable Adhesive	1520mm x 50m	\$1,840.50

RAJET® 3551

Premium Polymeric Film

Product Features

Face: 70 micron, Premium Polymeric Calendered Film Liner: 143 gsm, Double Sided PE Coated Paper

Adhesive: Solvent Polyacrylate, Permanent, Transparent

Temperature Resistance: -50 to 90° C

Durability: 7 years Colours: Gloss Clear

Recommended Applications

- Suitable for large format digital printed images in short and medium-term outdoor window applications.
- Wet application preferred.

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 215.

Product	Description	Size	Roll Price
3551G 000 1370	Gloss Clear Premium Polymeric Film – Permanent Adhesive	1370mm x 50m	\$540.50
3551G 000 1520	Gloss Clear Premium Polymeric Film – Permanent Adhesive	1520mm x 50m	\$599.50























WINDOW FILMS



Intermediate Polymeric Film

Product Features

Face: 70 micron, Blended Polymeric PVC Film **Liner:** 143 gsm, Double Sided PE Coated Paper

Adhesive: Solvent Polyacrylate, Permanent, Transparent

Temperature Resistance: -40 to 80° C

Durability: 5 years **Colours:** Gloss Clear

Recommended Applications

- Suitable for large format digital printed images in short and medium-term outdoor window applications.
- Wet application preferred.
- For reverse clear prints, backing up with 3650 white is recommended.

Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 215, 213.
- Fire Certification: Group 1, AS 5637.1 2015.

Product	Description	Size	Roll Price
3651 000 1370	Gloss Clear Polymeric Print Film – Permanent Adhesive	1370mm x 50m	\$472.50
3651 000 1600	Gloss Clear Polymeric Print Film – Permanent Adhesive	1600mm x 50m	\$552.00

ORAJET® 3165 6

Intermediate Polymeric Film

Product Features

Face: 100 micron, Blended Polymeric PVC Film **Liner:** 143 gsm, Double Sided PE Coated Paper

Adhesive: Solvent Polyacrylate, Permanent, Transparent

Temperature Resistance: -40 to 80° C

Durability: 5 years

Colours: Gloss Clear, Matte Clear

Recommended Applications

- Suitable for large format digital printed images in short and medium-term outdoor window applications.
- Wet application preferred.
- For reverse clear prints, backing up with 3650 white is recommended.

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 215, 213.
- Fire Certification: Group 1, AS 5637.1 2015.

Product	Description	Size	Roll Price
3165G 000 1370	Gloss Clear Polymeric Print Film – Permanent Clear Adhesive	1370mm x 50m	\$472.50
3165G 000 1520	Gloss Clear Polymeric Print Film – Permanent Clear Adhesive	1520mm x 50m	\$524.50
3165M 000 1370	Matte Clear Polymeric Print Film – Permanent Clear Adhesive	1370mm x 50m	\$472.50
3165M 000 1520	Matte Clear Polymeric Print Film – Permanent Clear Adhesive	1520mm x 50m	\$524.50








WINDOW FILMS



Intermediate Polymeric Film



Face: 100 micron, Blended Polymeric PVC Film Liner: 143 gsm, Double Sided PE Coated Paper



Description

Gloss Clear Polymeric Print Film - Removable Clear Adhesive

Temperature Resistance: -40 to 80° C

Durability: 5 years Colours: Gloss Clear

Product

3169G 000 1370





















Etched Glass Digital Printing Film

Product Features

Face: 80 micron, Special PVC Film

Liner: 143 gsm, Double Sided PE Coated Paper Adhesive: Solvent Polyacrylate, Permanent, Clear

Temperature Resistance: -40 to 90° C

Durability: 7 years

Colours: Silver Grey Fine Etched Structure

Recommended Applications

Recommended Applications

• Wet application preferred.

is recommended.

Special Note

• Suitable for large format digital printed images in short

and medium-term outdoor window applications.

• For reverse clear prints, backing up with 3650 white

• Compatible inks: Eco-solvent, solvent, latex and UV. • Matching overlaminate: ORAGUARD® 215, 213.

Size

1370mm x 50m

Roll Price

\$472.50

• For glass decorations, especially for shop windows, office partitions and glass doors.

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Due to the film's silver grey fine structure, a silver crystal effect is created behind the print.

Product	Description	Size	Roll Price
3851 090 1370	Translucent Silver Grey – Permanent Adhesive	1370mm x 50m	\$1,443.50





















WINDOW FILMS

ORAJET® 3850

Translucent Digital Film

Product Features

Face: 80 micron, Translucent Polymeric PVC Film Liner: 143 gsm, Double Sided PE Coated Paper Adhesive: Solvent Polyacrylate, Permanent, Clear

Temperature Resistance: -40 to 80° C

Durability: 7 years Colours: White Silk Gloss

Recommended Applications

• For long-term outdoor applications such light box advertisements.

Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 215, 213.

Product	Description	Size	Roll Price
3850 010 1370	Semi-gloss Polymeric Translucent White Print Film	1370mm x 50m	\$804.00
3850 010 1520	Semi-gloss Polymeric Translucent White Print Film	1520mm x 50m	\$892.00

Translucent vs. Transparent Films

Translucent Films like ORAJET® 3850, are designed to be illuminated by an artificial light source such as fluorescent lamps or LEDs, making it the perfect solution for internally illuminated sign projects such as sign cabinets or channel letters. When using a white acrylic or polycarbonate substrate for illuminated signage, instead consider printing on one of our transparent films, such as ORAJET® 3651 & 3551.

Transparent Films are designed to work with natural light to simulate a "stained glass" effect without obscuring the background. Transparent print films are quickly becoming the norm when applied to white acrylic and polycarbonate sign faces. Applying our transparent solventbased adhesive films, using a wet application technique, will provide professional looking, crystal clear results.

ORAFOL has you covered when it comes to Transparent and Translucent print films!









WINDOW FILMS





Perforated Window Film



Face: 140 micron, Perforated Special PVC Film, Black Backed Liner: 135 gsm, Silicone Coated Paper, Non-Perforated Adhesive: Solvent Polyacrylate, Permanent, Transparent

Temperature Resistance: -40 to 80° C

Durability: 4 years Colours: Gloss White

Product Features



• For short and medium term outdoor applications e.g. shop windows, vehicle window panes.

Special Note

- 50% printable area, hole diameter of 1.5mm.
- Dry application only.
- Compatible inks: Inkjet printing with solvent based inks.
- Matching overlaminate: ORAGUARD® 297.















RAJET® 3675E

Economy Perforated Window Film

Product Features

Face: 140 micron, Perforated Special PVC Film, Black Backed Liner: 135 gsm, Silicone Coated Paper, Non-Perforated Adhesive: Solvent Polyacrylate, Permanent, Transparent

Temperature Resistance: -40 to 80° C

Durability: 2 years Colours: Gloss White

Recommended Applications

• For short and medium term outdoor applications e.g. shop windows, vehicle window panes.

- 50% printable area, hole diameter of 1.5mm.
- Dry application only.
- Compatible inks: Inkjet printing with solvent based inks.
- Matching overlaminate: ORAGUARD® 297.

Product	Description	Size	Roll Price
3675E 010 1370	Perforated Window Film – 50% - Permanent Adhesive	1370mm x 50m	\$882.50
3675E 010 1520	Perforated Window Film – 50% - Permanent Adhesive	1520mm x 50m	\$979.00





















WINDOW FILMS

ORAJET® 3676

Perforated Window Film

Product Features

Face: 140 micron, Perforated Special PVC Film, Black Backed Liner: 135 gsm, Silicone Coated Paper, Non-Perforated Adhesive: Solvent Polyacrylate, Permanent, Transparent

Temperature Resistance: -40 to 80° C

Durability: 4 years Colours: Gloss White

Recommended Applications

• For short and medium-term advertising graphics on vehicle windows, shop windows and other types of smooth surfaced transparent advertising media.

Special Note

- 60% printable area, hole diameter of 1.5mm.
- Dry application only.
- · Compatible inks: Inkjet printing with solvent based inks.
- Matching overlaminate: ORAGUARD® 297.

Product	Description	Size	Roll Price
3676 010 1370	Perforated Window Film - 60% - Permanent Adhesive	1370mm x 50m	\$1,149.50
3676 010 1520	Perforated Window Film - 60% - Permanent Adhesive	1520mm x 50m	\$1,275.50

ORAJET® 3676E

Economy Perforated Window Film

Product Features

Face: 140 micron, Perforated Special PVC Film, Black Backed Liner: 135 gsm, Silicone Coated Paper, Non-Perforated Adhesive: Solvent Polyacrylate, Permanent, Transparent

Temperature Resistance: -40 to 80° C

Durability: 2 years Colours: Gloss White

Recommended Applications

• For short and medium-term advertising graphics on vehicle windows, shop windows and other types of smooth surfaced transparent advertising media.

Special Note

- 60% printable area, hole diameter of 1.5mm.
- Dry application only.
- Compatible inks: Inkjet printing with solvent based inks.
- Matching overlaminate: ORAGUARD® 297.

Product	Description	Size	Roll Price
3676E 010 1370	Perforated Window Film - 60% - Permanent Adhesive	1370mm x 50m	\$882.50
3676E 010 1520	Perforated Window Film - 60% - Permanent Adhesive	1520mm x 50m	\$979.00

Perforated Window Film

Product Features

Face: 140 micron, Perforated Special PVC Film, Black Backed Liner: 135 gsm, Silicone Coated Paper, Non-Perforated Adhesive: Solvent Polyacrylate, Removable, Transparent

Temperature Resistance: -40 to 80° C

Durability: 4 years Colours: Gloss White

Recommended Applications

· For short and medium-term advertising graphics on vehicle windows, shop windows and other types of smooth surfaced transparent advertising media.

- 50% printable area, hole diameter of 1.5mm.
- Dry application only.
- Compatible inks: Inkjet printing with solvent based inks.
- Matching overlaminate: ORAGUARD® 297.

Product	Description	Size	Roll Price
3635 010 1370	Perforated Window Film - 50% - Removable Adhesive	1370mm x 50m	\$1,149.50
3635 010 1520	Perforated Window Film - 50% - Removable Adhesive	1520mm x 50m	\$1,275.50







WINDOW FILMS




ORAJET® 3636

Perforated Window Film







Temperature Resistance: -40 to 80° C

Durability: 4 years Colours: Gloss White



• For short and medium-term advertising graphics on vehicle windows, shop windows and other types of smooth surfaced transparent advertising media.

Special Note

- 60% printable area, hole diameter of 1.5mm.
- Dry application only.
- Compatible inks: Inkjet printing with solvent based inks.
- Matching overlaminate: ORAGUARD® 297.

C			
	П		
	н	Н	












Product	Description	Size	Roll Price
3636 010 1370	Perforated Window Film – 60% - Removable Adhesive	1370mm x 50m	\$1,149.50
3636 010 1520	Perforated Window Film – 60% - Removable Adhesive	1520mm x 50m	\$1,275.50

The Magic of Window Perf

ORAJET® 3675 (50/50) and ORAJET® 3676 (60/40) are two of the longest lasting perforated window films on the market, when laminated with ORAGUARD® 297GF Optically Clear overlaminate.

ORAGUARD® 297GF is a thicker overlaminate, 70 micron, specifically designed for window perf applications. Series 297GF is less prone to collapsing into the perforated holes, which decreases the chance of material punctures or the collection of dirt and moisture. That means better visibility for you!

Perforated window graphics are perfect for businesses that require more branded store front communication, but are limited by signage ordinances. Window graphics are typically not included in local signage ordinances.










Image courtesy of Megan Kranzler ORAIET® 3676 with ORAGUARD® 297GF











FLOOR GRAPHIC FILMS

ORAJET® 3554M •



Brick Stone Film



Face: 70 micron, Polymeric PVC Film Liner: 143 gsm, Double Sided PE Coated Paper

Adhesive: Solvent Polyacrylate, Permanent, Grey

Temperature Resistance: -50 to 100° C

Durability: 7 years **Colours:** Matte White

Recommended Applications

• Great option for carpet graphics. For best result the carpet must be of a flat woven type.

Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 255AS, 250AS.
- Fire Certification: Group 1, AS 5637.1 2015.

Product	Description	Size	Roll Price
3554M 102 1370	Matte White Polymeric Print Film – High Tack B/O Adhesive	1370mm x 50m	\$655.00
3554M 102 1600	Matte White Polymeric Print Film – High Tack B/O Adhesive	1600mm x 50m	\$765.00













Digital Printing Film

Product Features

Face: 100 micron, Soft PVC Film Liner: 135 gsm, Silicone Coated Paper

Adhesive: Polyacrylate, Removable, Transparent

Temperature Resistance: -40 to 80° C

Durability: 4 years

Colours: Gloss White, Matte White

Recommended Applications

• Suitable for brilliant and colourful advertising prints in short and medium-term outdoor applications.

Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 210SO, 250AS, 255AS.
- A Fire Certification: Group 1, AS 5637.1 2015.

Product	Description	Size	Roll Price
3162G 010 1370	Gloss White Monomeric Print Film – Removable Clear Adhesive	1370mm x 50m	\$222.00
3162G 010 1600	Gloss White Monomeric Print Film – Removable Clear Adhesive	1600mm x 50m	\$259.00
3162M 010 1370	Matte White Monomeric Print Film – Removable Clear Adhesive	1370mm x 50m	\$222.00
3162M 010 1600	Matte White Monomeric Print Film – Removable Clear Adhesive	1600mm x 50m	\$259.00

ORACAL® 1663

Floor Graphics Vinyl Film

Product Features

Face: 110 micron, Special PVC Film Liner: 135 Gsm, Silicone Coated Paper

Adhesive: Solvent Polyacrylate, Transparent, Removable

Temperature Resistance: -40 to 80° C

Durability: 3 years **Colours:** Gloss White

Recommended Applications

• For short term floor graphics and advertising.

- Substrate for the ORAFOL floor graphics system.
- Excellent opacity to suppress the floor colours.
- Matching overlaminate: ORAGUARD® 210SO, 250AS, 255AS.

Product	Description	Size	Roll Price
1663 010 1370	Gloss White Floor Graphic PVC Film – Removable B/O Adhesive	1370mm x 50m	\$544.50

Digital Print Films / ORAFOL





















Practical Information

ORAFOL Floor Graphics Systems

As there is such a broad range of floor surfaces that require floor graphics we provide the following information as a general guide to assist you in achieving the best quality outcome.

In general the floor surface must be secure, well prepared, clean and dry prior to applying any floor graphic films. Good preparation is essential to deliver the highest quality result.

- · Avoid installing floor graphics over loose or uneven tile
- Avoid installing floor graphics over unsealed or porous masonry surfaces
- Be sure the floor finish is well bonded to the floor surface. Floor finishes that are not well-bonded to the surface may separate or release, resulting in premature lifting of the graphic.

ORAFOL Floor Graphics Systems consist of an ORAJET base film and an ORAGUARD laminating film with an anti-slip surface. These systems are recommended for internal foot traffic applications and are not recommended where vehicles of any type are in contact with the surface. Duration of the finished floor graphic system will be influenced by many factors including;

- · Surface and preparation
- Installation
- Environmental impact
- Physical impact

ORAFOL Floor Graphics Systems

Floor Surface	Good	Better	Best
Masonry, Concrete,	ORAJET® 3162	ORAJET® 3169	ORAJET® 1663
Tile, Timber, smooth,	ORAGUARD® 210SO	ORAGUARD® 250AS	ORAGUARD® 255AS
sealed floor surface.	Slip Rating P2	Slip Rating R10	Slip Rating R10
Carpet, Low pile	ORAJET® 3554	ORAJET® 3554	ORAJET® 3554
	ORAGUARD® 210SO	ORAGUARD® 250AS	ORAGUARD® 255AS
	Slip Rating P2	Slip Rating R10	Slip Rating R10

Recommendations

We recommend your floor graphic design carries radius rather than sharp or right angle corners. This design element will assist with potential delamination or premature lifting at the corner of the floor graphic.

We suggest you avoid aligning the edges of the graphic on grout lines between tiles. While the tile surface is most likely sealed it is possible the grout between tiles is porous and can therefore present a weaker surface for the adhesive to bond.







SPECIALTY FILMS




ORAJET® 3959G



Petrol Resistant Film







Temperature Resistance: -50 to 100° C

Durability: 8 years Colours: Gloss White

Product Features

Recommended Applications

• Developed specifically for long-term digital prints and promotions applied to fuel pumps and on petrol road tankers.

Special Note

• Film is resistant to the occasional petrol spillage when combined with matching overlaminate ORAGUARD® 259.

			カ	
	2	?		
W (9			





RAIET® 3930



Photoluminescent Glow-in-the-Dark Film



Product Features

Face: 150 micron, Three-Layered, Cadium-Free High

Premium Cast PVC Film

Liner: 143 gsm, Double Sided PE Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -40 to 100° C

Durability: 5 years Colours: Gloss

Recommended Applications

• Indoor and outdoor marking of emergency exits and danger areas.

Special Note

• For exterior use, overlaminate with ORAGUARD® 293 Cast.

Product	Description	Size	1-9m	10-19m	20-49m	50m+	Roll Price
3930 1370	Premium Phosphorescent	1370mm x 50m	\$125.98	\$116.65	\$108.01	\$100.01	\$5,000.50
	Cast PVC Film						

Solvent-based vs. Water-based Adhesive

Water-based Adhesive

Products with a water-based adhesive, such as ORAJET® 3162, typically are a low-cost solution for either indoor or short-term outdoor graphic applications. Common applications include promotional decals, signage or wall graphics.

To avoid adhesive bonding issues with the substrate, do not use wet application methods or in low temperature applications.

Solvent-based Adhesive

Products with a solvent-based adhesive, such as ORAJET® 3551, are designed for more demanding and longer term applications. The components of this adhesive are combined using solvents, allowing a structurally stronger adhesive that is more resistant to chemicals, cleaning agents and wider temperature ranges.

Another important attribute is the ability to wet apply graphics without worry of adhesive bonding issues.























SPECIALTY FILMS

ORAJET® 3350 Metalised Polyester

Digital Metalised Polyester Film

Product Features

Face: 50 micron Metalised Polyester Film Liner: 143 gsm, Double Sided PE Coated Paper Adhesive: Solvent Polyacrylate, Permanent, Clear

Temperature Resistance: -40 to 120° C

Durability: 2 years Colours: Chrome, Gold

Recommended Applications

- Excellent dimensional stability and good long-term ageing
- For premium quality decorative labels, name and technical plates, decorations and symbols.

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Note: When printing with Latex inks a maximum temperature of 100° C should not be exceeded.
- Matching overlaminate: ORAGUARD® 220HG.

Product	Description	Size	Roll Price
3350 901 1370	Double Sided Chrome - 50 Micron	1370mm x 50m	\$2,612.00
3350 912 1370	Double Sided Gold - 50 Micron	1370mm x 50m	\$2,612.00









SPECIALTY FILMS

ORACAL® 820 Safety



Tear Resistant Special Cast Film



Face: 55 micron,

Liner: 143 gsm, Double Sided PE Coated Paper **Adhesive:** Solvent Polyacrylate, Permanent, Clear

Temperature Resistance: -40 to 90° C

Durability: 5 years

Colours: Gloss White, Matte White



• Tamper resistant cast for protecting against fraud.

Special Note

• Compatible inks: Eco-solvent, solvent, latex and UV.











Product	Description	Size	1-9m	10-19m	20-49m	50m+	Roll Price
820G 010 1400	Gloss White Cast Print Film – Permanent Clear Adhesive	1400mm x 50m	\$35.26	\$32.65	\$30.23	\$27.99	\$1,399.50
820G 010 1000	Gloss White Cast Print Film – Permanent Clear Adhesive	1000mm x 50m	\$25.19	\$23.32	\$21.59	\$19.99	\$999.50
820M 010 1400	Matte White Cast Print Film – Permanent Clear Adhesive	1400mm x 50m	\$35.26	\$32.65	\$30.23	\$27.99	\$1,399.50





















Notes on Processing and Handling

Introduction

ORAFOL offers a wide range of self-adhesive digital printing materials for many different applications. They come with a well-matched set of laminating films. To ensure that the films display the specified properties, it is important to follow the instructions for preparation and application which can be found on www.orafol.com. If you want to apply an ORAFOL material on a car, please also see our practical information for self-adhesive films for application on cars (can be downloaded also on www. orafol.com). ORAFOL recommends to use only material with the same batch number for one graphical application. In this context ORAFOL ensures that every roll of the same batch number consists of the same material and consequently does not have any splices. When different batch numbers are used the technician should conduct tests to find out possible differences in using the films and in the quality of the graphical application.

Storage and Processing Conditions

The self-adhesive products which ORAFOL supplies in rolls should at all times be stored either suspended (with end caps) or standing on end on the roll blocks, and never lying flat (without end caps). For storage and processing, they should be kept in a cool dry place, protected from daylight. Relative air humidity between 50% and 60% and a temperature between 18° C and 22° C should be ensured. Direct sunlight, storage beside radiators etc. should by all means be avoided. Please observe the shelf life instructions contained in the technical data sheet accompanying each film.

Instructions for Printing

The digital printing materials should generally be handled with a high degree of care. Cotton gloves should be used to prevent damage to the surface or soiling. Check the surface quality prior to printing or application. Also check the print file with profiling. The ORACAL® / ORAJET® digital printing media require (due to their different qualities like the thickness of the adhesive layer) different parameter settings of the printer and the selecting software (RIP). Make sure you take the relevant amount of ink and specific colour definitions into account.

In addition, check the specifications of the digital printing materials and the inks for their respective applications (indoor / outdoor) and durability, and match them accordingly.

Drving up

Freshly printed films should be spread out and left to dry after printing, to allow the residual solvent to evaporate. If freshly printed vinyls are plotted in the printed areas, the vinyl might shrink. Depending on the ink used, laminating too early may affect the functionality of the film (adhesive power, service life) by preventing residual solvents to evaporate. Printed and nonsufficiently dried films shrink after printing, during the drying process.

If the drying process of the vinyls takes place after application of the substrate, the film may shrink and come off at the edges, from corrugations and rivets. Following these processing and handling instructions, we recommend to spread out and dry the film for at least 72 hours (lying flat or hanging).

Lamination

Lamination of inkjet prints is recommended to ensure longer lives at optimum quality (gloss, colour depth, mechanical damage). ORAGUARD® laminating films enhance the colour effect for the desired appearance of the surface (glossy, matt, semi-gloss), provide excellent protection against the UVrays of the sun destroying the colour pigments, and against humidity and abrasion. Soiling can easily be removed by using common cleaning agents. We recommend only using films of the same manufacture and type (e.g. monomeric PVC film on monomeric PVC film, and polymeric PVC film on polymeric PVC film) as their raw materials are accurately matched with each other. Lamination has to be done stress free to prevent a deformation of the film compound. For the same reason we recommend to ensure that the temperature of the compactor is not higher than 30° C. Furthermore, we refer to our list of recommendations for complementary application of the printing materials in inkjet and thermotransfer printing, and to the specific laminating films provided for their surface protection.

For product information about ORAGUARD® Overlaminates, please see www.orafol.com.

Application

The application is described in the practical information for plotter films. For application onto cars, please see in addition the practical information on how to apply self-adhesive films on cars. For application onto car windows, the remarks in the practical information for self-adhesive films for application onto cars are to be followed.

Removability

Please see the practical information for plotter films.


General Information

ORAFOL provides information on ICC profiles for various printers. Please go to www.orafol.com. The information in here is based on our knowledge and experience. We cannot cover all variations on application methods. Specialised or occupational knowledge and competence of a professional sign maker is presupposed. Due to the diversity of potential influencing factors during application and use, we recommend customers who wish to use the films for special applications to make their own tests of our products. No legally binding warranty of certain qualities can be derived from our information.







































POLYURETHANE OVERLAMINATE FILMS



High Performance Polyurethane Overlaminate Film

Product Features

Face: 50 micron, Polyurethane Film Liner: 36 micron, Polyester Liner

Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 100° C

Durability: 10 years **Colours:** Gloss Transparent

Recommended Applications

• Rivets, complex curves, high demanding extreme applications including horizontal surfaces.

- Highest level UV protection with the highest gloss levels.
- PVC free premium protection over ORAJET® 3981RA + Pro*Slide*™.
- \$ 100% PVC free.

Product	Description	Size	1-9m	10-19m	20-49m	50m+	Roll Price
289F 1370	Gloss Transparent	1370mm x 50m	\$42.44	\$39.30	\$36.39	\$33.69	\$1,684.50
289F 1550	Gloss Transparent	1550mm x 50m	\$48.01	\$44.45	\$41.16	\$38.11	\$1,905.50





Digital Overlaminate Films / ORAGUARD



CAST OVERLAMINATE FILMS




ORAGUARD® 293GF

Ultra Flexible Premium Cast PVC Overlaminate with PET Liner







Adhesive: Solvent Polyacrylate, Permanent **Temperature Resistance:** -50 to 110° C

Durability: 8 years

Colours: Gloss Transparent

Recommended Applications

• Rivets, complex curves, deep recesses.

Special Note

- Highest level UV protection with the highest gloss levels.
- Optically clear premium protection over ORAJET® 3951RA +

Pro*Slide*™.

Product	Description	Size	1-9m	10-19m	20-49m	50m+	Roll Price
293GF 1370	Gloss Transparent	1370mm	\$30.89	\$28.60	\$26.48	\$24.52	\$1,226.00

П











Ultra Flexible Premium Cast PVC Overlaminate Film

Product Features

Face: 30 micron, Cast PVC Film
Liner: 90 gsm, Silicone Coated Paper
Adhesive: Solvent Polyacrylate, Permanent
Temperature Resistance: -50 to 100° C

Durability: 8 years

Colours: Gloss & Matte Transparent

Recommended Applications

• Rivets, complex curves, deep recesses.

Special Note

- Highest level UV protection with the highest gloss levels.
- Premium protection over ORAJET® 3951RA + Pro*Slide*™.

Product	Description	Size	1-9m	10-19m	20-49m	50m+	Roll Price
293G 1370	Gloss Transparent	1370mm	\$25.33	\$23.45	\$21.71	\$20.10	\$1,005.00
293G 1550	Gloss Transparent	1550mm	\$28.64	\$26.52	\$24.56	\$22.74	\$1,137.00
293M 1370	Matte Transparent	1370mm	\$25.33	\$23.45	\$21.71	\$20.10	\$1,005.00
293M 1550	Matte Transparent	1550mm	\$28.64	\$26.52	\$24.56	\$22.74	\$1,137.00

ORAGUARD® 290

Highly Conformable Premium Cast PVC Overlaminate Film

Product Features

Face: 50 micron, Cast PVC Film

Liner: 90 gsm, Silicone Coated Paper

Adhesive: Solvent Polyacrylate, Permanent

Temperature Resistance: -50 to 110° C

Durability: 8 years

Colours: Gloss & Matte Transparent

Recommended Applications

• Rivets, complex curves, deep recesses.

- Highest level UV protection with the highest gloss levels.
- Premium protection over ORAJET® 3951RA + Pro*Slide*™.

Product	Description	Size	1-9m	10-19m	20-49m	50m+	Roll Price
290 1370	Gloss Transparent	1370mm	\$22.20	\$20.56	\$19.04	\$17.63	\$881.50
290 1550	Gloss Transparent	1550mm	\$25.13	\$23.27	\$21.55	\$19.95	\$997.50
290M 1370	Matte Transparent	1370mm	\$22.20	\$20.56	\$19.04	\$17.63	\$881.50
290M 1550	Matte Transparent	1550mm	\$25.13	\$23.27	\$21.55	\$19.95	\$997.50





















CAST OVERLAMINATE FILMS

ORAGUARD® 290F

Highly Conformable Premium Cast PVC Overlaminate Film

Product Features

Face: 50 micron, Cast PVC Film Liner: 36 micron, Polyester Liner

Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 110° C

Durability: 8 years

Colours: Gloss Transparent

Recommended Applications

• For optical clarity.

Special Note

- Highest level UV protection with the highest gloss levels.
- Premium protection over ORAJET® 3951RA + Pro*Slide*™ and

perforation films.

Product	Description	Size	1-9m	10-19m	20-49m	50m+	Roll Price
290F 1370	Gloss Transparent	1370mm	\$27.29	\$25.27	\$23.40	\$21.67	\$1,083.50

ORAGUARD® 290GDU

Highly Conformable Premium Cast PVC Overlaminate Film

Product Features

Face: 50 micron, Cast PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 110° C

Durability: 8 years

Colours: Gloss Transparent

Recommended Applications

- Corrugations, rivets, moderate curves.
- Fleet, vans, trucks, marine and watercraft.

Special Note

- Reduced silvering for UV inks.
- High level UV Protection with a high gloss level.
- Overlaminate for ORAJET® 3951RA + ProSlide™.

Product	Description	Size	1-9m	10-19m	20-49m	50m+	Roll Price
290GDU 1370	Gloss Transparent	1370mm	\$30.89	\$28.60	\$26.48	\$24.52	\$1,226.00
290GDU 1550	Gloss Transparent	1550mm	\$34.96	\$32.37	\$29.97	\$27.75	\$1,387.50

ORAGUARD® 259

Premium Cast PVC Overlaminate Film

Product Features

Face: 55 micron, Cast PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 110° C

Durability: 8 years

Colours: Gloss Transparent

Recommended Applications

- Moderate curves.
- Fuel tankers and fuel pumps.

- · Petrol resistant.
- High level UV protection with high gloss levels.
- Overlaminate for ORAJET® 3959.

Product	Description	Size	1-9m	10-19m	20-49m	50m+	Roll Price
259G 1370	Gloss Transparent	1370mm	\$47.25	\$43.75	\$40.51	\$37.51	\$1,875.50
259G 1550	Gloss Transparent	1550mm	\$53.48	\$49.52	\$45.85	\$42.45	\$2,122.50





Digital Overlaminate Films / ORAGUARD



PREMIUM POLYMERIC OVERLAMINATE FILMS





Premium Polymeric PVC Overlaminate Film



Product Features



Face: 75 micron, Cast PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 90° C


Durability: 7 years

Colours: Gloss, Semi-gloss & Matte Transparent

Recommended Applications

- · Moderate curves.
- Vehicle spot graphics, fleet, flat truck sides.
- · Wall graphics and general signage.

- High level UV protection with high gloss levels.
- Overlaminate for ORAJET® 3551, 3554, 3651, 3650, 3165, 3169.
- A Fire Certification: Group 1, AS 5637.1 2015.















PREMIUM POLYMERIC OVERLAMINATE FILMS

ORAGUARD® 215GDU/215MDU 6

Premium Polymeric PVC Overlaminate Film for UV Ink

Product Features

Face: 75 micron, Polymeric PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 90° C

Durability: 7 years

Colours: Gloss & Matte Transparent

Recommended Applications

- · Moderate curves.
- · Vehicle spot graphics, fleet, flat truck sides.
- Wall graphics and general signage.

Special Note

- High level UV protection.
- Reduced silvering over UV Inks.
- Overlaminate for ORAJET® 3551, 3554, 3651, 3650, 3165, 3169.
- A Fire Certification: Group 1, AS 5637.1 2015.

Product	Description	Size	Roll Price
215GDU 1370	Gloss Transparent	1370mm x 50m	\$540.50
215GDU 1550	Gloss Transparent	1550mm x 50m	\$611.50
215MDU 1370	Matte Transparent	1370mm x 50m	\$540.50
215MDU 1550	Matte Transparent	1550mm x 50m	\$611.50

ORAGUARD® DU overlaminates developed specific for UV Ink (reduces silvering)

Amongst a broad range of printing equipment options for graphics companies, UV printers have been a very popular choice for many years. UV printers provide many technical advantages including automation and speed of production.

Whilst UV technology has been around for many years, we still here about issues of silvering. Silvering is caused when air is trapped in between the UV cured ink and the adhesive from the overlaminate. This is particularly noticeable on dark images where you may see a shadow around these areas, and is even more prevalent on polycarbonate, acrylic and similar synthetic rigid substrates.

UV inks cure under ultra-violet radiation. Whilst the total reaction time can be prolonged the immediate cure is quite instant. UV ink is quite different to other inks such as solvent based or latex inks as UV inks sit on top, or proud of the surface, with very little (if any) penetration into the surface of the base film or substrate. Many traditional overlaminate films have not been engineered to manage UV technology and will therefore tend to bridge across the top of the cured ink, trap air resulting in silvering.

Correct choice of overlaminate can greatly assist eliminating this issue. ORAFOL have created a range of ORAGUARD® DU overlaminates specifically engineered for use onto UV inks. As well as carrying proprietary UV inhibitors these overlaminates carry an increased coating weight of a high strength adhesive. Therefore, these overlaminates provide greater adhesion to UV inks which means you not only get the desired adhesive strength required for UV ink you also have the heavier coating weight to wet out and flow into the valley of the textured cured ink surface.

ORAGUARD® DU overlaminates are used for a variety of reasons. To change the aesthetics, gloss or matt finishes, but also to improve the life of the print from external factors such as UV from sunlight, abrasion and moisture as well as adding protection whilst prints are being shipped or installed.

ORAGUARD® DU range of overlaminates are available in various chemical compositions including cast, polymeric & monomeric, providing the right choice for any print job, provides the right solution for UV cured inks so you can continue to meet market deadlines, keep your production workflow going and trust your image is going out right every time straight after the lamination process.

Available in 210, 215 and 290 Ranges

Finish	Good (Monomeric)	Better (Polymeric)	Best (Cast)
Gloss Finish	ORAGUARD® 210GDU	ORAGUARD® 215GDU	ORAGUARD® 290GDU
Matt Finish	ORAGUARD® 210MDU	ORAGUARD® 215MDU	





























Digital Overlaminate Films / ORAGUARD



INTERMEDIATE OVERLAMINATE FILMS



ORAGUARD® 213



Intermediate Polymeric PVC Overlaminate Film

Product Features

Face: 70 micron, Polymeric PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 90° C

Durability: 5 years

Colours: Gloss, Semi-gloss & Matte Transparent

Recommended Applications

• Interior wall graphics and general signage.

- High level UV protection.
- Overlaminate for ORAJET® 3554, 3651, 3650, 3165, 3169.

Product	Description	Size	Roll Price
213G 1370	Gloss Transparent	1370mm x 50m	\$391.00
213G 1600	Gloss Transparent	1600mm x 50m	\$457.00
213SG 1370	Semi-gloss Transparent	1370mm x 50m	\$391.00
213SG 1600	Semi-gloss Transparent	1600mm x 50m	\$457.00
213M 1370	Matte Transparent	1370mm x 50m	\$391.00
213M 1600	Matte Transparent	1600mm x 50m	\$457.00


















Digital Overlaminate Films / ORAGUARD



MONOMERIC OVERLAMINATE FILMS



ORAGUARD® 210

Monomeric PVC Overlaminate Film





Face: 70 micron, Monomeric PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -40 to 80° C

Durability: 4 years

Colours: Gloss, Semi-gloss & Matte Transparent

Recommended Applications

- · Flat signage panels.
- Shop fronts, hoardings and real estate.

Special Note

- High level UV protection.
- Overlaminate for ORAJET® 3164, 3162.

Product	Description	Size	Roll Price
210G 1370	Gloss Transparent	1370mm x 50m	\$377.00
210G 1550	Gloss Transparent	1550mm x 50m	\$426.50
210SG 1370	Semi-gloss Transparent	1370mm x 50m	\$377.00
210SG 1550	Semi-gloss Transparent	1550mm x 50m	\$426.50
210M 1370	Matte Transparent	1370mm x 50m	\$377.00
210M 1550	Matte Transparent	1550mm x 50m	\$426.50







ORAGUARD® 210GDU/210MDU

Monomeric PVC Overlaminate Film

Product Features

Face: 70 micron, Monomeric PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -40 to 80° C

Durability: 4 years

Colours: Gloss & Matte Transparent

Recommended Applications

- · Flat signage panels.
- Shop fronts, hoardings and real estate.

- High level UV protection.
- Reduced silvering over UV Inks.
- Overlaminate for ORAJET® 3164, 3162.

Product	Description	Size	Roll Price
210GDU 1370	Gloss Transparent	1370mm x 50m	\$449.50
210GDU 1550	Gloss Transparent	1550mm x 50m	\$508.50
210MDU 1370	Matte Transparent	1370mm x 50m	\$449.50
210MDU 1550	Matte Transparent	1550mm x 50m	\$508.50





















MONOMERIC OVERLAMINATE FILMS

ORAGUARD® 210SO

Monomeric PVC Overlaminate Film

Product Features

Face: 70 micron, Monomeric PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -40 to 80° C

Durability: 4 years, Up to 3 months for Foot Traffic

Colours: Sandy Grain Transparent

Recommended Applications

- Floor graphics.
- Textured wall graphics.

Special Note

- P2 slip rating.
- Overlaminate for ORAJET® 3554, 3162.

Product	Description	Size	Roll Price
210SO 1370	Sandy Grain Transparent	1370mm x 50m	\$377.00

ORAGUARD® 200

Monomeric PVC Overlaminate Film

Product Features

Face: 70 micron, Monomeric PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Polyacrylate, Permanent Temperature Resistance: -40 to 80° C

Durability: 2 years

Colours: Gloss, Semi-gloss & Matte Transparent

Recommended Applications


- Flat signage panels.
- Short term external applications for general signage, shop fronts, hoardings and real estate.

- High level UV protection.
- Overlaminate for ORAJET® 3164, 3162.

Product	Description	Size	Roll Price
200G 1370	Gloss Transparent	1370mm x 50m	\$285.50
200G 1550	Gloss Transparent	1550mm x 50m	\$323.00
200M 1370	Matte Transparent	1370mm x 50m	\$285.50
200M 1550	Matte Transparent	1550mm x 50m	\$323.00
200SG 1370	Semi-gloss Transparent	1370mm x 50m	\$285.50









GREEN SOLUTION OVERLAMINATE NON-PVC FILMS



ORAGUARD® 236 4



Non-PVC Overlaminate Film





Durability: 2 years

Colours: Gloss Transparent

Recommended Applications

• PVC free applications.

- UV protection.
- Overlaminate for ORAJET® 3174, 3172.
- \$ 100% PVC free.











Product	Description	Size	Roll Price
236G 1370	Gloss Transparent	1370mm x 50m	\$285.50







Digital Overlaminate Films / ORAGUARD



ANTI-GRAFFITI OVERLAMINATE FILMS



ORAGUARD® 373



Anti-Graffiti Polyester Overlaminate Film

Product Features

Face: 25 micron, Polyester Film Liner: 155 gsm, Special Polyester

Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -40 to 120° C

Durability: 5 years

Colours: Gloss Transparent

Recommended Applications

- Flat surfaces.
- Anti-graffiti protection.

Special Note

- High level UV protection.
- Protection against graffiti and environmental influences.
- Anti-graffiti overlaminate.

(<u>.</u>	9	













Product	Description	Size	1-9m	10-19m	20-49m	50m+	Roll Price
373 1260	Gloss Transparent	1260mm	\$33.04	\$30.59	\$28.32	\$26.22	\$1,311.00
373 1370	Gloss Transparent	1370mm	\$35.91	\$33.25	\$30.79	\$28.51	\$1,425.50

ORAGUARD® 372

Anti-Graffiti Polyester Overlaminate Film

Product Features

Face: 23 micron, Polyester Film Liner: 160 gsm, Special Polyester

Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -40 to 120° C

Durability: 3 years

Colours: Gloss Transparent

Recommended Applications

- Flat surfaces.
- Anti-graffiti protection.

- High level UV protection.
- Protection against graffiti and environmental influences.
- Anti-graffiti overlaminate.

Product	Description	Size	1-9m	10-19m	20-49m	50m+	Roll Price
372 1260	Gloss Transparent	1260mm	\$29.43	\$27.25	\$25.23	\$23.36	\$1,168.00
372 1370	Gloss Transparent	1370mm	\$31.99	\$29.62	\$27.43	\$25.40	\$1,270.00



ANTI-GRAFFITI OVERLAMINATE FILMS

ORAGUARD® 244G

ETFE Anti-Graffiti Overlaminate Film

Product Features

Face: 70 micron, ETFE Film **Liner:** 75 micron, Polyester Liner

Adhesive: Solvent Polyacrylate, Permanent **Temperature Resistance:** -50 to 90° C

Durability: 10 years **Colours:** Gloss Transparent

Recommended Applications

- · Moderate curves.
- Transportation, transit, trucks.
- · Exterior signage.

Special Note

- High level UV protection.
- Protection against graffiti and environmental influences.
- Anti-graffiti overlaminate for most substrates.

Product	Description	Size	1-9m	10-24m	25m+	Roll Price
244G 000 1260	Gloss Transparent	1260mm	\$70.30	\$65.09	\$60.27	\$1,506.75

ORALITE® 5095

Fluoropolymeric Anti-Graffiti Overlaminate Film

Product Features

Face: 25 micron, Fluoropolymeric Film Liner: 143 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 90° C

Durability: 10 years **Colours:** Gloss Transparent

Recommended Applications

- Moderate curves.
- Transportation, transit, trucks.
- Exterior signage.
- Protection over ORALITE® reflective sheeting.

- High level UV protection.
- Protection against graffiti and environmental influences.
- $\bullet \ \ \text{Anti-graffiti overlaminate for most substrates}.$

Product	Description	Size	1-9m	10-19m	20-49m	50m+	Roll Price
5095 000 1235	Gloss Transparent	1235mm	\$40.82	\$37.80	\$35.00	\$32.41	\$1,620.50



























Digital Overlaminate Films / ORAGUARD



OPTICALLY CLEAR OVERLAMINATE FILMS



ORAGUARD® 297GF



Optically Clear Cast PVC Overlaminate Film



Face: 70 micron, Cast PVC Film Liner: 36 micron, Polyester Liner

Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 110° C

Durability: 8 years Colours: Optically Clear

Recommended Applications

- Moderate curves on glass.
- · Vehicle window advertising.

Special Note

- High level UV protection.
- Optically clear.
- Overlaminate for ORAJET® perforated films.















Product	Description	Size	1-9m	10-19m	20-49m	50m+	Roll Price
297GF 1370	Optically Clear	1370mm	\$31.56	\$29.22	\$27.06	\$25.06	\$1,253.00
297GF 1550	Optically Clear	1550mm	\$35.72	\$33.07	\$30.62	\$28.35	\$1,417.50

ORAGUARD® 252F

Optically Clear Cast PVC Overlaminate Film

Product Features

Face: 50 micron, Cast PVC Film Liner: 75 micron, Polyester Liner

Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -30 to 70° C

Durability: 8 years Colours: Optically Clear

Recommended Applications

- Moderate curves on glass.
- · Window advertising.
- · Shopfronts, buildings, decorative windows.

Special Note

- High level UV protection.
- Overlaminate for ORAJET® 3952F.

Product	Description	Size	1-9m	10-19m	20-49m	50m+	Roll Price
252F 1370	Optically Clear	1370mm	\$34.55	\$31.99	\$29.62	\$27.43	\$1,371.50
252F 1520	Optically Clear	1550mm	\$38.33	\$35.49	\$32.86	\$30.43	\$1,521.50

DRAGUARD® 220HG

Premium Polyester Overlaminate Film

Product Features

Face: 36 micron, Polyester Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -40 to 120° C

Durability: 3 years

Colours: Gloss Transparent

Recommended Applications

• Flat surfaces.

- · UV protection.
- · High gloss levels.
- Overlaminate for polyester base films.

Product	Description	Size	1-9m	10-19m	20-49m	50m+	Roll Price
220HG 1400	Gloss Transparent	1400mm	\$14.06	\$13.02	\$12.06	\$11.17	\$558.50
220HG 1550	Gloss Transparent	1550mm	\$15.58	\$14.43	\$13.36	\$12.37	\$618.50





















NON-SLIP OVERLAMINATE FILMS

ORAGUARD® 210SO

Anti-Slip Overlaminate Film

Product Features

Face: 70 micron, Monomeric PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -40 to 80° C

Durability: 4 years, Up to 3 months for Foot Traffic

Colours: Sandy Grain Transparent

Recommended Applications

- Floor graphics.
- Textured wall graphics.

Special Note

- P2 slip rating.
- Overlaminate for ORAJET® 3554, 3162.

Product	Description	Size	Roll Price
210SO 1370	Sandy Grain Transparent	1370mm x 50m	\$377.00

ORAGUARD® 250AS

Anti-Slip Overlaminate Film

Product Features

Face: 120 micron, Special PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -40 to 80° C

Durability: 5 years Internal, 2 years External. Up to

6 months for foot traffic **Colours:** Textured Transparent

Recommended Applications

• Anti-slip surface for floor advertising.

Special Note

- P2 slip rating.
- Combine with ORAJET® 3554, 3162.

Product	Description	Size	1-9m	10-19m	20-49m	50m+	Roll Price
250AS 1370	Textured Transparent	1370mm	\$20.25	\$18.75	\$17.36	\$16.07	\$803.50
250AS 1370	Textured Transparent	1550mm	\$22.90	\$21.20	\$19.63	\$18.18	\$909.00

DRAGUARD® 255AS

Anti-Slip Overlaminate Film

Product Features

Face: 170 micron, Special PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -40 to 80° C

Durability: 5 years Internal, 2 years External. Up to

12 months for foot traffic **Colours:** Textured Transparent

Recommended Applications

• Anti-slip surface for floor advertising.

- P3 slip rating.
- Overlaminate for ORAJET® 3554, 3162.

Product	Description	Size	1-9m	10-19m	20-49m	50m+	Roll Price
255AS 1400	Textured Transparent	1400mm	\$29.34	\$27.17	\$25.16	\$23.30	\$1,165.00
255AS 1550	Textured Transparent	1550mm	\$32.49	\$30.08	\$27.85	\$25.79	\$1,289.50







































CAST FILMS

ORACAL® 970RA

Premium Wrapping Cast Film

Product Features

Face: 110 micron, Cast PVC Film

Liner: 145 gsm, Double Sided PE Coated RapidAir® Paper **Adhesive:** Solvent Polyacrylate, Repositionable, Permanent

Temperature Resistance: -50 to 120° C

Durability: B&W 12 years, Colours 10 years, Metallics 5 Years

Colours: 96 Gloss & Matte

Recommended Applications

- Designed for premium car wrapping applications, without the need for top lamination.
- Solid coloured fleet and motor sport vehicle wraps. Exceptional dimensional stability and conformability over curved surfaces, rivets and corrugations.

Special Note

• 970RA standard gloss & matte colours are non-directional.

Product	Colours	Size	1-9m	10-19m	20-49m	50m+	Roll Price
970RA XXX 1520	Black, White, Gloss & Matte	1520mm	\$53.54	\$49.57	\$45.90	\$42.50	\$2,125.00
	Colours, Metallics, Gloss & Matte	1520mm	\$57.82	\$53.54	\$49.57	\$45.90	\$2,295.00

ORACAL® 970RA Gloss

URACAL® 97	OKA GIO33	1							
#010 White	#809 Taxibeige	#816 Papyrus	#201 Crocus yellow	#235 Canary yellow	#216 Traffic yellow	#022 Light yellow	#209 Maize yellow	#020 Golden yellow	#208 Post office yellow
#256 Cargo yellow	#351 Municipal orange	#363 Daggi orange	#032 Light red	#897 Rose-hip	#028 Cardinal red	#031 Red	#305 Geranium red	#882 Cargo red	#371 Chilli red
#030 Dark red	#026 Purple red	#045 Soft pink	#077 Telgamenta	#056 Ice blue	#555 Glacier blue	#547 Fjord blue	#509 Sea blue	#572 Police blue	#057 Traffic blue
#067 Blue	#049 King blue	#511 Night blue	#544 Indigo blue	#564 Light navy	#178 Baltic blue	#464 Lawn green	#688 Algae green	#602 Grass green	#486 Tree green
#612 Police green	#689 Juniper	#622 Fir tree green	#286 Bottle green	#553 Lagoon	#711 Stone grey	#730 Simple grey	#724 Ice grey	#076 Telegrey	#073 Dark grey
#070 Black	#946 Nacre	#904 Silver lake	#090 Silver grey	#908 Aluminium	#933 Tin metallic	#934 Zinc metallic	#935 Grey cast iron	#932 Graphite metallic	#937 Charcoal metallic
#093 Anthracite	#704 Black metallic	#922 Bronze	#926 Pyrite	#091 Gold	#920 Bronze	#921 Bronze antique	#874 Orient brown metallic	#369 Red brown metallic	#406 Violet metallic
#195	#197	#196	#192	#677					

OPACAL® 970PA Matte

ORACAL® 97	ORA Matte					
#010M	#223M	#285M	#070M	#055M	#090M	#932M
White	Saffron yellow	Natio olive	Black	Mint	Silver grey	Graphite metallic
#937M	#093M	#091M	#926M	#944M	#092M	#920M
Charcoal metallic	Anthracite metallic	Gold	Pyrite	Red gold L metallic	Copper	Bronze
#372M	#368M	#369M	#406M	#197M	#196M	#190M
Imperial Red Pearl	Dark red metallic	Red brown metallic	Violet meatllic	Azure metallic	Night blue metallic	Moonlight metallic

ORACAL® 970RA Super Matte

#070 Black super matt





Car Wrapping / ORACAL



CAST FILMS

ORACAL® 970RA



Premium Shift Effect Cast Film, Gloss & Matte

Product Features

Face: 110 micron, Cast PVC Film

Liner: 145 gsm, Double Sided PE Liner RapidAir®

Adhesive: Solvent Polyacrylate, Repostionable, Permanent,

Transparent

Temperature Resistance: -50 to 120° C

Durability: 4 years

Colours: 18 Shift Effect Gloss & Matte

Recommended Applications

• Designed for premium car wrapping applications, without the need for top lamination. Two tone colour shift with a smooth transition.

Special Note

• 970RA Shift Effect colours are non-directional.

6		S	€		
V(()			













Product	Colours	Size	1-9m	10-19m	20-49m	50m+	Roll Price
970RA XXX 1520	Shift Effect - Matte & Gloss	1520mm	\$77.40	\$71.67	\$66.36	\$61.44	\$3,072.00

ORACAL® 970RA Shift Effects Gloss

#989	#319	#988	#317	#318	#316	#320	#990	#315
Turquoise lavender	Ultramarine violet	Green blue	Avocado	Aquamarine	Amethyst	Cranberry	Aubergine bronze	Pearl symphony

ORACAL® 970RA Shift Effects Matte

#989M	#319M	#988M	#317M	#318M	#316M	#320M	#990M	#315M
Turquoise lavender	Ultramarine violet	Green blue	Avocado	Aquamarine	Amethyst	Cranberry	Aubergine bronze	Pearl symphony

ORACAL® 970RA

Premium Special Effect Cast Film, Gloss & Matte

Product Features

Face: 110 micron, Cast PVC Film

Liner: 145 gsm, Double Sided PE Liner RapidAir®

Adhesive: Solvent Polyacrylate, Repostionable, Permanent,

Transparent

Temperature Resistance: -50 to 120° C

Durability: 3 years

Colours: 10 Special Effect Gloss & Matte

Recommended Applications

• Designed for premium car wrapping applications, without the need for top lamination. This range has a unique glitter effect.

Special Note

• 970RA Special Effect colours are non-directional except for; Intergalactic Blue, Black Galactic Gold gloss and matte.

Product	Colours	Size	1-9m	10-19m	20-49m	50m+	Roll Price
970RA XXX 1520	Special Effect - Matte & Gloss 1	1520mm	\$77.40	\$71.67	\$66.36	\$61.44	\$3.072.00

ORACAL® 970RA Premium Special Effect Cast Gloss

		op oeia: 2::		-			
	F1 5 8						
#100 Sunset shift	#905 Black galactic gold	#155 Intergalactic blue	#300 Mandarin	#945 Crystal white	#959 Tangerine dream	#961 Luscious lips	#963 Jetstream blue

ORACAL® 970RA Premium Special Effect Cast Matte

























CAST FILMS

ORACAL® 975RA

Premium Structure Cast Film

Product Features

Face: 150 micron, Cast PVC Film

Liner: 145 gsm, Double Sided PE Liner RapidAir®

Adhesive: Solvent Polyacrylate, Repostionable, Permanent

Temperature Resistance: -50 to 120° C

Durability: 5 Years

Colours: 20 Textures & Colours

Recommended Applications

- Specially developed for decorative surface refinement when designing and wrapping car components.
- Suitable for uneven and slightly curved surfaces. For more curved surfaces, as well as for corrugations or rivets, these films should be worked in and cut and applied with an overlap at the edges.

Special Note

• 8 Carbon structure finishes, 5 Brushed structure finishes, 5 Honeycomb structure finishes + Cocoon & Crocodile structures.

Product	Colours	Size	1-9m	10-19m	20-49m	50m+	Roll Price
975RA XXX 1520	All Colours	1520mm	\$91.91	\$85.10	\$78.80	\$72.96	\$3,648.00

ORACAL® 975CA Premium Structure Cast (Carbon)

							71121
#000	#010	#070	#090	#091	#093	#305	#536
Clear	White	Black	Silver grey	Gold	Anthracite	Geranium red	Middle blue

ORACAL® 975BR Premium Structure Cast (Brushed)

		EARLIE		
#090	#091	#192	#932	#933
Silver grey	Gold	Deep blue metallic	Graphite metallic	Tin metallic

ORACAL® 975HC Premium Structure Cast (Honeycomb)

303		1378	1270	1111
#070	#090	#091	#192	#933
Black	Silver grey	Gold	Deep blue metallic	Tin metallic

ORACAL® 975CO Premium Structure Cast (Cocoon)



ORACAL® 975CR Premium Structure Cast (Crocodile)







Car Wrapping / ORAGUARD



CAST FILMS

ORAGUARD® 280F



Polyurethane Stone Guard Film®



Product Features



Face: 200 micron, Polyurethane Film

Liner: 100 micron, Polyester Film, Siliconised on One Side

Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -40° C to 100° C

Durability: 7 years

Colours: Gloss Transparent











Recommended Applications

- For the protection of sensitive surfaces against mechanical forces in interior and exterior applications.
- Specially designed for the protection of vehicle body parts such as front and rear bumpers, side skirts etc. against stone chipping.
- Recommended for bonding to even and slightly curved surfaces.

Special Note

• For highest impact zones on vehicles, particularly front vertical areas.

Product	Colours	Size	1-9m	10-19m	20-49m	50m+	Roll Price
280F 000 1260	Gloss Transparent	1260mm	\$105.24	\$97.44	\$90.22	\$83.54	\$4,177.00
280F 000 1520	Gloss Transparent	1520mm	\$126.95	\$117.55	\$108.84	\$100.78	\$5,039.00

ORAGUARD® 283GF

Polyurethane Stone Guard Film®

Product Features

Face: 130 micron, Polyurethane Film

Liner: 100 micron, Polyester Film, Siliconised on One Side

Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -40° C to 100° C

Durability: 7 years

Colours: Gloss Transparent

Recommended Applications

- For the protection of sensitive surfaces against mechanical forces in interior and exterior applications.
- Specially designed for the protection of vehicle body parts such as bonnets and roofs, side skirts etc. against stone chipping.
- Recommended for bonding to even and slightly curved surfaces.

Special Note

• For larger panels on the horizontal to protect from stone chips and abrasions.

Product	Colours	Size	1-9m	10-19m	20-49m	50m+	Roll Price
283GF 000 1520	Gloss Transparent	1520mm	\$121.44	\$112.44	\$104.11	\$96.40	\$4,820.00





















CAST FILMS

ORAGUARD® 285F

Polyurethane Stone Guard Film®

Product Features

Face: 50 micron, Polyurethane Film

Liner: 100 micron, Polyester Film, Siliconised on One Side

Adhesive: Solvent Polyacrylate, Permanent **Temperature Resistance:** -40° C to 100° C

Durability: 5 years

Colours: Gloss Transparent

Recommended Applications

- For the protection of sensitive surfaces against mechanical forces in interior and exterior applications.
- Specially designed for the protection of vehicle body parts such as side mirrrors, side skirts etc. against stone chipping.
- Recommended for bonding to even and slightly curved surfaces.

Special Note

• Being 50 micron thick, this is more suited to the bespoke parts where a highly conformable film is required to aid in application.

Product	Colours	Size	1-9m	10-19m	20-49m	50m+	Roll Price
285F 000 1370	Gloss Transparent	1370mm	\$55.68	\$51.56	\$47.74	\$44.20	\$2,210.00
285F 000 1520	Gloss Transparent	1520mm	\$61.78	\$57.20	\$52.96	\$49.04	\$2,452.00

ORAGUARD® 270

PVC Stone Guard Film®

Product Features

Face: 150 micron, Polymeric PVC Film

Liner: 137 gsm, Kraft Paper, Siliconised on One Side

Adhesive: Solvent Polyacrylate, Permanent **Temperature Resistance:** -40° C to 110° C

Durability: 5 years

Colours: Gloss Transparent

Recommended Applications

- For the protection of sensitive surfaces against mechanical forces in interior and exterior applications.
- Recommended for bonding to even and slightly curved surfaces.

Special Note

• PVC stone guard product best suited for go karts and motorcross bikes.

Product Colours		Size	1-9m	10-19m	20-49m	50m+	Roll Price
270 000 1260	Gloss Transparent	1260mm	\$24.70	\$22.87	\$21.18	\$19.61	\$980.50
270 000 1520	Gloss Transparent	1520mm	\$29.79	\$27.58	\$25.54	\$23.65	\$1,182.50





















ORAFOL® Cleaning and Care Products

The best choice for wrapped vehicles

ORAFOL® Cleaning and Care agents have been specifically developed for the surface treatment of cars wrapped with ORAFOL car wrapping films. All the products in the range have been engineered to enable consistent, excellent results.



Each kit contains:

- 500 ml Shampoo
- 500 ml Intensive Cleaner
- 500 ml Fast Care Agent
- 500 ml Long-Lasting Seal
- 2 x special Wrapping Film Cleaning Sponges

Product	Description	Туре	Price
Tool-Care-Kit-Gloss	ORAFOL Cleaning & Care Kit - Gloss surfaces	1 kit	\$144.99
Tool-Care-Kit-Matt	ORAFOL Cleaning & Care Kit - Matte surfaces	1 kit	\$144.99
Tool-359500016	Intensive Cleaner Glossy 500 ml	500ml	\$39.99
Tool-359500026	Intensive Cleaner Matte 500 ml	500ml	\$39.99
Tool-359500017	Long-Lasting Seal Glossy 500 ml	500ml	\$39.99
Tool-359500027	Long-Lasting Seal Matte 500 ml	500ml	\$39.99
Tool-PreWrap-Clean	ORAFOL Pre-Wrap Surface Cleaner 1lt	1 litre	\$39.99

ORAFOL® Application Gel

The Application Gel facilitates the application of self-adhesive graphic films that require a wet application process.

Compared to non-gel type products, it offers prolonged slip-behaviour, no dripping during vertical or over-head jobs, no premature drying and it dries-off residual free.

The product is highly recommended for the application of Paint Protection Films (PPF) on painted car/vehicle body parts.

- Application Gel is NOT to be used for products carrying *Rapid*Air® or any form of air egress.
- Refer to product data sheet for further instructions.



Product	Description	Type	Price
Tool-Application-Gel	ORAFOL Application Gel 1ltr	1 litre	\$49.99





ORACAL® 951 Extreme Premium Cast

Super Conformable Cast Vinyl Film

Product Features

Face: 50 micron, Cast PVC Film

Liner: 137 gsm, Special Silicone Coated Paper **Adhesive:** Solvent Polyacrylate, Permanent **Temperature Resistance:** -50 to 120° C

Durability: B&W 10 years, Colours 8 years, Metallics 6 Years

Colours: 96 High Gloss, 48 Metallics & 2 Matte

Recommended Applications

- Corrugation, rivets, complex concave curves.
- Fleet, trains, light rail, buses.
- Marine and recreational vehicles.
- Architectural and directional signs.

- Superior cutting and weeding performance.
- High gloss finish.
- Custom colour matching available.

Product	Colou	ırs	Size	1-9n	n 10	-19m 2	0-49m	50m+ I	Roll Price
951 XXX 1260) Black	, White & Clea	r 1260mr	m \$30.	76 \$2	8.48 \$	26.37	\$24.42	\$1,221.00
	Colou	ırs & Metallics	1260mr	m \$32.	61 \$3	0.19 \$	27.95	\$25.88	\$1,294.00
951 XXX 630	Black	, White & Clea	r 630mm	s \$15.3	39 \$1	4.25 \$	13.19	\$12.21	\$610.50
	Colou	ırs & Metallics	630mm	\$16.3	31 \$1	5.10 \$	13.98	\$12.94	\$647.00
#201 Crocus yellow	#216 Traffic yellow	#209 Maize yellow	#219 Yolk yellow	#255 Golden yellow L	#204 Melon yellow	#208 Post office yellow	#019 Signal yellow	#817 Almond	#203 Cream

#201 Crocus yellow	#216 Traffic yellow	#209 Maize yellow	#219 Yolk yellow	#255 Golden yellow L	#204 Melon yellow	#208 Post office yellow	#019 Signal yellow	#817 Almond	#203 Cream
#804 Beige brown	#818 Saffron	#816 Papyrus	#341 Coral	#035 Pastel orange	#332 Deep orange	#333 Pure orange	#335 Mars red	#326 Signal red	#032 Light Red
#324 Blood Red	#359 Tomato	#031 Red	#028 Cardinal red	#305 Geranium red	#334 Fire brigade red	#348 Scarlet red	#030 Dark red	#026 Purple red	#340 Chestnut
#347 Red coral	#044 Magenta	#402 Cyclamen	#409 Pale lilac	#043 Lavender	#407 Deep violet	#415 Summer plum	#048 Bordeaux	#549 Dove blue	#555 Glacier blue
#056 Ice blue	#053 Light blue	#547 Fjord blue	#052 Azure blue	#545 Ocean blue	#150 Brilliant blue L	#546 Velvet blue	#509 Sea blue	#544 Indigo blue	#067 Blue
#536 Middle blue	#049 King Blue	#511 Night blue	#065 Cobalt blue	#537 Deep blue	#050 Dark blue	#564 Light navy	#570 Moonlight blue	#518 Steel blue	#571 Mystic blue
#501 Mint blue	#502 Blue turquoise	#503 Water blue	#553 Lagoon	#628 Sea green	#630 Blue green	#601 Lime green	#602 Grass green	#062 Light green	#619 Traffic green
#603 Mint green	#604 Cactus green	#612 Police green	#078 Leaf green	#625 Moss green	#060 Dark green	#622 Fir tree green	#635 Forest green	#820 Golden brown	#811 Sahara beige
#812 Terracotta	#810 Cocoa brown	#079 Red brown	#080 Brown	#070 Black	#010 White	#109 Hull white	#711 Stone grey	#730 Simple grey	#724 Ice grey
#074 Middle grey	#076 Telegrey	#721 Slate grey	#071 Grey	#713 Iron grey	#073 Dark grey	#704 Black metallic	#093 Anthracite	#937 Charcoal metallic	#936 Silicone
#934 Zinc metallic	#932 Graphite metallic	#935 Grey cast iron	#905 Grey metallic	#908 Aluminium	#906 Silver metallic	#933 Tin metallic	#090 Silver grey	#904 Silver lake	#092 Copper
#920 Bronze	#925 Pale gold	#926 Pyrite	#091 Gold	#919 Gold metallic	#922 Brass	#921 Bronze antique	#923 Light brown metallic	#924 Champagne	#369 Red brown metallic
#368 Dark red metallic	#367 Red metallic	#944 Red gold L	#406 Violet metallic	#190 Moonlight metallic	#192 Deep blue metallic	#189 Midnight metallic	#193 Navy metallic	#196 Night blue metallic	#580 Bever blue metallic
MENG NO.		*	# NEW 1919						
#197 Azure blue metallic	#194 Blue grey metallic	#199 Turquoise metallic	#195 Dove blue metallic	#673 Jade metallic	#677 Fir green metallic	#676 Wood green metallic	#675 Sea green metallic	#637 Teal metallic	#674 Mint metallic



























Car Wrapping / ORACAL



CAST FILMS

Product Features

Product



RACAL® 751C Ultimate High Performance Cast

Premium Cast Vinyl Film



Face: 60 micron, Cast PVC Film

Liner: 137 gsm, Special Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 120° C

Colours

Durability: B&W 8 years, Clear & Colours 7 years, Metallics 5 years

Colours: 177 High Gloss & 2 Matte

Recommended Applications

10-19m

• Corrugation, rivets, long-term application for high quality vehicle and public transport advertising.

Special Note

1-9m

Size

· Outstanding cutting, weeding and handling characteristics.

50m+

Roll Price

20-49m













Product	Colours	Size	1-9	iii it)-19M	20-49M	50m+	Roll Price
751C XXX 1260	Black, White & Cle	ar 1260mr	n \$25	.01 \$2	23.16	\$21.44	\$19.85	\$992.50
	Colours & Metallic	s 1260mr	n \$26	.98 \$2	24.98	\$23.13	\$21.42	\$1,071.00
751C XXX 630	Black, White & Cle	ar 630mm	\$12	.50 \$1	1.57	\$10.71	\$9.92	\$496.00
	Colours & Metallic		\$13	.50 \$1	2.50	\$11.57	\$10.71	\$535.50
#020 Golden yellow #219 Yolk yello	#203 Straw yellow	#211 Sun yellow	#019 Signal yellow	#208 Post office yellow	#209 Maize yellow	#021 Yellow	#216 Traffic yellow	#022 Light yellow
#025 #026 Brimstone yellow Purple re	#361 Apple red	#030 Dark red	#348 Scarlet red	#306 Crimson	#031 Red	#027 Tomato red	#028 Cardinal red	#325 Middle red
- Turple re	прристец	Jankred	Scarictrea			Tomatorea	Caramarrea	I I I I I I I I I I I I I I I I I I I
		#10.4 =		11000	#200	#20.4	Wasa.	
#324 #032 Blood red Light red	#326 Signal red	#047 Orange red	#033 Red orange	#335 Mars red	#333 Pure orange	#034 Orange	#332 Deep orange	#035 Pastel orange
#340 #048 Chestnut Bordeau	#415 Summer plum	#040 Violet	#403 Light violet	#043 Lavender	#042 Lilac	#041 Pink	#077 Telemagenta	#044 Magenta
			3 * * * * *					
		### A			#050	#050		
#045 Soft pink #532 Black blu	#588 Alpha blue	#590 Blueberry	#518 Steel blue	#591 Midnight blue	#050 Dark blue	#058 Ultramarine blue	#537 Deep blue	#065 Cobalt blue
#049 #592 King blue Navy blu	#593 e Striking blue	#150 Brilliant blue L	#536 Middle blue	#510 Clematis blue	#067 Blue	#595 Blue green	#057 Traffic blue	#051 Gentian blue
#509 #508	#052	#507	#555	#594	#517	#053	#056	#549
Sea blue Signal blu	Azure blue	Capri blue	Glacier blue	#594 Pastel blue	Euro blue	#053 Light blue	Ice blue	#549 Dove blue
#608 #066 Petrol Turquois	#054 Turquoise	#055 Mint	#599 Pastel turquoise	#060 Dark green	#661 Leaf green	#078 Foliage green	#617 Emerald	#607 Turquoise gree
#604 #061	#068	#619	#062	#064	#063	#080	#803	#828
Cactus green Green	Grass green	Traffic green	Light green	Yellow green	Lime-tree green	Brown	Chocolate brown	Earth brown
#079 #083 Red brown Nut brow	#801 Light brown	#811 Sahara brown	#081 Light brown	#818 Saffron	#804 Beige brown	#023 Cream	#813 Light cream	#018 Light ivory
#070 #720	#073	#713	#071	#721	#076	#074	#724	#072
Black Komatsu	grey Dark grey	Iron grey	Grey	Slate grey	Telegrey	Middle grey	Ice grey	Light grey
				18 18 12				

#093 Anthracite

#932 Graphite metallic



POLYMERIC FILMS

ORACAL® 551 Versatile High Performance Cal

Premium Flexible Polymeric Calendered Film

Product Features

Face: 70 micron, PVC Film

551 Liner: 137 gsm, Silicone Coated Paper

551RA Liner: 145 gsm, Double Sided PE Coated RapidAir® Paper

Adhesive: Solvent Polyacrylate, Permanent **Temperature Resistance:** -50 to 90° C

Durability: B&W 8 years, Colour 7 years, Metallics 4 years

Colours: 98 High Gloss & 2 Matte

Recommended Applications

- Suitable for uneven and slightly curved surfaces.
- Excellent dimensional stability and very good processing characteristics for high quality vehicle and public transport advertising.

- Outstanding cutting, weeding and handling characteristic.
- Gloss and matte black available in RapidAir®.

Product	Colours	Size	1-9m	10-19m	20-49m	50m+	Roll Price
551 XXX 1260	Black, White & Clear	1260mm	\$13.89	\$12.86	\$11.91	\$11.03	\$551.50
	Colours & Metallics	1260mm	\$14.69	\$13.60	\$12.59	\$11.66	\$583.00
551 XXX 630	Black, White & Clear	630mm	\$6.94	\$6.43	\$5.95	\$5.51	\$275.50
	Colours & Metallics	630mm	\$7.34	\$6.80	\$6.30	\$5.83	\$291.50
551RA XXX 1260	Black - <i>Rapid</i> Air®	1260mm	\$15.84	\$14.67	\$13.58	\$12.57	\$628.50
551RA XXX 630	Black - <i>Rapid</i> Air®	630mm	\$7.92	\$7.33	\$6.79	\$6.29	\$314.50































Car Wrapping / ORAJET & ORAGUARD



POLYURETHANE FILMS

ORAJET® 3981RA+ ProSlide™





Premium Digital Printing PU Film

Product Features



Face: 50 micron, Premium Polyurethane Film Liner: 158 gsm, Double Sided PE Coated RapidAir®

Pro*Slide*™ Paper

Adhesive: Solvent Polyacrylate, Repositionable with

Permanent Final Adhesion, Grey

Temperature Resistance: -50 to 100° C

Durability: 10 years Colours: Gloss White



Recommended Applications



- Complex curves, deep recesses.
- Fleet, transportation, marine, vans, trucks.
- Highest demanding applications with best horizontal warranty available.

Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 289.
- · Best warranty.
- \$ 100% PVC free.



For the perfect finish, match with our ORAGUARD® overlaminate films



High Performance Polyurethane Overlaminate Film



Face: 50 micron, Polyurethane Film Liner: 36 micron, Polyester Liner

Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 100° C

Durability: 10 years Colours: Gloss Transparent

Recommended Applications

· Rivets, complex curves, high demanding extreme applications including horizontal surfaces.

- Highest level UV protection with the highest gloss levels.
- PVC free premium protection over ORAJET® 3981RA + Pro*Slide*™.
- \$ 100% PVC free.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3981GRA+289G1370	ORAJET® 3981GRA Gloss White Polyurethane Pro <i>Slide™/</i> ORAGUARD® 289G (50µ) Gloss Overlaminate Kit	1370mm x 50m	\$3,223.00
KIT3981GRA+289G1520	ORAJET® 3981GRA Gloss White Polyurethane Pro <i>Slide™l</i> ORAGUARD® 289G (50µ) Gloss Overlaminate Kit	1520mm x 50m	\$3,611.00





ORAJET® 3951RA+ Pro*Slide*™

Premium Digital Printing PVC Film

Product Features

Face: 55 micron, Premium Cast PVC Film

Liner: 158 gsm, Double Sided PE Coated RapidAir®

Pro*Slide*™ Paper

Adhesive: Solvent Polyacrylate, Repositionable with

Permanent Final Adhesion, Grey **Temperature Resistance:** -50 to 100° C

Durability: 10 years **Colours:** Gloss White

Recommended Applications

- Complex curves, deep recesses.
- Fleet, transportation, marine, vans, and trucks.
- High demanding applications.



Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 289, 293, 290.
- Warranty available.

For the perfect finish, match with our ORAGUARD® overlaminate films

ORAGUARD® 289F (\$)

High Performance Polyurethane Overlaminate Film

Product Features

Face: 50 micron, Polyurethane Film **Liner:** 36 micron, Polyester Liner

Adhesive: Solvent Polyacrylate, Permanent **Temperature Resistance:** -50 to 100° C

Durability: 10 years **Colours:** Gloss Transparent

Recommended Applications

• Rivets, complex curves, high demanding extreme applications including horizontal surfaces.

Special Note

- $\bullet\;$ Highest level UV protection with the highest gloss levels.
- PVC free premium protection over ORAJET® 3981RA + ProSlide™.
- \$ 100% PVC free.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3951GRA+289G1370	ORAJET® 3951GRA Pro <i>Slide</i> ™ Gloss White /ORAGUARD® 289G (50µ) Gloss Overlaminate Kit	1370mm x 50m	\$2,624.00
KIT3951GRA+289G1520	ORAJET® 3951GRA Pro <i>Slide</i> ™ Gloss White /ORAGUARD® 289G (50µ) Gloss Overlaminate Kit	1520mm x 50m	\$2,946.00

ORAGUARD® 293

Ultra Flexible Premium Cast PVC Overlaminate Film

Product Features

Face: 30 micron, Cast PVC Film
Liner: 90 gsm, Silicone Coated Paper
Adhesive: Solvent Polyacrylate, Permanent
Temperature Resistance: -50 to 100° C

Durability: 8 years

Colours: Gloss & Matte Transparent

Recommended Applications

• Rivets, complex curves, deep recesses.

Special Note

- Highest level UV protection with the highest gloss levels.
- Premium protection over ORAJET® 3951RA + Pro*Slide*™.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3951GRA+293G1370	ORAJET® 3951GRA Pro <i>Slide</i> ™ Gloss White /ORAGUARD® 293G (30µ) Gloss Overlaminate Kit*	1370mm x 50m	\$1,976.50
KIT3951GRA+293G1520	ORAJET® 3951GRA Pro <i>Slide</i> ™ Gloss White /ORAGUARD® 293G (30µ) Gloss Overlaminate Kit*	1520mm x 50m	\$2,213.50

Note: These Kits are also available with a ORAGUARD® 293 Matte



























Car Wrapping / ORAJET & ORAGUARD



CAST FILMS



ORAJET® 3951RA+ ProSlide™



Premium Digital Printing PVC Film



Product Features



Face: 55 micron, Premium Cast PVC Film

Liner: 158 gsm, Double Sided PE Coated *Rapid*Air®

Pro*Slide*[™] Paper

Adhesive: Solvent Polyacrylate, Repositionable with

Permanent Final Adhesion, Grey **Temperature Resistance:** -50 to 100° C

Durability: 10 years **Colours:** Gloss White

Recommended Applications

- Complex curves, deep recesses.
- Fleet, transportation, marine, vans, and trucks.
- · High demanding applications.

Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 289, 293, 290.
- Warranty available.



For the perfect finish, match with our ORAGUARD® overlaminate films



ORAGUARD® 290



Highly Conformable Premium Cast PVC Overlaminate Film



Product Features

Face: 50 micron, Cast PVC Film
Liner: 90 gsm, Silicone Coated Paper
Adhesive: Solvent Polyacrylate, Permanent
Temperature Resistance: -50 to 110° C

Durability: 8 years

Colours: Gloss & Matte Transparent

Recommended Applications

• Rivets, complex curves, deep recesses.

Special Note

- Highest level UV protection with the highest gloss levels.
- Premium protection over ORAJET® 3951RA + Pro*Slide*™.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3951GRA+290G1370	ORAJET® 3951GRA Pro <i>Slide</i> ™ Gloss White /ORAGUARD® 290G (50µ) Gloss Overlaminate Kit*	1370mm x 50m	\$1,859.50
KIT3951GRA+290G1520	ORAJET® 3951GRA Pro <i>Slide</i> ™ Gloss White /ORAGUARD® 290G (50µ) Gloss Overlaminate Kit*	1520mm x 50m	\$2,081.00

Note: These Kits are also available with ORAGUARD $^{\rm @}$ 290 Matter

ORAGUARD® 290GDU

Highly Conformable Premium Cast PVC Overlaminate Film

Product Features

Face: 50 micron, Cast PVC Film
Liner: 90 gsm, Silicone Coated Paper
Adhesive: Solvent Polyacrylate, Permanent
Temperature Resistance: -50 to 110° C

Durability: 8 years

Colours: Gloss Transparent

Recommended Applications

- Corrugations, rivets, moderate curves.
- Fleet, vans, trucks, marine and watercraft.

- Reduced silvering for UV inks.
- High level UV Protection with a high gloss level.
- Overlaminate for ORAJET® 3951RA + ProSlide™.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3951GRA+290GDU1370	ORAJET® 3951GRA Pro <i>Slide</i> ™ Gloss White /ORAGUARD® 290GDU (50µ) Gloss Overlaminate Kit	1370mm x 50m	\$2,171.50
KIT3951GRA+290GDU1520	ORAJET® 3951GRA Pro <i>Slide</i> ™ Gloss White /ORAGUARD® 290GDU (50µ) Gloss Overlaminate Kit	1520mm x 50m	\$2,434.00



PREMIUM POLYMERIC FILMS

ORAJET® 3551GRA

Premium Polymeric Film

Product Features

Face: 70 micron, Premium Polymeric Calendered Film Liner: 143 gsm, Double Sided PE Coated RapidAir® Paper Adhesive: Solvent Polyacrylate, Permanent, Grey

Temperature Resistance: -50 to 90° C

Durability: 7 years

Colours: Gloss White, Matte White

Recommended Applications

• Long term outdoor signage, vehicles including partial wraps, cars, vans, utility bodies, truck sides.



Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 293, 290, 215.
- · Warranty available.

For the perfect finish, match with our ORAGUARD® overlaminate films





Premium Polymeric PVC Overlaminate Film

Product Features

Face: 75 micron, Cast PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 90° C

Durability: 7 years

Colours: Gloss, Semi-gloss & Matte Transparent

Recommended Applications

- · Moderate curves.
- Vehicle spot graphics, fleet, flat truck sides.
- Wall graphics and general signage.

Special Note

- High level UV protection with high gloss levels.
- Overlaminate for ORAJET® 3551, 3554, 3651, 3650, 3165, 3169.
- Fire Certification: Group 1, AS 5637.1 2015.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3551GRA/215G1370	ORAJET® 3551 Gloss White <i>Rapid</i> Air®/ORAGUARD® 215 Gloss Clear*	1370mm x 50m	\$994.00
KIT3551GRA/215G1600	ORAJET® 3551 Gloss White <i>Rapid</i> Air®/ORAGUARD® 215 Gloss Clear*	1600mm x 50m	\$1,161.00

^{*}Note: These Kits are also available with ORAGUARD® 215 Matte and Semi-gloss

ORAGUARD® 215GDU/215MDU 🁌



Premium Polymeric PVC Overlaminate Film for UV Ink

Product Features

Face: 75 micron, Polymeric PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 90° C

Durability: 7 years

Colours: Gloss & Matte Transparent

Recommended Applications

- Moderate curves.
- Vehicle spot graphics, fleet, flat truck sides.
- Wall graphics and general signage.

- High level UV protection.
- Reduced silvering over UV Inks.
- Overlaminate for ORAJET® 3551, 3554, 3651, 3650, 3165, 3169.
- Fire Certification: Group 1, AS 5637.1 2015.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3551GRA/215GDU1370	ORAJET® 3551 Gloss White <i>Rapid</i> Air®ORAGUARD® 215 Gloss Clear-UV Print*	1370mm x 50m	\$1,062.50
KIT3551GRA/215GDU1550	ORAJET® 3551 Gloss White <i>Rapid</i> Air®ORAGUARD® 215 Gloss Clear-UV Print*	1550mm x 50m	\$1,222.00

^{*}Note: These Kits are also available with ORAGUARD® 215 Matte - UV Print



























Car Wrapping / ORAJET & ORAGUARD



PREMIUM POLYMERIC FILMS



ORAJET® 3551GRA



Premium Polymeric Film



Face: 70 micron, Premium Polymeric Calendered Film Liner: 143 gsm, Double Sided PE Coated RapidAir® Paper Adhesive: Solvent Polyacrylate, Permanent, Grey



Durability: 7 years Colours: Gloss White

Product Features



• Long term outdoor signage, vehicles including partial wraps, cars, vans, utility bodies, truck sides.

Special Note

- Compatible inks: Eco-solvent, solvent, latex and UV.
- Matching overlaminate: ORAGUARD® 293, 290, 215.
- Warranty available.



For the perfect finish, match with our ORAGUARD® overlaminate films



ORAGUARD® 290



Highly Conformable Premium Cast PVC Overlaminate Film



Product Features

Face: 50 micron, Cast PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 110° C

Durability: 8 years

Colours: Gloss & Matte Transparent

Recommended Applications

• Rivets, complex curves, deep recesses.

Special Note

- Highest level UV protection with the highest gloss levels.
- Premium protection over ORAJET® 3951RA + ProSlide™.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3551GRA/290G1370	ORAJET® 3551 Gloss White <i>Rapid</i> Air® /ORAGUARD® 290G (50µ) Gloss	s* 1370mm x 50m	\$1,388.00
KIT3551GRA/290G1550	ORAJET® 3551 Gloss White <i>Rapid</i> Air® /ORAGUARD® 290G (50µ) Gloss	s* 1550mm x 50m	\$1,590.00

^{*}Note: These Kits are also available with ORAGUARD® 290 Matte

ORAGUARD® 293

Ultra Flexible Premium Cast PVC Overlaminate Film

Product Features

Face: 30 micron, Cast PVC Film Liner: 90 gsm, Silicone Coated Paper Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -50 to 100° C

Durability: 8 years

Colours: Gloss & Matte Transparent

Recommended Applications

• Rivets, complex curves, deep recesses.

- Highest level UV protection with the highest gloss levels.
- Premium protection over ORAJET® 3951RA + ProSlide™.

Product	Bundle Products	Bundle Size	Bundle Price
KIT3551GRA/293G1370	ORAJET® 3551 Gloss White <i>Rapid</i> Air®/ORAGUARD® 293G (30µ) Gloss Overlaminate*	1370mm x 50m	\$1,505.00
KIT3551GRA/293G1550	ORAJET® 3551 Gloss White <i>Rapid</i> Air®/ORAGUARD® 293G (30µ) Gloss Overlaminate*	1550mm x 50m	\$1,722.50

^{*}Note: These Kits are also available with ORAGUARD® 293 Matte























WINDOW FILMS

ORAJET® 3675

Perforated Window Film

Product Features

Face: 140 micron, Perforated Special PVC Film, Black Backed Liner: 135 gsm, Silicone Coated Paper, Non-Perforated Adhesive: Solvent Polyacrylate, Permanent, Transparent

Temperature Resistance: -40 to 80° C

Durability: 4 years Colours: Gloss White

Recommended Applications

• For short and medium term outdoor applications e.g. shop windows, vehicle window panes.

Special Note

- 50% printable area, hole diameter of 1.5mm.
- Dry application only.
- Compatible inks: Inkjet printing with solvent based inks.
- Matching overlaminate: ORAGUARD® 297.

Product	Description	Size	Roll Price
3675 010 1370	Perforated Window Film - 50% – Permanent Adhesive	1370mm x 50m	\$1,149.50
3675 010 1520	Perforated Window Film - 50% – Permanent Adhesive	1520mm x 50m	\$1,275.50

ORAJET® 3676

Perforated Window Film

Product Features

Face: 140 micron, Perforated Special PVC Film, Black Backed Liner: 135 gsm, Silicone Coated Paper, Non-Perforated Adhesive: Solvent Polyacrylate, Permanent, Transparent

Temperature Resistance: -40 to 80° C

Durability: 4 years Colours: Gloss White

Recommended Applications


• For short and medium-term advertising graphics on vehicle windows, shop windows and other types of smooth surfaced transparent advertising media.

- 60% printable area, hole diameter of 1.5mm.
- Dry application only.
- Compatible inks: Inkjet printing with solvent based inks.
- Matching overlaminate: ORAGUARD® 297.

Product	Description	Size	Roll Price
3676 010 1370	Perforated Window Film - 60% - Permanent Adhesive	1370mm x 50m	\$1,149.50
3676 010 1520	Perforated Window Film - 60% - Permanent Adhesive	1520mm x 50m	\$1,275.50








































SCREEN PRINT FILMS

ORACAL® 1640 Print Vinyl Sheets

Monomeric PVC Screen Print Film

Product Features

Face: 100 micron, Soft PVC Film Liner: 135 gsm, Silicone Coated Paper Adhesive: Polyacrylate, Permanent Temperature Resistance: -40 to 80° C

Durability: 3 years

Colours: Gloss White, Gloss Clear

Recommended Applications

• Short to medium term, internal and external, graphics and signage applications.

Special Note

- · Screen printing is recommended.
- Indoor exposure is almost unlimited.

Product	Colour	Size	\$/Sheet- 100	\$/Sheet- 500
1640G 010 760x1000	Gloss White	760mm x 1000mm	\$2.58	\$2.25
1640G 000 760x1000	Gloss Clear	760mm x 1000mm	\$2.58	\$2.25

ORACAL® 640 Print Vinyl Sheets

Monomeric PVC Screen Print Film

Product Features

Face: 80 micron, Soft PVC Film Liner: 135 gsm, Silicone Coated Paper **Adhesive:** Polyacrylate, Permanent Temperature Resistance: -40 to 80° C

Durability: 3 years

Colours: Gloss White, Gloss Yellow, Gloss Red, Gloss Light Red, Gloss Pastel Orange, Gloss Azure Blue, Gloss Green,

Gloss Yellow Green

Recommended Applications

• Short to medium term, internal and external, graphics and signage applications.

- Screen printing is recommended.
- Indoor exposure is almost unlimited.

Product	Colour	Size	\$/Sheet- 100	\$/Sheet- 500
640G 010 760x1000	Gloss White	760mm x 1000mm	\$2.58	\$2.25
640G 021 760×1000	Gloss Yellow	760mm x 1000mm	\$4.72	\$4.10
640G 031 760×1000	Gloss Red	760mm x 1000mm	\$4.72	\$4.10
640G 032 760×1000	Gloss Light Red	760mm x 1000mm	\$4.72	\$4.10
640G 035 760×1000	Gloss Pastel Orange	760mm x 1000mm	\$4.72	\$4.10
640G 052 760x1000	Gloss Azure Blue	760mm x 1000mm	\$4.72	\$4.10
640G 061 760x1000	Gloss Green	760mm x 1000mm	\$4.72	\$4.10
640G 064 760x1000	Gloss Yellow Green	760mm x 1000mm	\$4.72	\$4.10





Screen Print Films / ORACAL



SCREEN PRINT FILMS



ORACAL® 352 Print Polyester



Metalised Polyester Screen Print Film





Chrome and Gold)

Product Features

Liner: 160 gsm, Double Sided PE Coated Adhesive: Solvent Polyacrylate, Permanent Temperature Resistance: -40 to 120° C

Durability: Chrome & Brushed Silver 2 years, Gold 1 year

Colours: 3 Colours

Recommended Applications

• For premium quality decorative labels, name and technical plates, decoration and mouldings, safety stickers.

Special Note

• Screen printing and UV offset printing.












Product	Colour	Size	1-9m	10-19m	20-49m	50m	Roll Price
352 001 1260	Double Sided Chrome - 23 micron	1260mm x 50m	\$24.67	\$22.84	\$21.15	\$19.58	\$979.00
352 001 630	Double Sided Chrome - 23 micron	630mm x 50m	\$12.33	\$11.42	\$10.57	\$9.79	\$489.50
352 003 1260	Single Sided Gold - 23 micron	1260mm x 50m	\$28.76	\$26.63	\$24.66	\$22.83	\$1,141.50
352 003 630	Single Sided Gold - 23 micron	630mm x 50m	\$14.39	\$13.32	\$12.33	\$11.42	\$571.00
352 901 1260	Double Sided Chrome - 50 micron	1260mm x 50m	\$33.34	\$30.87	\$28.58	\$26.46	\$1,323.00
352 901 630	Double Sided Chrome - 50 micron	630mm x 50m	\$16.66	\$15.43	\$14.29	\$13.23	\$661.50
352 907 1260	Double Sided Brushed Silver - 50 micron	1260mm x 50m	\$34.93	\$32.34	\$29.94	\$27.72	\$1,386.00
352 907 630	Double Sided Brushed Silver - 50 micron	630mm x 50m	\$17.46	\$16.17	\$14.97	\$13.86	\$693.00
352 911 1260	Double Sided Gold - 23 micron	1260mm x 50m	\$33.34	\$30.87	\$28.58	\$26.46	\$1,323.00
352 911 630	Double Sided Gold - 23 micron	630mm x 50m	\$16.66	\$15.43	\$14.29	\$13.23	\$661.50
352 912 1260	Double Sided Gold - 50 micron	1260mm x 50m	\$34.93	\$32.34	\$29.94	\$27.72	\$1,386.00
352 912 630	Double Sided Gold - 50 micron	630mm x 50m	\$17.46	\$16.17	\$14.97	\$13.86	\$693.00





























ORATAPE® LT95 Application Tape

Low Tack

Product Features

Face: 150 micron Transparent Polyethylene Based

Mounting Film

Adhesive: Modified Polyacrylate, Low Adhesive Strength

Weight: 105 gsm

Recommended Applications

• Ideal for large format graphics.

Special Note

• Residue free.

Product	Size	Roll Price
APPLT95-1220100	1220mm x 100m	\$272.63

ORATAPE® MT95 Application Tape

Medium Tack

Product Features

Face: 155 micron Transparent Polyethylene Based

Mounting Film

Adhesive: Modified Polyacrylate, Medium Adhesive Strength

Weight: 110 gsm

Recommended Applications

• Ideal for large format graphics.

Special Note

- This application tape is suitable for almost all types of gloss or matte films.
- · Residue free.

Product	Size	Roll Price
APPMT95-122091.4	1220mm x 91.4m	\$262.30
APPMT95-61091.4	610mm x 91.4m	\$131.14

ORATAPE® MT52 Application Paper

Medium Tack

Product Features

Face: 95 micron Semi-Transparent Mounting Paper Adhesive: Natural Rubber, Medium Adhesive Strength

Weight: 80 gsm

Recommended Applications

• Ideal for large format graphics.

Special Note

• Residue free.

Product	Size	Roll Price
APPMT52-122091.4	1220mm x 91.4m	\$201.56
APPMT52-61091.4	610mm x 91.4m	\$100.77







ORATAPE® MT72 Application Paper



Medium Tack

Product Features

Face: 110 micron Semi-Transparent Mounting Paper **Adhesive:** Natural Rubber, Medium Adhesive Strength

Weight: 100 gsm

Recommended Applications

• Ideal for large format graphics.

Special Note

- High resistance to moisture.
- Residue free.

Product	Size	Roll Price
APPMT72-122091.4	1220mm x 91.4m	\$222.92
APPMT72-61091.4	610mm x 91.4m	\$111.46











ORATAPE® HT76 Application Tape

High Tack

Product Features

Face: 110 micron Semi-Transparent Film **Adhesive:** High Tack Natural Rubber Adhesive

Weight: 100 gsm

Recommended Applications

• Ideal for large format graphics.

- Excellent for wet application work.
- Residue free.

Product	Size	Roll Price
APPHT4076-137091.4	1370mm x 91.4m	\$250.33
APPHT4076-122091.4	1220mm x 91.4m	\$222.92
APPHT4076-61091.4	610mm x 91.4m	\$111.46



ORATAPE® MT95











ORACAL® W001

Pre-designed Decorative Patterns

Product Features

Face: 38 micron, Polyester Film

Liner: Silicone-coated Transparent Polyester Adhesive: Acrylic Copolymer Transparent Adhesive

Application Temp: 5 to 30° C

Durability: 5 years

Colours: White Stripes of 4mm







Colours **Product** Size **Roll Price** ORACAL W001 1525 White Stripes of 4mm 1525mm x 30m \$420.00



ORACAL® W002

Pre-designed Decorative Patterns

Product Features

Face: 38 micron, Polyester Film

Liner: Silicone-coated Transparent Polyester Adhesive: Acrylic Copolymer Transparent Adhesive

Application Temp: 5 to 30° C

Durability: 5 years

Colours: White Stripes of 10mm







Product	Colours	Size	Roll Price
ORACAL W002 1525	White Stripes of 10mm	1525mm x 30m	\$420.00

ORACAI® W004

Pre-designed Decorative Patterns

Product Features


Face: 38 micron, Polyester Film

Liner: Silicone-coated Transparent Polyester **Adhesive:** Acrylic Copolymer Transparent Adhesive

Application Temp: 5 to 30° C

Durability: 5 years

Colours: White Stripes of 30mm





Product	Colours	Size	Roll Price
ORACAL W004 1525	White Stripes of 30mm	1525mm x 30m	\$420.00





Decorative Window Films / ORACAL



DECORATIVE WINDOW FILMS



ORACAL® W014



Pre-designed Decorative Patterns





Liner: Silicone-coated Transparent Polyester Adhesive: Acrylic Copolymer Transparent Adhesive

Application Temp: 5 to 30° C

Durability: 5 years

Colours: White Squares of 20mm





Product	Colours	Size	Roll Price
ORACAL W014 1525	White Squares of 20mm	1525mm x 30m	\$420.00









Face: 38 micron, Polyester Film

Liner: Silicone-coated Transparent Polyester Adhesive: Acrylic Copolymer Transparent Adhesive

Application Temp: 5 to 30° C

Durability: 5 years

Colours: White Cotton Design Pattern





Product	Colours	Size	Roll Price
ORACAL W018 1525	White Cotton Design Pattern	1525mm x 30m	\$420.00

ORACAL® UV05

Pre-designed Decorative Patterns

Product Features

Face: 38 micron, Polyester Film

Liner: Silicone-coated Transparent Polyester Adhesive: Acrylic Copolymer Transparent Adhesive

Application Temp: 5 to 30° C

Durability: 5 years

Colours: Frosted Stripes of 35mm





Product	Colours	Size	Roll Price
ORACAL UV05 1525	Frosted Stripes of 35mm	1525mm x 30m	\$420.00





Ready to apply!

















DECORATIVE WINDOW FILMS

ORACAL® UV10

Pre-designed Decorative Patterns

Product Features

Face: 38 micron, Polyester Film

Liner: Silicone-coated Transparent Polyester Adhesive: Acrylic Copolymer Transparent Adhesive

Application Temp: 5 to 30° C

Durability: 5 years

Colours: Frosted Stripes of 5mm and 35mm



Product	Colours	Size	Roll Price
ORACAL UV10 1525	Frosted Stripes of 5mm and 35mm	1525mm x 30m	\$420.00

ORACAL® UV11

Pre-designed Decorative Patterns

Product Features


Face: 38 micron, Polyester Film

Liner: Silicone-coated Transparent Polyester Adhesive: Acrylic Copolymer Transparent Adhesive

Application Temp: 5 to 30° C

Durability: 5 years

Colours: Frosted Squares of 44mm





Product	Colours	Size	Roll Price
ORACAL UV11 1525	Frosted Squares of 44mm	1525mm x 30m	\$420.00

ORACAL® G002

Pre-designed Decorative Patterns

Product Features

Face: 38 micron, Polyester Film

Liner: Silicone-coated Transparent Polyester Adhesive: Acrylic Copolymer Transparent Adhesive

Application Temp: 5 to 30° C

Durability: 5 years

Colours: Grey Stripes of 10mm





Product	Colours	Size	Roll Price
ORACAL G002 1525	Grey Stripes of 10mm	1525mm x 30m	\$420.00





Decorative Window Films / ORACAL



DECORATIVE WINDOW FILMS



ORACAL® WM20



Pre-designed Decorative Patterns





Liner: Silicone-coated Transparent Polyester Adhesive: Acrylic Copolymer Transparent Adhesive

Application Temp: 5 to 30° C

Durability: 5 years Colours: White Matte

ORACAL WM20 1525

Product



Colours

White Matte



Roll Price

\$420.00

Size

1525mm x 30m

6	















Pre-designed Decorative Patterns

Product Features

Face: 50 micron, Polyester Film

Liner: Silicone-coated Transparent Polyester Adhesive: Acrylic Copolymer Transparent Adhesive

Application Temp: 5 to 30° C

Durability: 5 years

Colours: Casual White - Vertical Stripes





Product	Colours	Size	Roll Price
ORACAL DX01 1270	Casual White - Vertical Stripes	1270mm x 30m	\$780.00

ORACAL® DX02

Pre-designed Decorative Patterns

Product Features

Face: 50 micron, Polyester Film

Liner: Silicone-coated Transparent Polyester Adhesive: Acrylic Copolymer Transparent Adhesive

Application Temp: 5 to 30° C

Durability: 5 years

Colours: White Web - White Grids





Product	Colours	Size	Roll Price
ORACAL DX02 1270	White Weh - White Grids	1270mm x 30m	\$780.00



DECORATIVE WINDOW FILMS

ORACAL® DX03

Pre-designed Decorative Patterns

Product Features

Face: 50 micron, Polyester Film

Liner: Silicone-coated Transparent Polyester Adhesive: Acrylic Copolymer Transparent Adhesive

Application Temp: 5 to 30° C

Durability: 5 years

Colours: White Dots - White Circles of 3mm Diameter









Product Colours Roll Price Size ORACAL DX03 1270 White Dots - White Circles of 3mm diameter 1270mm x 30m \$780.00





Pre-designed Decorative Patterns

Product Features

Face: 50 micron, Polyester Film

Liner: Silicone-coated Transparent Polyester Adhesive: Acrylic Copolymer Transparent Adhesive

Application Temp: 5 to 30° C

Durability: 5 years

Colours: Decreasing Dots - Gradient Design

of White Circles









ORACAL® DX05

Pre-designed Decorative Patterns

Product Features

Face: 50 micron, Polyester Film

Liner: Silicone-coated Transparent Polyester Adhesive: Acrylic Copolymer Transparent Adhesive

Application Temp: 5 to 30° C

Durability: 5 years

Colours: Gradient Dots - White Dots in Vertical Lines

with Gradient Design





Product	Colours	Size	Roll Price
ORACAL DX05 1270	Gradient Dots - White Dots in Vertical Lines with Gradient Design	1270mm x 30m	\$780.00





Decorative Window Films / ORACAL



DECORATIVE WINDOW FILMS



ORACAL® DX06




Pre-designed Decorative Patterns







Liner: Silicone-coated Transparent Polyester **Adhesive:** Acrylic Copolymer Transparent Adhesive



Face: 50 micron, Polyester Film



Colours: White Diamonds - White Quadrilaterals





Product	Colours	Size	Roll Price
ORACAL DX06 1270	White Diamonds - White Quadrilaterals	1270mm x 30m	\$780.00

































ORACAL® Combined Plastic Felt Squeegee

Product Features

Colour: Grey with Felt Edge **Size:** 100mm x 80mm

Recommended Applications

- Printed vehicle wraps where you require low friction and smooth install onto the surface.
- Frosted window films for scratch free install using the felt side of the squeegee.

Special Note

• All-round squeegee combining the rigid hard base with soft felt edge to eliminate scratching.

Product	Description	Size	Price each	Price each / 24 pack
Tool-010	ORACAL® Combined Plastic Felt Squeegee	100mm x 80mm	\$8.56	\$7.81

ORACAL® Grey Squeegee

Product Features

Colour: Grey

Size: 100mm x 80mm

Recommended Applications

- Vinyl cut graphics applied onto vehicles.
- Applying application tape onto the weeded vinyl.

Special Note

• All-round hard squeegee for applying self adhesive films.

Product	Description	Size	Price each	Price each / 24 pack
Tool-1012	ORACAL® Grey Squeegee	100mm x 80mm	\$3.75	\$3.32

ORACAL® Gold Squeegee

Product Features

Colour: Gold

Size: 100mm x 80mm


Recommended Applications

- Vinyl cut graphics applied onto vehicles.
- Applying application tape onto the weeded vinyl.

Special Note

• All round hard gold squeegee for applying self adhesive films.

Product	Description	Size	Price each	Price each / 24 pack
Tool-1015	ORACAL® Gold Squeegee	100mm x 80mm	\$3.75	\$3.32











ORACAL® Felt Squeegee



Product Features

Colour: White Felt **Size:** 100mm x 80mm

Recommended Applications

• Felt block squeegee for applying digital prints, particularly digitally printed wall graphics on slightly textured painted walls.

Special Note

• For sensitive, very soft and high-gloss PVC films, which are applied in large formats to e.g. 3-dimensional surfaces (such as full wrappings).



Product	Description	Size	Price each	Price each / 24 pack
Tool-2020	ORACAL® Felt Squeegee	100mm x 80mm	\$6.00	\$5.50











ORAFOL Blue WrapGlove®

Product Features

Colour: Blue

Size: Medium, Large, Extra Large

Recommended Applications

• Specially designed wrap glove with a unique fabric weave that reduces grip on adhesive side of media. Protects graphics from finger prints, oils and perspiration.

Special Note

• Pack of 2 gloves.

Product	Description	Size	Price each	Price each / 12 pack
Tool-Wrap-Glove-M	ORAFOL WrapGlove® - 1 pair	Medium	\$51.36	\$46.22
Tool-Wrap-Glove-L	ORAFOL WrapGlove® - 1 pair	Large	\$51.36	\$46.22
Tool-Wrap-Glove-XL	ORAFOL WrapGlove® - 1 pair	Extra Large	\$51.36	\$46.22



























PERMANENT TRAFFIC SIGNS - PRISMATIC FILMS

ORALITE® 9910

Brilliant Grade Premium - Class 1100

Class 1100 (Class 1X) approved ORALITE® prismatic grade for permanent traffic signs.

Product Benefits

- High reflective performance
- Highest degree of weather resistance
- 12 years outdoor service life*
- Available in fluorescent colours for enhanced daytime visibility
- Surface of UV stabilised acrylic film
- Compliance to AS/NZS 1906.1: 2017 Class 1100 (Class 1X)
- CE certified

- Excellent printability
- Screen printing with ORALITE® 5018
- UV digital printing on ORALITE® UV Traffic Sign
- Printer, with ORALITE® 5019i Digital Printing Ink
- Lettering film ORALITE® 5081
- Transparent film ORALITE® 5061
- ORALITE® 9910 comes with a watermark

Product	Colour	Outdoor Durability	Size	1-9m	10-19m	20-49m	50m+	Roll Price
ORALITE 9910	White	12 Years*	1235mm	\$62.81	\$57.62	\$52.87	\$48.50	\$2,425.00
ORALITE 9910	Fluorescent Yellow-Green	10 Years	1235mm	\$90.00	\$82.57	\$75.76	\$69.50	\$3,475.00
ORALITE 9910	Fluorescent Yellow	10 Years	1235mm	\$94.86	\$87.03	\$79.84	\$73.25	\$3,662.50

^{*}Non-fluorescent colours only

ORALITE® 5910

High Intensity Prismatic Grade

For long term outdoor applications.

Product Benefits

- High prismatic brightness
- Weatherproof
- Surface of high performance acrylic film
- Compliance to AS/NZS 1906.1:2017 Class 400 (Class 1W)
- ORALITE® 5910 is CE-certified
- Excellent printability

- Screen printing with ORALITE® 5018
- UV digital printing on ORALITE® UV Traffic Sign Printer, with ORALITE® 5019i Digital Printing Ink
- Transparent film we recommend ORALITE® 5061
- Lettering film we recommend ORALITE® 5081

Product	Colour	Outdoor Durability	Size	1-9m	10-19m	20-49m	50m+	Roll Price
ORALITE 5910	All Colours	10 Years	1235mm	\$55.24	\$50.22	\$45.65	\$41.50	\$2,075.00
ORALITE 5910	Fluorescent Yellow-Green	10 Years	1235mm	\$77.60	\$70.54	\$64.13	\$58.30	\$2,915.00

Please Note: ORALITE* 5910 High intensity prismatic grade is supplied with a watermark. Strictly intended for adhesion onto even surfaces





Reflective Solutions / ORALITE



TRAFFIC CONTROL - TEMPORARY SIGNS AND WORK ZONES



RALITE® 5960

High Intensity Prismatic Construction Grade

Prismatic reflective film designed for short and medium term outdoor applications.

Outdoor

5 Years

5 Years

5 Years

3 Years

Durability

Size

1235mm

1235mm

1235mm

1235mm



Product Benefits

Product

ORALITE 5960

ORALITE 5960

ORALITE 5960

ORALITE 5960

- UV stabilised acrylic film
- Excellent printability Transparent film

Colour

White

Yellow

Fluorescent Yellow-Green

Fluorescent

• We recommend ORALITE® 5051

• Compliance to AS/NZS 1906.1:2017 Class 400T (Class 1W) (WZ)

20-49m

\$36.03

\$36.03

\$54.73

\$50.88

50m+

\$32.75

\$32.75

\$49.75

\$46.25

Roll Price

\$1,637.50

\$1,637.50

\$2,487.50

\$2,312.50

· Ink-jet and screen printing

10-19m

\$39.63

\$39.63

\$60.20

\$55.96

1-9m

\$43.59

\$43.59

\$66.22

\$61.56















Orange	
Please Note: Strictly intended for adhesions onto even surfaces	

RALITE® 5931M

Prismatic Construction Grade - Pre-printed

Short and medium term outdoor applications.

Product Benefits

- Highly reflective prismatic film, preprinted
- Surface of specially treated PVC film
- Single layer construction with no risk of dirt ingress at the edges.
- Metalised construction

	ies	substrat	olefinic	rloa	n to	Excellent adhesion	•
--	-----	----------	----------	------	------	--------------------	---

• Compliance to AS/NZS 1906.1:2017 Class 300 (Class 1)

Product	Colour	Outdoor Durability	Size		50m+	Roll Price
ORALITE 5931M	White/Red	5 Years	50mm x 50m	Rolls only	\$4.00	\$200.00
ORALITE 5931M	Yellow/Black	5 Years	50mm x 50m	Rolls only	\$4.00	\$200.00





ORALITE® 5700

Engineer Grade Premium Reflective Film

Long term outdoor applications.

Product Benefits

- Reflectivity exceeds 100 cd/(lx*m²) at 0,2° / 5° (for white colour)
- · Alkyd resin surface
- Excellent resistance to corrosion & solvents
- Excellent adhesion to metallic surfaces (e.g. aluminium and galvanised steel)
- Compliance to AS/NZS 1906.1:2017 Class 100 (Class 2)
- Weatherproof
- 130 micron
- · Excellent printability
- Transparent film we recommend ORALITE® 5051
- Lettering film we recommend ORALITE® 5081
- Screen printing
- UV printing

Product	Colour	Outdoor Durability	Size	1-9m	10-19m	20-49m	50m+	Roll Price
ORALITE 5700	All Colours	7 Years	1235mm	\$51.24	\$46.59	\$42.35	\$38.50	\$1,925.00
ORALITE 5700	All Colours	7 Years	618mm	\$25.62	\$23.29	\$21.18	\$19.25	\$962.50

Please Note: Strictly intended for adhesion onto even surfaces

ORALITE® 5500

Engineer Grade Reflective Film

Long term outdoor applications - for reflective warning and information signs.

Product Benefits

- Reflectivity film, 110 micron
- Excellent resistance to corrosion and solvents
- Compliance to AS/NZS 1906.1:2017 Class 100 (Class 2)
- Solvent polyacrylate, permanent
- Screen printing

Product	Colour	Outdoor Durability	Size	1-9m	10-19m	20-49m	50m+	Roll Price
ORALITE 5500	All Colours	7 Years	1235mm	\$45.85	\$41.68	\$37.90	\$34.45	\$1,722.50
ORALITE 5500	All Colours	7 Years	618mm	\$22.93	\$20.84	\$18.95	\$17.23	\$861.50
































PERMANENT TRAFFIC SIGNS - GLASS BEAD FILMS

Outdoor

4 Years

Durability

Size

1235mm



RALITE® 5400



Commercial Grade Reflective Film

Medium term outdoor applications.



Product Benefits

Cast PVC film

Product

ORALITE 5400

• High resistance to corrosion and solvents

Colour

All Colours

Please Note: Strictly intended for adhesion onto even surfaces

• Excellent adhesion to metallic surfaces

· Weatherproof

1-9m

\$27.62

• Excellent printability for both Ink-jet and screen printing inks

20-49m

\$22.83

50m+

\$20.75

Roll Price

\$1,037.50

• Compliance to AS/NZS 1906.1:2017 Class 100 (Class 2)

10-19m

\$25.11



















Brilliant Grade Vehicle - Edged Sealed

Prismatic airbacked reflective films designed for high visibility livery applications on emergency services vehicles.

Product Benefits

- Prismatic high brightness livery film
- Long term durability; will provide reflectivity and durability to last a vehicle's service life
- Compliance to AS/NZS 1906.1:2017
- Class 400 (Class 1W)
- Outstandingly bright and vivid daytime colour

- Performs to the rigours of EMS vehicle needs
- Easy to handle and apply

Product	Colour	Outdoor Durability	Size		50m+	Roll Price
ORALITE 6900 Edge Sealed	Fluorescent Yellow-Green	10 Years	50mm x 50m	Rolls only	\$4.33	\$216.50
ORALITE 6900 Edge Sealed	Fluorescent Yellow-Green	10 Years	75mm x 50m	Rolls only	\$6.49	\$324.50
ORALITE 6900 Edge Sealed	Fluorescent Yellow-Green	10 Years	100mm x 50m	Rolls only	\$8.66	\$433.00

Please Note: Strictly intended for adhesion onto even surfaces





ORALITE® 5600RA

Fleet Engineering Grade Reflective Film with RapidAir®

RapidAir® Technology is designed to make fleet applications easier by reducing the incidence of bubbles, ORALITE® 5600RA series is ideal for emergency vehicle and commercial fleet applications over flat surfaces, rivets and simple curves.

Product Benefits

- Glass bead reflective performance
- · High degree of flexibility
- Easy to apply, with good adaptability for uneven surfaces
- Excellent removability from painted surfaces (using heat)
- Easy to use on plotters

- Compatible with popular latex, solvent, eco-solvent & UV curable printers
- With RapidAir® for easy application
- Compliance to AS/NZS 1906.1:2017 Class 100 (Class 2)*
- Transparent film we recommend ORALITE® 5051

Product	Colour	Outdoor Durability	Size	1-9m	10-19m	20-49m	50m+	Roll Price
ORALITE 5600RA	All Colours	7 Years	1235mm	\$65.15	\$59.23	\$54.34	\$49.85	\$2,492.50
ORALITE 5600RA	White Only	7 Years	1370mm	\$72.27	\$65.70	\$60.28	\$55.30	\$2,765.00

^{*} This refers to white material only



Fleet Engineering Grade Reflective Film with RapidAir®

RapidAir® Technology is designed to make fleet applications easier by reducing the incidence of bubbles, ORALITE® 5650RA series is ideal for vehicle applications over flat surfaces, rivets and simple curves.

Product Benefits

- Glass bead reflective performance
- High degree of flexibility
- Easy to apply, with good adaptability for uneven surfaces
- Excellent removability from painted surfaces (using heat)
- Easy to use on plotters
- Compatible with popular latex, solvent, eco-solvent & UV curable printers
- With RapidAir® for easy application
- Compliance to AS/NZS 1906.1:2017 Class 100 (Class 2)*
- Transparent film we recommend ORALITE® 5051

Product	Colour	Outdoor Durability	Size	1-9m	10-19m	20-49m	50m+	Roll Price
ORALITE 5650RA	All Colours	7 Years	1235mm	\$67.11	\$61.01	\$55.97	\$51.35	\$2,567.50
ORALITE 5650RA	White Only	7 Years	1370mm	\$74.43	\$67.66	\$62.08	\$56.95	\$2,847.50
ORALITE 5650RA	White Only	7 Years	1520mm	\$80.18	\$72.89	\$66.87	\$61.35	\$3,067.50



























Reflective Solutions / ORALITE



HAZARD WARNING TAPES



RALITE® 5431



Construction Grade Reflective - Pre-printed

If a lower degree of reflectivity is enough for your marking purposes, the construction grade is the ideal solution.



Product Benefits

- Highly flexible reflective film
- Cast PVC Film

Product

ORALITE 5431

ORALITE 5431

ORALITE 5431

ORALITE 5431

- · Weather proof
- Compliance to AS/NZS 1906.1:2017 Class 100 (Class 2)

Colour

Red/White

Red/White

Yellow/Black

Yellow/Black

• Available in black/yellow and red/white

Size

50mm x 25m

100mm x 25m

50mm x 25m

100mm x 25m

• Roll sizes 50mm x 25m and 100mm x25m

Roll Price

\$108.25

\$216.50

\$108.25

\$216.50

50m+

\$4.33

\$8.66

\$4.33

\$8.66

Rolls only

Rolls only

Rolls only

Rolls only













NON-REFLECTIVE HAZARD WARNING TAPES

_ITE® 5091INDAS

Anti-Slip Tape

Product Benefits

- Non-reflective tape with anti-slip properties for short-term floor graphics
- Permanent bonding but removable with the help of heat
- For indoor application

- Has the capability to perform on outdoor surfaces
- (subject to following all application instructions test and approval recommended)

Product	Colour	Size		50m+	Roll Price
ORALITE 5091INDAS	Yellow/Black	50mm x 25m	Rolls only	\$6.00	\$150.00

Colour Guide for Hazard Warning Tapes



Black/Yellow:

The black/yellow marking tapes are used for marking of fixed objects. Examples could be sharp edges on fixed production equipment, staircase markings, markings around doors etc.



Red/White:

The red/white marking tapes are used for marking of objects which are movable around the plant. Examples include fork lifts and movable waste containers etc.







FOR CLEVELAND

ACCESS TO
NORTH STRADBROKE
ISLAND
33km



ORALITE® 5910

















ADHESIVE TAPE SYSTEMS

ORABOND® 1375

High Performance 60mic Acrylic Transfer Tape

ORABOND® 1375 carries A7 pure acrylic adhesive on moisture resistant stable PE coated paper liner. Ideally suited for metal & plastic name plates, fascia panels for electronics as well as sign & display applications.

- 60 micron
- Excellent peel & sheer strength
- Extreme resistance to UV light, solvents & plasticizer
- 60° C long term temperature resistance
- UL 969 listed

Product	Description	Size	Carton Qty	Roll Price	Carton Qty Price
1375 305	ORABOND® 1375 Clear Transfer Tape - 60mic	305mm x 50m	4	\$188.21	\$178.80
1375 610	ORABOND® 1375 Clear Transfer Tape - 60mic	610mm x 50m	2	\$376.42	\$357.60
1375 1220	ORABOND® 1375 Clear Transfer Tape - 60mic	1220mm x 50m	1	\$752.84	\$752.84

ORABOND® 1377

High Performance 120mic Acrylic Transfer Tape

ORABOND 1377® carries A7 pure acrylic adhesive on moisture resistant stable PE coated paper liner. Ideally suited for metal & plastic name plates, fascia panels for electronics as well as sign & display applications.

- 120 micron
- Excellent peel & sheer strength
- Extreme resistance to UV light, solvents & plasticizer
- 160° C long term temperature resistance
- UL 969 listed

Product	Description	Size	Carton Qty	Roll Price	Carton Qty Price
1377 305	ORABOND® 1377 Clear Transfer Tape - 120mic	305mm x 50m	4	\$265.27	\$252.01
1377 610	ORABOND® 1377 Clear Transfer Tape - 120mic	610mm x 50m	2	\$530.53	\$504.00
1377 1220	ORABOND® 1377 Clear Transfer Tape - 120mic	1220mm x 50m	1	\$1,061.06	\$1,061.06

ORABOND® 1397PP

High Performance 210mic Double Coated PET Tape

ORABOND® 1397PP carries AM2 Solvent Modified Acrylic adhesive on PET carrier & polypropylene film liner. Ideally suited for POP displays, outdoor signs, banners, APET, fluted PP board, foam board, polycarbonate, lexan, high impact styrene & expanded PVC for a variety of sign & display applications.

- 210 micron thickness
- 12 micron clear PET carrier
- 80 micron red polypropylene liner
- High peel & sheer strength

- Extreme resistance to UV light, solvents & plasticizer
- 160° C long term temperature resistance
- FDA 175.105

Product	Description	Size	Carton Qty	Roll Price	Carton Qty Price
1397 12	ORABOND® 1397PP D/S Clear PET Tape - 210mic	12mm x 50m	20	\$32.39	\$30.77
1397 25	ORABOND® 1397PP D/S Clear PET Tape - 210mic	25mm x 50m	10	\$68.17	\$64.76
1397 50	ORABOND® 1397PP D/S Clear PET Tape - 210mic	50mm x 50m	5	\$134.97	\$128.22
1397 315	ORABOND® 1397PP D/S Clear PET Tape - 210mic	315mm x 50m	4	\$850.31	\$807.79
1397 630	ORABOND® 1397PP D/S Clear PET Tape - 210mic	630mm x 50m	2	\$1,700.62	\$1,615.59
1397 1260	ORABOND® 1397PP D/S Clear PET Tape - 210mic	1260mm x 50m	1	\$3,092.02	\$3,092.02



























Adhesive Tape Systems / ORABOND







High Performance 12mic Double Coated PET Tape



ORABOND® 1398 double sided tape consists of polyester (PET) carrier film, layered on both sides with modified solvent acrylic adhesive. Good resistance to UV radiation, extreme temperatures, chemicals, solvents & humidity. Ideally suited to metals, coated synthetics as well as low surface energy plastics.



Product	Description	Size	Roll Price
1398 1260	ORABOND® 1398 Double Sided PET Tape	1260mm x 50m	\$938.70
1398 1550	ORABOND® 1398 Double Sided PET Tape	1550mm x 50m	\$1,154.75











ORABOND® 3331TG

Performance 230mic Double Coated White PVC Tape

ORABOND® 3331TG carries AM2 Solvent Modified Acrylic adhesive on PVC carrier & paper liner. Ideally suited for POP displays, out-door signs & banners, for a variety of sign & display applications.

- 230 micron thickness
- 36 micron white PVC carrier
- · High peel & sheer strength

- Extreme resistance to UV light, solvents & plasticizer
- 160° C long term temperature resistance
- FDA 175.105

Product	Description	Size	Carton Qty	Roll Price	Carton Qty Price
3331TG 12	ORABOND® 3331TG White PVC Film Tape - 230mic	12mm x 50m	120	\$27.25	\$25.89
3331TG 19	ORABOND® 3331TG White PVC Film Tape - 230mic	19mm x 50m	78	\$43.14	\$40.98
3331TG 25	ORABOND® 3331TG White PVC Film Tape - 230mic	25mm x 50m	10	\$56.73	\$53.89

ORABOND® 1812TM

High Performance 1100mic Double Coated Foam Tape

ORABOND® 1812 carries AM2 Solvent Modified Acrylic adhesive on PE foam carrier & paper liner. Ideally suited for bonding to rough or dissimilar surfaces, outdoor signage, exhibition mounting, mirror mounting. Typically used for a variety of sign & display applications.

- 1100 micron thickness
- 1000 micron PE foam carrier

- High peel & sheer strength on difficult plastics
- Extreme resistance to UV light, solvents & plasticizer

Product	Description	Size	Carton Qty	Roll Price	Carton Qty Price
1812TM 12	ORABOND® 1812TM White PE Foam Tape - 1100mic	12mm x 50m	20	\$29.92	\$28.42
1812TM 19	ORABOND® 1812TM White PE Foam Tape - 1100mic	19mm x 50m	13	\$47.40	\$45.03
1812TM 25	ORABOND® 1812TM White PE Foam Tape - 1100mic	25mm x 50m	10	\$62.37	\$59.25





















ORABOND® 1819TM

High Performance 2100mic Double Coated Foam Tape

ORABOND® 1819 carries AM2 Solvent Modified Acrylic adhesive on PE foam carrier & paper liner. Ideally suited for bonding to rough or dissimilar surfaces, outdoor signage, exhibition mounting, mirror mounting. Typically used for a variety of sign & display applications.

- 2100 micron thickness
- 2000 micron PE foam carrier

- High peel & sheer strength on difficult plastics
- Extreme resistance to UV light, solvents & plasticizer

Product	Description	Size	Carton Qty	Roll Price	Carton Qty Price
1819TM 12	ORABOND® 1819TM White PE Foam Tape - 2100mic	12mm x 33m	20	\$37.40	\$35.53
1819TM 19	ORABOND® 1819TM White PE Foam Tape - 2100mic	19mm x 33m	13	\$59.21	\$56.25
1819TM 25	ORABOND® 1819TM White PE Foam Tape - 2100mic	25mm x 33m	10	\$77.47	\$73.60

ORABOND® 1852

High Performance 1200mic Differential Adhesive Foam Tape

ORABOND® 1852 carries AM6/AM2 Solvent Modified Acrylic adhesive on PE foam carrier & paper liner. Differential adhesive - covered side carries clean removable adhesive & open side carries high sheer, high tack adhesive.

- 1200 micron thickness
- PE foam carrier
- PET inter layer

- 90g white paper liner
- Adhesive power covered side 6N/25mm after 24hrs
- Adhesive power open side 18N/25mm after 24hrs

Product	Description	Size	Carton Qty	Roll Price	Carton Qty Price
1852 12	ORABOND® 1852 White PE Foam Tape - 1200mic	12mm x 50m	20	\$31.85	\$30.26
1852 19	ORABOND® 1852 White PE Foam Tape - 1200mic	19mm x 50m	13	\$50.41	\$47.89
1852 25	ORABOND® 1852 White PE Foam Tape - 1200mic	25mm x 50m	10	\$66.33	\$63.01

ORABOND® UHB03110G

Ultra High Bond 1100mic High Performance Grey Tape

ORABOND® UHB03110G carries UHB03 Grey adhesive & paper liner for dark surface applications. Single Layer construction tape suitable for a wide range of commercial & industrial applications including signage & displays. Provides excellent adhesion to metals.

- 1100 micron thickness
- 130mic red PE film liner
- Adhesion 51N/25mm after 24hrs stainless steel
- Shear strength 62 N/cm² after 24hrs stainless steel
- Tensile adhesion 77 N/cm² after 24hrs aluminium

Product	Description	Size	Carton Qt	y Roll Price	Carton Qty Price
UHB03110G 12	ORABOND® UHB03110G Grey UHB Tape - 1100mic	12mm x 33m	20	\$54.66	\$51.93
UHB03110G 19	ORABOND® UHB03110G Grey UHB Tape - 1100mic	19mm x 33m	13	\$86.53	\$82.20
UHB03110G 25	ORABOND® UHB03110G Grey UHB Tape - 1100mic	25mm x 33m	10	\$113.85	\$108.16





Adhesive Tape Systems / ORABOND







Ultra High Bond 1100mic High Performance White Tape

ORABOND® UHB03110W carries UHB03 White adhesive & paper liner for white surface applications. Single Layer construction tape suitable for a wide range of commercial & industrial applications including signage & displays. Provides excellent adhesion to metals.

- 1100 micron thickness
- 130mic red PE film liner
- Adhesion 51N/25mm after 24hrs stainless steel
- Shear strength 62 N/cm² after 24hrs stainless steel
- Tensile adhesion 77 N/cm² after 24hrs aluminium

Product	Description	Size	Carton Qty	Roll Price	Carton Qty Price
UHB03110W 12	ORABOND® UHB03110W White UHB Tape - 1100mic	12mm x 33m	20	\$54.66	\$51.93
UHB03110W 19	ORABOND® UHB03110W White UHB Tape - 1100mic	19mm x 33m	13	\$86.53	\$82.20
UHB03110W 25	ORABOND® UHB03110W White UHB Tape - 1100mic	25mm x 33m	10	\$113.85	\$108.16







RABOND® UHB0310

Ultra High Bond 1000mic High Performance Clear Tape

ORABOND® UHB03100T carries UHB03 Clear adhesive & paper liner for light surface, low visibility applications. Single Layer construction tape suitable for a wide range of commercial & industrial applications including automotive signage & displays. Provides excellent adhesion to painted metals.

- 1000 micron thickness
- 130mic red PE film liner
- Adhesion 48N/25mm after 24hrs stainless steel
- Shear strength 50 N/cm² after 24hrs stainless steel
- Tensile adhesion 111 N/cm² after 24hrs aluminium

Product	Description	Size	Carton Qty	Roll Price	Carton Qty Price
UHB03100T 12	ORABOND® UHB03100T Transparent UHB Tape - 1000mic	12mm x 33m	20	\$51.08	\$48.53
UHB03100T 19	ORABOND® UHB03100T Transparent UHB Tape - 1000mic	19mm x 33m	13	\$80.88	\$76.84
UHB03100T 25	ORABOND® UHB03100T Transparent UHB Tape - 1000mic	25mm x 33m	10	\$106.43	\$101.11























ORABOND® Quick Tape Selector Guide

	PET tape	Transfer tape	Transfer tape	PVC tape	Foam tape	Foam tape	Foam tape
Foam PVC Sheet	1397PP	1375	1377	3331TG	1819TM 12	1819TM	1852
Polyester Sheet	1397PP	1375	1377	3331TG	1819TM 12	1819TM	
Paper Laminated Foam Board	1397PP	1375	1377		1819TM 12	1819TM	1852
Coated Foam Board	1397PP	1375	1377	3331TG	1819TM 12	1819TM	1852
Polypropylene Sheet				3331TG			1852
PVC Sign Board	1397PP	1375	1377	3331TG	1819TM 12	1819TM	
Polycarbonate Sheet	1397PP	1375	1377				
Filled polypropylene	1397PP			3331TG			
PVC Banner	1397PP			3331TG			
Polystyrene Sheet	1397PP	1375	1377				
Uncoated Carton Board					1819TM 12	1819TM	1852
Uncoated Paper					1819TM 12	1819TM	1852
Corrugated Board					1819TM 12	1819TM	1852
Mirror (Glass)					1819TM 12	1819TM	
Mirror (Acrylic)					1819TM 12	1819TM	
Aluminium			1377		1819TM 12	1819TM	
Acrylic					1819TM 12	1819TM	
Corflute	1397PP		1377		1819TM 12	1819TM	1852

Reference guide only.

Strong bonding solutions High performance every time!













	100				1 A S
AM2 DOUBLE SIDED TAPE	ORABOND® 1812TM	ORABOND® 1397PP	ORABOND® 1397TR	ORABOND® 3331TG	ORABOND® UHB0311OG
Key Feature	Thick bonding	Clear	Clear	Rough surface	High Performance Bonding & Mounting
Key property	For name plate, sign, and mirror mounting. Bonds irregular surfaces and allows for different thermal expansion of the two substrates	LSE Bonding High temperature	SE Bonding High temperature	Bonds textured materials	Ideal for applications where thermal expansion differences are a concern
Tape colour	White	Clear	Clear	White	Grey
Tape thickness	1000 microns	210 microns	210 microns	230 microns	1,100 microns
Carrier	Foam	Polyester	Polyester	PVC	Foamed Acrylic
Liner	Paper	Red Polypropylene	Paper	Paper	Red PE-Film

























Disclaimer: The information contained herein is based on data taken from sources believed to be both current and accurate at the time of preparation. Always refer to the ORAFOL product data sheets online at www.orafol.com. Products are supported by the ORAFOL OCS™ Warranty Program, which is available online at www.orafol.com.au. The colour swatches are not a 100% colour match to the actual material and are provided as a reference only. This information has been provided solely for you as an ORAFOL customer and should not be considered legally binding in any way.



ORAFOL Australia Pty Ltd Australian Head Office

Unit A3, 57 Templar Road, Erskine Park, NSW 2759 Tel: 1300 672 365 | sales.au@orafol.com

in ORAFOL Australia Pty Ltd 🔭 store.orafol.com.au

Find out more about our products at: www.orafol.com | www.orafol.com.au



ORAFOL Australia Pty Ltd