

Safety Data Sheet

according to Regulation (EC) No 1907/2006

ORAFOL® Intensive Cleaner for Matt Car Wrapping Films

Revision date: 28.04.2021 Product code: 359500026 Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

ORAFOL® Intensive Cleaner for Matt Car Wrapping Films

Further trade names

ORAFOL® Intensivreiniger für matte Fahrzeugvollverklebungen UFI: T3JQ-1KS1-8A3E-8HYW

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Automotive care products, Washing and cleaning products. Reserved for industrial and professional use.

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name: ORAFOL Europe GmbH

Germany

Street: Orafolstraße 1

Place: D-16515 Oranienburg

Telephone: + 49 3301 864 0 Telefax: + 49 3301 864 100

e-mail: msds@orafol.de Internet: www.orafol.com

1.4. Emergency telephone National Poison Information Service: In case of a medical emergency following

number: exposure to a chemical, the public should call NHS Direct in England or Wales

0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements

Regulation (EC) No. 1272/2008

Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

2.3. Other hazards

Avoid contact with eyes.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Labelling for contents according to regulation (EC) No. 648/2004: <5% phosphates, <5 % non-ionic surfactants, <5 % amphoteric surfactants, <5 % cationic surfactants, <5 % phosphonates, Preservative (2-phenoxyethanol, Laurylamindipropylendiamin, 2-n-butyl-benzo[d]isothiazol-3-one), <5% Complexing agent (IDS).

Further information: Contains: Emollentien.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

ORAFOL® Intensive Cleaner for Matt Car Wrapping Films

Revision date: 28.04.2021 Product code: 359500026 Page 2 of 12

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification	-		
7320-34-5	Tetrapotassium pyrophosphate			1 - < 5 %
	230-785-7		01-2119489369-18	
	Eye Irrit. 2; H319	-		
122-99-6	2-phenoxyethanol			< 1 %
	204-589-7	603-098-00-9	01-2119488943-21	
	Acute Tox. 4, Eye Irrit. 2; H302 H3	19		
4299-07-4	2-n-butyl-benzo[d]isothiazol-3-one	< 0,1 %		
	420-590-7	606-079-00-3	01-0000016721-74	
	Skin Corr. 1B, Eye Dam. 1, Skin S H400 H410	Sens. 1, Aquatic Acute 1, Ad	quatic Chronic 1; H314 H318 H317	
2372-82-9	Laurylamindipropylendiamin			< 0,1 %
	219-145-8		01-2119980592-29	
	Acute Tox. 3, Skin Corr. 1B, STOT RE 2, Aquatic Acute 1, Aquatic Chronic 1; H301 H314 H373 H400 H410			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Cond	Limits, M-factors and ATE	
7320-34-5	230-785-7	Tetrapotassium pyrophosphate	1 - < 5 %
	inhalation: L0 mg/kg	C50 = > 1,1 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = 2440	
122-99-6	204-589-7	2-phenoxyethanol	< 1 %
	dermal: LD50) = > 2214 mg/kg; oral: LD50 = 2740 mg/kg	
4299-07-4	420-590-7	2-n-butyl-benzo[d]isothiazol-3-one	< 0,1 %
	dermal: LD50 M chron.; H4	0 = > 2000 mg/kg; oral: LD50 = 4500 mg/kg M akut; H400: M=10 10: M=10	
2372-82-9	219-145-8	Laurylamindipropylendiamin	< 0,1 %
	dermal: LD50 M chron.; H4	0 = > 600 mg/kg; oral: LD50 = 871 mg/kg M akut; H400: M=10 0: M=1	

Further Information

The surfactant contained in this mixture complies with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Avoid contact with eyes.

After inhalation

Provide fresh air.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

ORAFOL® Intensive Cleaner for Matt Car Wrapping Films

Revision date: 28.04.2021 Product code: 359500026 Page 3 of 12

After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). When in doubt or if symptoms are observed, get medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Defoamer: Dimeticone.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. The product itself does not burn.

5.2. Special hazards arising from the substance or mixture

Non-flammable. No special measures are necessary.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. No special measures are necessary.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

Avoid contact with eyes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Dilute with plenty of water.

6.3. Methods and material for containment and cleaning up

For cleaning up

Small amounts of spillages: Dilute with plenty of water.

Large amounts of spillages: Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with eyes.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)



Safety Data Sheet

according to Regulation (EC) No 1907/2006

ORAFOL® Intensive Cleaner for Matt Car Wrapping Films

Revision date: 28.04.2021 Product code: 359500026 Page 4 of 12

Automotive care products

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Substance			
DNEL type	•	Exposure route	Effect	Value
7320-34-5	Tetrapotassium pyrophosphate			
Worker DNEL	., long-term	inhalation	systemic	17,63 mg/m³
Consumer DN	NEL, long-term	inhalation	systemic	4,35 mg/m³
122-99-6	2-phenoxyethanol			
Worker DNEL	, long-term	inhalation	systemic	5,7 mg/m³
Worker DNEL	., long-term	inhalation	local	5,7 mg/m³
Worker DNEL	., long-term	dermal	systemic	20,83 mg/kg bw/day
Consumer DN	NEL, long-term	inhalation	systemic	2,41 mg/m³
Consumer DN	NEL, long-term	inhalation	local	2,41 mg/m³
Consumer DNEL, long-term		dermal	systemic	10,42 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	9,23 mg/kg bw/day
Consumer DN	NEL, acute	oral	systemic	9,23 mg/kg bw/day
2372-82-9	Laurylamindipropylendiamin			
Worker DNEL	., long-term	inhalation	systemic	0,789 mg/m³
Worker DNEL, long-term		dermal	systemic	8,96 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	0,118 mg/m³
Consumer DNEL, long-term		dermal	systemic	3,2 mg/kg bw/day
Consumer DN	NEL, long-term	oral	systemic	0,04 mg/kg bw/day



Safety Data Sheet

according to Regulation (EC) No 1907/2006

ORAFOL® Intensive Cleaner for Matt Car Wrapping Films

Product code: 359500026 Revision date: 28.04.2021 Page 5 of 12

PNEC values

CAS No	Substance	
Environment	tal compartment	Value
122-99-6	2-phenoxyethanol	
Freshwater		0,943 mg/l
Freshwater ((intermittent releases)	3,44 mg/l
Marine wate	r	0,094 mg/l
Freshwater	sediment	7,237 mg/kg
Marine sedir	nent	0,724 mg/kg
Micro-organi	sms in sewage treatment plants (STP)	36 mg/l
Soil		1,31 mg/kg
2372-82-9	Laurylamindipropylendiamin	
Freshwater		0,001 mg/l
Freshwater ((intermittent releases)	0 mg/l
Marine water		0 mg/l
Freshwater	sediment	3,2 mg/kg
Marine sedir	nent	0,13 mg/kg
Micro-organisms in sewage treatment plants (STP)		0,18 mg/l
Soil		45,34 mg/kg

8.2. Exposure controls

Protective and hygiene measures

Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff. Remove contaminated, saturated clothing.

Eye/face protection

Avoid contact with eyes.

Filling and transfer: Wear eye/face protection.

Hand protection

Hand protection is not required.

Skin protection

Body protection: not required.

Respiratory protection

Usually no personal respirative protection necessary. Avoid: generation/formation of aerosols

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid

Colour: clear colourless

pH-Value (at 20 °C): 8.8 - 9.0

Changes in the physical state

Melting point: not determined 102 °C Boiling point or initial boiling point and boiling range:

Flash point:

not applicable

Flammability

not applicable Solid/liquid:



Safety Data Sheet

according to Regulation (EC) No 1907/2006

ORAFOL® Intensive Cleaner for Matt Car Wrapping Films

Revision date: 28.04.2021 Product code: 359500026 Page 6 of 12

Gas: not applicable

Explosive properties

The product is not: Explosive.

Lower explosion limits:

Upper explosion limits:

not applicable

not applicable

Self-ignition temperature

Solid: not applicable
Gas: not applicable

Decomposition temperature: not determined

Oxidizing properties

Not oxidising.

Vapour pressure: 23 hPa

(at 20 °C)

Density (at 20 °C): 1,02 g/cm³ Water solubility: completely miscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Relative vapour density:

Evaporation rate:

Solvent content:

not determined
not determined
not determined

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

none

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

ORAFOL® Intensive Cleaner for Matt Car Wrapping Films

Revision date: 28.04.2021 Product code: 359500026 Page 7 of 12

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
7320-34-5	Tetrapotassium pyrophos	sphate				
	oral	LD50 mg/kg	2440	Rat	Study report (1975)	other: Code of Federal Regulations, sect
	dermal	LD50 mg/kg	> 2000	Rat	Study report (2010)	OECD Guideline 402
	inhalation (4 h) aerosol	LC50 mg/l	> 1,1	Rat	Study report (1993)	other: FMC Acute Inhalation Toxicity Pro
122-99-6	2-phenoxyethanol					
_	oral	LD50 mg/kg	2740	Rat	Study report (1982)	OECD Guideline 401
	dermal	LD50 mg/kg	> 2214	Rabbit	J. Am. Coll. Toxicol. 9(2): 259-277 (198	other: Draft IRLG
4299-07-4	2-n-butyl-benzo[d]isothiazol-3-one					
	oral	LD50 mg/kg	4500			
	dermal	LD50 mg/kg	> 2000			
2372-82-9	Laurylamindipropylendia	min				
	oral	LD50 mg/kg	871	Rat	Study report (1988)	OECD Guideline 401
	dermal	LD50 mg/kg	> 600	Rat	Study report (1989)	EU Method B.3

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

Practical experience

Has degreasing effect on the skin. After cleaning apply high-fat content skin care cream.

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

ORAFOL® Intensive Cleaner for Matt Car Wrapping Films

Revision date: 28.04.2021 Product code: 359500026 Page 8 of 12

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
7320-34-5	Tetrapotassium pyrophos	ohate		1 2 1 1 2	'		
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Oncorhynchus mykiss	REACh Registration Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Desmodesmus subspicatus	REACh Registration Dossier	EU Method C.3
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	REACh Registration Dossier	EPA OTS 797.1300
	Acute bacteria toxicity	(> 1000	mg/l)	3 h	activated sludge of a predominantly domestic sewag	REACh Registration Dossier	OECD Guideline 209
122-99-6	2-phenoxyethanol						
	Acute fish toxicity	LC50	344 mg/l	96 h	Pimephales promelas	Publication (1984)	other: ASTM
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Desmodesmus subspicatus	Study report (2012)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	> 500	48 h	Daphnia magna	Study report (1989)	other: EU guideline 79/831 EEC, Annex V,
	Fish toxicity	NOEC	23 mg/l	34 d	Pimephales promelas	Study report (2005)	OECD Guideline 210
	Crustacea toxicity	NOEC mg/l	9,43	21 d	Daphnia magna	Study report (2006)	OECD Guideline 211
	Acute bacteria toxicity	(> 1000	mg/l)	0,5 h	activated sludge of a predominantly domestic sewag	Study report (2002)	OECD Guideline 209
1299-07-4	2-n-butyl-benzo[d]isothiaz	2-n-butyl-benzo[d]isothiazol-3-one					
	Acute fish toxicity	LC50 mg/l	0,15	96 h	Oncorhynchus mykiss (Rainbow trout)	ECHA	
	Acute algae toxicity	ErC50 mg/l	0,45	72 h	Desmodesmus subspicatus	ECHA	
	Acute crustacea toxicity	EC50 mg/l	0,093	48 h	other aquatic crustacea	ECHA	
	Fish toxicity	NOEC mg/l	0,031	4 d	Oncorhynchus mykiss (Rainbow trout)	ECHA	
	Algae toxicity	NOEC mg/l	0,099		Desmodesmus subspicatus	ECHA	
	Crustacea toxicity	NOEC mg/l	0,041	2 d	other aquatic crustacea	ECHA	
2372-82-9	Laurylamindipropylendian	nin					
	Acute fish toxicity	LC50 mg/l	0,431	96 h	Danio rerio	REACh Registration Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	0,054	72 h	Pseudokirchneriella subcapitata	REACh Registration Dossier	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	0,073	48 h	Daphnia magna	REACh Registration Dossier	EPA OPPTS 850.1010



Safety Data Sheet

according to Regulation (EC) No 1907/2006

	ORAFOL® Intensive Cleaner for Matt Car Wrapping Films					
R	Revision date: 28.04.2021	Pr	oduct code: 359500026		Page 9 of	f 12
	Crustacea toxicity	NOEC 0,024 mg/l	21 d Daphnia magna	REACh Registration Dossier	OECD Guideline 211	
	Acute bacteria toxicity	(18 mg/l)	3 h activated sludge of predominantly domestic sewag	REACh Registration Dossier	OECD Guideline 209	

12.2. Persistence and degradability

The surfactant contained in this mixture complies with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
122-99-6	2-phenoxyethanol			
		21,33%	20	
4299-07-4	2-n-butyl-benzo[d]isothiazol-3-one			
		0	28	

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
122-99-6	2-phenoxyethanol	1,2
2372-82-9	Laurylamindipropylendiamin	0,34

BCF

CAS No	Chemical name	BCF	Species	Source
122-99-6	2-phenoxyethanol	0,349	calculation	QSAR (2007)

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

No information available.

12.7. Other adverse effects

none

Further information

Avoid release to the environment. Technically correct releases of minimal concentrations to adapted biological sewage plants, will not disturb the biodegradability of activated sludge. Chemical oyxgen demand (COD): 82 mg O2/g.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

200130 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately

collected fractions (except 15 01); detergents other than those mentioned in 20 01 29



Safety Data Sheet

according to Regulation (EC) No 1907/2006

ORAFOL® Intensive Cleaner for Matt Car Wrapping Films

Revision date: 28.04.2021 Product code: 359500026 Page 10 of 12

List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); plastic packaging

Contaminated packaging

Cleaning agent: Water.

Dispose of waste according to "Kreislaufwirtschaftsgesetz (KrWG)". Non-contaminated packages may be

recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

Other applicable information (land transport)

No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

No dangerous good in sense of these transport regulations.

Marine transport (IMDG)

Other applicable information (marine transport)

No dangerous good in sense of these transport regulations.

Air transport (ICAO-TI/IATA-DGR)

Other applicable information (air transport)

No dangerous good in sense of these transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No special measures are necessary.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2004/42/EC (VOC): 0 %

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

Additional information

Regulation (EC) No. 648/2004 (Detergents regulation).

Regulation (EC) No. 1005/2009 on substances that lead to the depletion of the ozone layer: not applicable

Regulation (EC) No 850/2004 [POP-Regulation]: not applicable

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

Additional information

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH:none

This mixture contains the following substances of very high concern (SVHC) which are subject to authorisation according to Annex XIV of REACH: none



Safety Data Sheet

according to Regulation (EC) No 1907/2006

ORAFOL® Intensive Cleaner for Matt Car Wrapping Films

Revision date: 28.04.2021 Product code: 359500026 Page 11 of 12

Use restriction according to REACH annex XVII, no.: 3 (2-phenoxyethanol).

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

Tetrapotassium pyrophosphate

2-phenoxyethanol

2-n-butyl-benzo[d]isothiazol-3-one

Laurylamindipropylendiamin

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s):

1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Relevant H and EUH statements (number and full text)

H301	loxic it swallowed.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H373	May cause damage to organs through prolonged or repeated exposure.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

ORAFOL® Intensive Cleaner for Matt Car Wrapping Films

Revision date: 28.04.2021 Product code: 359500026 Page 12 of 12

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH210 Safety data sheet available on request.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)