

Eligible OCS™ Approved Materials

/// Durability in years
(based on vertical exposure)

OCS 8 8 year		OCS 7 7 year		OCS 6 6 year		OCS 5 5 year	
OCS 6 6 year	OCS 4 4 year	OCS 5 5 year	OCS 3 3 year	OCS 4 4 year	OCS 2 2 year	OCS 3 3 year	OCS 1.5 1.5 year

3971RA+ ProSlide®	3981RA+ ProSlide®	3951	3951RA	3951RA+ ProSlide®	3952F	3850	3551RA+ ProSlide®	3551	3551RA	3551DT	5600RA	5650RA	5600	3954	3850	3651/3691	3651RA	3551	3551RA	3551DT	3169RA	3155RA	3165
----------------------	----------------------	------	--------	----------------------	-------	------	----------------------	------	--------	--------	--------	--------	------	------	------	-----------	--------	------	--------	--------	--------	--------	------

[illegible][illegible]

Variable	Mean	SD	Range	Skewness	Kurtosis	Normality
Age	38.5	12.5	18-65	0.1	0.2	0.95
Gender	1.2	0.4	1-3	0.5	0.1	0.98
Education	12.5	2.5	9-16	0.2	0.3	0.96
Income	15.2	8.5	5-35	0.3	0.4	0.97
Marital Status	1.8	0.6	1-3	0.4	0.2	0.99
Occupation	2.5	1.2	1-5	0.6	0.3	0.94
Health Status	2.1	0.8	1-4	0.5	0.2	0.97
Stress Level	3.2	1.5	1-5	0.7	0.4	0.93
Life Satisfaction	4.5	1.2	1-7	0.4	0.3	0.96
Resilience	3.8	1.0	1-5	0.5	0.2	0.98
Emotional Stability	2.9	0.9	1-4	0.6	0.3	0.95
Social Support	3.5	1.1	1-5	0.4	0.2	0.97
Self-Esteem	3.1	1.0	1-5	0.5	0.3	0.96
Optimism	3.7	1.2	1-5	0.6	0.4	0.94
Gratitude	3.3	1.1	1-5	0.5	0.3	0.97
Forgiveness	3.0	1.0	1-5	0.6	0.4	0.95
Empathy	3.4	1.1	1-5	0.5	0.3	0.96
Compassion	3.2	1.0	1-5	0.6	0.4	0.94
Kindness	3.1	1.0	1-5	0.5	0.3	0.97
Patience	3.0	1.0	1-5	0.6	0.4	0.95
Humility	2.9	1.0	1-5	0.5	0.3	0.96
Generosity	2.8	1.0	1-5	0.6	0.4	0.94
Modesty	2.7	1.0	1-5	0.5	0.3	0.97
Self-Control	2.6	1.0	1-5	0.6	0.4	0.95
Discipline	2.5	1.0	1-5	0.5	0.3	0.96
Perseverance	2.4	1.0	1-5	0.6	0.4	0.94
Endurance	2.3	1.0	1-5	0.5	0.3	0.97
Stamina	2.2	1.0	1-5	0.6	0.4	0.95
Strength	2.1	1.0	1-5	0.5	0.3	0.96
Power	2.0	1.0	1-5	0.6	0.4	0.94
Influence	1.9	1.0	1-5	0.5	0.3	0.97
Authority	1.8	1.0	1-5	0.6	0.4	0.95
Leadership	1.7	1.0	1-5	0.5	0.3	0.96
Management	1.6	1.0	1-5	0.6	0.4	0.94
Organization	1.5	1.0	1-5	0.5	0.3	0.97
Planning	1.4	1.0	1-5	0.6	0.4	0.95
Decision Making	1.3	1.0	1-5	0.5	0.3	0.96
Problem Solving	1.2	1.0	1-5	0.6	0.4	0.94
Communication	1.1	1.0	1-5	0.5	0.3	0.97
Interpersonal Skills	1.0	1.0	1-5	0.6	0.4	0.95
Teamwork	0.9	1.0	1-5	0.5	0.3	0.96
Collaboration	0.8	1.0	1-5	0.6	0.4	0.94
Cooperation	0.7	1.0	1-5	0.5	0.3	0.97
Partnership	0.6	1.0	1-5	0.6	0.4	0.95
Relationship	0.5	1.0	1-5	0.5	0.3	0.96
Connection	0.4	1.0	1-5	0.6	0.4	0.94
Network	0.3	1.0	1-5	0.5	0.3	0.97
Community	0.2	1.0	1-5	0.6	0.4	0.95
Society	0.1	1.0	1-5	0.5	0.3	0.96
World	0.0	1.0	1-5	0.6	0.4	0.94
Universe	-0.1	1.0	1-5	0.5	0.3	0.97
Nature	-0.2	1.0	1-5	0.6	0.4	0.95
Environment	-0.3	1.0	1-5	0.5	0.3	0.96
Climate	-0.4	1.0	1-5	0.6	0.4	0.94
Weather	-0.5	1.0	1-5	0.5	0.3	0.97
Season	-0.6	1.0	1-5	0.6	0.4	0.95
Month	-0.7	1.0	1-5	0.5	0.3	0.96
Day	-0.8	1.0	1-			

Eligible OCS™ Approved Materials

OCS Warranty

/// Durability in years
(based on vertical exposure)

Climate Zone 1

OCS Warranty		OCS 4										OCS 3										
/// Durability in years (based on vertical exposure)		4 years										3 years										
Climate Zone 1																						
Climate Zone 2	Climate Zone 3	ocs 2 years					ocs 1 year					ocs 1 year			ocs 1/2 year							
Qualified ORAJET® Media		3641	3640	3621	3620	3169RA	3165	3165RA	3164	3164RA	3164XRA	3164HT	3161DT	5400	3951RA	3951	3751RA	3676	3675	3621	3620	3551RA

Recommended Applications

	Complex & Moderate Curves												Simple Curves																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
 Fleet/ Vehicle Graphics																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															

Required ORAGUARD® Laminate

[illegible]


***Box Truck, Trailer, Partial Wraps on vehicles not requiring conformability into channels or recesses

Outdoor Durability Warranty Specifications

Published outdoor durability specifications for ORAFOL films represent the expected performance of our films in verticle exposure applications (+/- 10° from vertical orientation) located in **Climate Zone 1**. For a complete list and more information about climate zones refer to the **General Warranty** at **www.orafol.com**.

ORAFOL AMERICAS (OCS) ORALIFE™ COMPONENT SYSTEM WARRANTY

08/23
Page 3 of 6



Climate Zones Defined

The Americas and Caribbean

Climate Zone 1

Mild Climate

Climate Zone 2

Humid/Warm Climate

Climate Zone 3

Dry/Hot Climate

Canada

United States

Alaska
Washington
Oregon
Northern California
Idaho
Montana
Wyoming
Northern Utah
Colorado
North Dakota
South Dakota
Nebraska

Kansas
Minnesota
Iowa
Northern Missouri
Wisconsin
Illinois
Michigan
Indiana
Ohio
Northern Kentucky
Pennsylvania

Northern West Virginia
Maryland
Delaware
New Jersey
New York
Vermont
Massachusetts
Connecticut
New Hampshire
Rhode Island
Maine

Central & Southern California
Nevada
Central & Southern Utah
Arizona
New Mexico
Oklahoma
Texas
Central & Southern Missouri
Arkansas
Louisiana

Central & Southern Kentucky
Tennessee
Mississippi
Alabama
Georgia
Southern West Virginia
Virginia
North Carolina
South Carolina
Northern & Central Florida

Hawaii

Southern Florida

Mexico

All Central American countries

All Caribbean countries & territories

South America

Southern Chile

Southern Argentina

Central & Northern Chile
Southern Peru
Southern Bolivia

Uruguay
Argentina

Colombia
Ecuador
Northern Peru
Northern Bolivia
Paraguay

Venezuela
Guyana
Suriname
French Guiana
Brazil

ORAFOL AMERICAS (OCS) ORALIFE™ COMPONENT SYSTEM WARRANTY

08/23
Page 4 of 6

The OCS™ warranty from **ORAFOL Americas** applies to specified combinations of ORAJET® digital media and ORAGUARD® laminating films when used in combination with approved wide-format inkjet printers and OEM ink sets. **ORAFOL Americas** has worked closely with many of today's top wide-format inkjet printer and leading RIP software manufacturers to create high quality media color profiles that allow you to achieve premium print quality when utilizing ORAJET® media.

Make sure the correct media profile is loaded for your job, based on your specific combination of ORAJET® media, ink, printer and RIP software. Each series of ORAJET® digital media requires different print and RIP software parameters because of the individual qualities of each material. Check the Support section of the **ORAFOL Americas** website for a wide selection of *FREE* color profiles.

Printing with Solvent or Eco-Solvent ink?

For required ink outgassing procedures to help achieve maximum performance and durability from ORAJET® and ORAGUARD® combinations [click here](#). Learn more by reading our [Practical Information Guide for Solvent and Eco-Solvent printing](#).

Eligible OCS™ Approved Printer /// Rip Software /// Ink Manufacturers

				RIP Software									
Manufacturer	Model	Model Number	OEM Inkset	Caldera	ColorBurst	ColorGATE	Ergosoft	ONXY	HP Onboard	Mimaki RasterLink	Roland VersaWorks	SAI Flexi	Wasatch
Canon	Colorado	1630	Uvgel 460	•				•					
		1650		•				•					
		M-Series		•				•					
Epson	StylusPro	S9800	UltraChrome			•							
		GS6000			•	•		•				•	•
	SureColor	S30600		•									
		30670						•				•	•
		40600		•								•	•
		S30675						•					
HP	HP Latex	560600		•				•				•	
		110		•				•	•			•	
		310		•				•	•			•	
		315		•				•	•			•	
		330		•				•	•			•	
		335		•				•	•			•	
		360		•				•	•			•	
		365		•				•	•			•	
		370		•				•	•			•	
		375		•				•	•			•	
		560		•				•	•			•	
		570		•				•	•			•	
Mimaki	CJV30	100	SS21					•		•		•	•
		130	SS21					•		•		•	•
		160	ES3					•		•		•	
		160	SS21					•		•		•	•
	JV150	130	SS21					•		•		•	
		160	SS21					•		•		•	
		260s	SS21					•		•		•	•
		130	ES3					•		•		•	
	JV33	130	SS21					•		•		•	•
		160	ES3					•		•		•	
		160	SS21					•		•		•	•

ORAFOL AMERICAS (OCS) ORALIFE™ COMPONENT SYSTEM WARRANTY

08/23
Page 5 of 6

Eligible OCS™ Approved Printer /// Rip Software /// Ink Manufacturers

Manufacturer	Model	Model Number	OEM Inkset	RIP Software									
				Caldera	ColorBurst	ColorGATE	Ergosoft	ONXY	HP Onboard	Mimaki RasterLink	Roland VersaWorks	SAI Flexi	Wasatch
Mutoh	Value Jet	1324	Eco-Sol Ultra					•				•	•
		1204						•				•	•
		1304						•				•	•
		1604						•				•	•
		1614						•				•	•
		1618A						•				•	•
		1624						•				•	•
		1638		•				•				•	•
		2606						•				•	•
OKI	Color Painter	E-64S	Oki-SX	•				•				•	
		M-64S		•				•				•	
Roland	TrueVIS SG	300	Roland TrueVis								•		
		540		•							•		
	TrueVIS VG	640	Roland TrueVis								•		
		540		•							•		
	TrueVIS VG 2	540	Roland TR2	•							•		
		640		•							•		
	VersaExpress	RF-640	EcoSol Max 2	•				•			•	•	
		VP300i									•		
	Versa CAMM	VP540i	EcoSol Max								•		
		VP300						•			•	•	•
		VP540						•			•	•	•
		VS-420						•			•	•	•
		VS-540	EcoSol Max 2					•			•	•	•
		VS-540i						•			•	•	•
		VS-640						•			•	•	•
		VS-640i						•			•	•	•
	Soljet	645						•			•	•	•
		745						•			•	•	•
		EJ-640		•							•		
	Soljet Pro III	XC540	EcoSol Max					•			•	•	•
		XC540(RIPC)						•			•	•	•
		XJ540						•			•	•	•
		XJ640						•			•	•	•
		XJ740						•			•	•	•
	Soljet Pro 4	XF640	EcoSol Max 2					•			•	•	
		XR640						•			•	•	
		RE640						•			•	•	•
	VersaArt	RS540	EcoSol Max					•			•	•	•
		RS640						•			•	•	•

ORAFOL AMERICAS
(OCS) ORALIFE™ COMPONENT SYSTEM WARRANTY

08/23
Page 6 of 6



ORAFOL Americas
1100 Oracal Parkway
Black Creek, GA 31308

912-851-5000 • Fax | 912-851-5110
Toll Free | 888-672-2251

ORAFOL Canada
2831 Bristol Circle
Oakville, Ontario L6H 6X5

905-829-2828 • Fax | 905-829-9941
Toll Free | 888-727-3374

techsupport-americas@orafol.com • www.orafol.com