

ORALIFE Component System™ Warranty

The ORALIFE Component System™ (OCS™) warranty from ORAFOL Americas includes specially matched media and laminates to fit almost any graphic application where a pressure sensitive adhesive is needed. Combined with your approved wide-format inkjet printer and corresponding OEM ink sets, the OCS warranty can help you achieve an unrivaled level of performance and guaranteed reliability for your outdoor digital prints. Take the guess work out of trying to determine what laminate to use with your inkjet material, not to mention trying to determine how long it should actually last. We've provided you with an easy to follow guide of approved ORAJET® and ORAGUARD® combinations.

Eligible OCS™ Approved Materials:

Compatibility and Expected Durability Guide		RECOMMENDED APPLICATIONS								REQUIRED ORAGUARD® LAMINATE				
		FLEET/VEHICLE GRAPHICS *Complex Curves/Corrugations	FLEET/VEHICLE GRAPHICS **Moderate Curves	FLEET/VEHICLE GRAPHICS ***Simple Curves/Rivets	SHORT-TERM PROMOTIONAL	INDOOR SIGNAGE POP/EXHIBIT	OUTDOOR SIGNAGE	BACKLIT SIGNAGE	WINDOW GRAPHICS	BOAT/WATERCRAFT	Series 210 PVC	Series 215 PVC	Series 290 PVC Premium Cast Series 290GF Optically Clear PVC Cast	Series 293 Ultra Flexible Premium Cast
OCS WARRANTY	QUALIFIED MEDIA													
OCS 7™ 7 year durability^	ORAJET® 3951	7yr	7yr	7yr				7yr				•	•	
	ORAJET® 3951RA	7yr	7yr	7yr				7yr				•	•	
OCS 6™ 6 year durability^	ORAJET® 3751RA	6yr	6yr	6yr				6yr				•	•	
	ORAJET® 3551			6yr	6yr	6yr						•	•	
	ORAJET® 3551RA			6yr	6yr	6yr						•	•	
	ORAJET® 3551DT			6yr	6yr	6yr						•	•	
	ORALITE® 5650RA			6yr		6yr						•	•	
	ORALITE® 5600			6yr		6yr						•	•	
OCS 5™ 5 year durability^	ORAJET® 3850					5yr		5yr			•	•	•	•
	ORAJET® 3691				5yr	5yr	5yr				•			
	ORAJET® 3651				5yr	5yr	5yr				•			
	ORAJET® 3651RA				5yr	5yr	5yr				•			
	ORAJET® 3551					5yr	5yr				•			
	ORAJET® 3551RA					5yr	5yr				•			
	ORAJET® 3551DT					5yr	5yr				•			
OCS 4™ 4 year durability^	ORAJET® 3641				4yr	4yr	4yr				•			
	ORAJET® 3640				4yr	4yr	4yr				•			
	ORAJET® 3621				4yr	4yr	4yr				•			
	ORAJET® 3169RA				4yr	4yr	4yr				•	•		
	ORAJET® 3165				4yr	4yr	4yr				•	•		
	ORAJET® 3165RA				4yr	4yr	4yr				•	•		
	ORAJET® 3164				4yr	4yr	4yr				•			
	ORAJET® 3164RA				4yr	4yr	4yr				•			
	ORAJET® 3164XRA				4yr	4yr	4yr				•			
ORAJET® 3161DT				4yr	4yr	4yr				•				
OCS 3™ 3 year durability^	ORAJET® 3951								3yr			•	•	
	ORAJET® 3676							3yr						•
	ORAJET® 3675							3yr						•

*Mercedes-Benz Sprinter®, Volkswagen Beetle®, Chevy Equinox®, or similar // **Chevy Tahoe®, Chevy Silverado®, Ford F-150, Ford Flex®, or similar
 ***Box Truck, Trailer, Partial Wraps on vehicles not requiring conformability into channels or recesses // ^Based on vertical exposure applications

ORALIFE Component System™ Warranty

The OCS™ warranty from ORAFOL Americas applies to specified combinations of ORAJET® digital media and ORAGUARD® laminating films when used in combination with approved wide-format inkjet printers and OEM ink sets. ORAFOL Americas has worked closely with many of today's top wide-format inkjet printer and leading RIP software manufacturers to create high quality media color profiles that allow you to achieve premium print quality when utilizing ORAJET® materials. Make sure the correct media profile is loaded for your job, based on your specific combination of ORAJET® media, ink, printer and RIP software. Each series of ORAJET® digital media requires different print and RIP software parameters because of the individual qualities of each material. Check the Support section of the ORAFOL Americas website for a wide selection of FREE color profiles. A list of these approved printer, ink, and RIP software combinations is provided below.

Eligible OCS™ Approved Printer/RIP Software/Ink Manufacturers:

Manufacturer	Model	OEM Inkset	RIP Software
AGFA®	Grand Sherpa Universal	Eco-Sol Ultra	FLEXI / ONYX / WASATCH
	JETI 3323	HLS	ONYX
EPSON®	Stylus Pro GS6000	UltraChrome GS	COLORBURST / FLEXI/ONYX / WASATCH
GERBER®	ELAN XL	Eco-Sol Ultra	ONYX / WASATCH
	JETSTER	Eco-Sol Ultra	FLEXI / ONYX / WASATCH
HP®	DesignJet 8000s	HP 780	FLEXI / ONYX / WASATCH
	DesignJet 9000s	HP 790	FLEXI / ONYX / WASATCH
	DesignJet 10000s	HP 790	FLEXI / ONYX / WASATCH
	DesignJet L25500	HP 789	CALDERA / FLEXI / ONYX / WASATCH
	DesignJet L26500	HP 792	CALDERA / FLEXI / ONYX
MIMAKI®	CJV30 100	SS21	FLEXI/ONYX/RASTERLINK/WASATCH
	CJV30 130	SS21	FLEXI/ONYX/RASTERLINK/WASATCH
	CJV30 160	SS21	FLEXI/ONYX/RASTERLINK/WASATCH
	JV3 75 SPII	SS2	FLEXI/ONYX/RASTERLINK/WASATCH
	JV3 130 SPII	SS2	FLEXI/ONYX/RASTERLINK/WASATCH
	JV3 160 SP	SS2	FLEXI/ONYX/RASTERLINK/WASATCH
	JV3 250 SP	SS2	FLEXI/ONYX/RASTERLINK/WASATCH
	JV33 130 S	SS21	FLEXI/ONYX/RASTERLINK/WASATCH
	JV33 160 S	SS21	FLEXI/ONYX/RASTERLINK/WASATCH
	JV33 260 S	SS21	FLEXI/ONYX/RASTERLINK/WASATCH
	JV5 130 S	HS	FLEXI/ONYX/RASTERLINK/WASATCH
JV5 160 S	HS	FLEXI/ONYX/RASTERLINK/WASATCH	
MUTOH®	Falcon Outdoor	Eco-Sol Ultra	FLEXI/ONYX/WASATCH
	Falcon Outdoor Jr.	Eco-Sol Plus	ONYX/WASATCH
	Falcon II Outdoor	Eco-Sol Ultra	FLEXI/ONYX/WASATCH
	Toucan LT	Eco-Sol Ultra	FLEXI/ONYX/WASATCH
	ValueJet 1204	Eco-Sol Ultra	FLEXI/ONYX/WASATCH
	ValueJet 1304	Eco-Sol Ultra	FLEXI/ONYX/WASATCH
	ValueJet 1324	Eco-Sol Ultra	FLEXI/ONYX/WASATCH
	ValueJet 1604	Eco-Sol Ultra	FLEXI/ONYX/WASATCH
	ValueJet 1614	Eco-Sol Ultra	FLEXI/ONYX/WASATCH
	ValueJet 1618A	Eco-Sol Ultra	FLEXI/ONYX/WASATCH
ValueJet 1624	Eco-Sol Ultra	FLEXI/ONYX/WASATCH	

ORALIFE Component System™ Warranty

Eligible OCS™ Approved Printer/RIP Software/Ink Manufacturers (cont.):

Manufacturer	Model	OEM Inkset	RIP Software
	ValueJet 2606	Eco-Sol Ultra	FLEXI/ONYX/WASATCH
OCE®	CS6060	IJC610	FLEXI/ONYX/WASATCH
	CS9065	Eco-Sol Ultra	FLEXI/ONYX/WASATCH
	CS9090	Eco-Sol Ultra	FLEXI/ONYX/WASATCH
Roland®	SolJet Pro II SC-545 EX	Eco-Sol Max	FLEXI/ONYX/VERSAWORKS/WASATCH
	SolJet Pro II SC-645 EX	Eco-Sol Max	FLEXI/ONYX/VERSAWORKS/WASATCH
	SolJet Pro II SC-745 EX	Eco-Sol Max	FLEXI/ONYX/VERSAWORKS/WASATCH
	SolJet Pro III XC-540	Eco-Sol Max	FLEXI/ONYX/VERSAWORKS/WASATCH
	SolJet Pro III XJ-540	Eco-Sol Max	FLEXI/ONYX/VERSAWORKS/WASATCH
	SolJet Pro III XJ-640	Eco-Sol Max	FLEXI/ONYX/VERSAWORKS/WASATCH
	SolJet Pro III XJ-740	Eco-Sol Max	FLEXI/ONYX/VERSAWORKS/WASATCH
	VersaArt RS-540	Eco-Sol Max	FLEXI/ONYX/VERSAWORKS/WASATCH
	VersaArt RS-640	Eco-Sol Max	FLEXI/ONYX/VERSAWORKS/WASATCH
	VersaArt RE-640	Eco-Sol Max	FLEXI/ONYX/VERSAWORKS/WASATCH
	VersaCAMM SP-300i	Eco-Sol Max	FLEXI/VERSAWORKS/WASATCH
	VersaCAMM SP-300v	Eco-Sol Max	FLEXI/ONYX/VERSAWORKS/WASATCH
	VersaCAMM SP-540i	Eco-Sol Max	FLEXI/VERSAWORKS/WASATCH
	VersaCAMM SP-540v	Eco-Sol Max	FLEXI/ONYX/VERSAWORKS/WASATCH
	VersaCAMM VP-300	Eco-Sol Max	FLEXI/ONYX/VERSAWORKS/WASATCH
	VersaCAMM VP-300i	Eco-Sol Max	VERSAWORKS
	VersaCAMM VP-540	Eco-Sol Max	FLEXI/ONYX/VERSAWORKS/WASATCH
	VersaCAMM VP-540i	Eco-Sol Max	VERSAWORKS
	VersaCAMM VS-420	Eco-Sol Max	FLEXI/VERSAWORKS/WASATCH
	VersaCAMM VS-540	Eco-Sol Max	FLEXI/VERSAWORKS/WASATCH
	VersaCAMM VS-640	Eco-Sol Max	FLEXI/VERSAWORKS/WASATCH
Seiko®	ColorPainter 64s	EG-Outdoor	FLEXI/ONYX/WASATCH
	ColorPainter 100s	EG-Outdoor	FLEXI/ONYX/WASATCH
	ColorPainter H-74s	EG-Outdoor GX	FLEXI/ONYX/WASATCH
	ColorPainter H-104s	EG-Outdoor GX	FLEXI/ONYX/WASATCH
	ColorPainter V-64s	EG-Outdoor EX	FLEXI/ONYX/WASATCH

ORALIFE COMPONENT SYSTEM Warranty Details

The OCS Warranty from ORAFOL Americas applies to specified combinations of ORAJET® digital media and ORAGUARD® laminating films when used in combination with approved wide-format inkjet printers and OEM ink sets.

Covered failures include cracking, blistering, or fading of the media or printed image in vertical exposure applications in the United States (excluding the following areas, Central & Southern Florida, Central & Southern Texas, Southern Utah, Central & Southern Nevada, Central & Southern Desert areas of California, entire State of New Mexico, and entire State of Arizona, wherein this warranty will be reduced by 25%). Please see the Outdoor Durability Map for specific details. In the case of these covered failures, the OEM inks will be covered under this warranty based on a proportion of the manufacturers stated ink life expectancy in vertical exposure applications.

ORALIFE Component System™ Warranty

ORALIFE COMPONENT SYSTEM Warranty Details (cont.)

Warranted graphics must have been printed and installed after 02/01/05 for the warranty to apply. Products must be processed and applied within one year of purchase for warranty to apply. The OCS Warranty shall not apply to products that have been subjected to misuse, misapplication or neglect, including but not limited to improper storage, environmental contamination, vandalism, or mechanical damage caused by improper cleaning methods. Horizontally applied graphics will not be covered under this warranty, i.e. vehicle hoods, roofs, trunks, etc. There is no expectation on how long horizontally applied digitally printed graphics will last in Climate Zones 1 or 2. Graphic failure caused by ink over-saturation is not covered.

The exclusive remedy under the OCS Warranty shall be the replacement of warranted materials (digital media and laminating film) or, at ORAFOL Americas's option, a credit for the purchase price of the ORAFOL material through the authorized distributor from where the material was purchased. In no event will ORAFOL Americas be responsible for any consequential or incidental damage of any kind to the surface in which the material was applied. Claims against the OCS Warranty will be verified by an ORAFOL Americas-approved laboratory. Ink contaminations/failures recognized by their respective ink manufacturers will not be covered by this warranty.

In order to be eligible for the OCS warranty, the ORALIFE Component System Warranty Pre-Approval Form must be completed in full. Once this form has been completed, please email to: techsupport-americas@orafol.com, or fax to: 912-851-5060, attention Senior Product Technical Support Specialist. We will review your information and provide you with the necessary items to complete the remainder of the application process. Once you've been approved ORAFOL Americas will issue a non-transferable warranty certificate to you within ten business days. If you have any questions please call 888-ORACAL-1 extension 168 or 176.

All ORAFOL products are produced in compliance with ISO 9001 quality certification standards and are warranted to be free of defects in materials and manufactured to perform as stated when materials are stored, handled and installed in accordance with ORAFOL Americas's stated product technical recommendations and information bulletins.

